



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50611001-005



Curaleaf NY, LLC.

License # : MM1001M

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**

### MISC.



Terpenes  
**PASSED**



### Cannabinoid

**PASSED**



Total THC

**28.3756%**

Total THC/Container : 7945.1680 mg



Total CBD

**<0.1000**

Total CBD/Container : 0.0000 mg



Total Cannabinoids

**33.6896%**

Total Cannabinoids/Container :  
9433.0880 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD     | CBDA    | CBDV    | CBG    | D8-THC  | CBGA    | CBN     | D9-THC  | THCA     | THCV    |
|---------|---------------------|---------------------|--------|---------|---------|---------|--------|---------|---------|---------|---------|----------|---------|
| %       | <0.1000             | <0.1000             | 0.1603 | <0.1000 | <0.1000 | <0.1000 | 0.1807 | <0.1000 | 1.1345  | <0.1000 | 1.0071  | 31.2070  | <0.1000 |
| mg/unit | <28.000             | <28.000             | 44.884 | <28.000 | <28.000 | <28.000 | 50.596 | <28.000 | 317.660 | <28.000 | 281.988 | 8737.960 | <28.000 |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000  | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000  | 0.1000  | 0.1000  | 0.1000   | 0.1000  |
| %       | %                   | %                   | %      | %       | %       | %       | %      | %       | %       | %       | %       | %        | %       |

Weight:  
0.1892g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 06/12/25 13:17:18

Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
06/14/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

F(Whole Flower)-Find.-Horseshoes-28g-H  
Matrix : Flower  
Type: Flower (Medical Use)



# Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License # : MM1001M

Sample : AL50611001-005

Batch# : P-FDWF282025-731A  
Sampled : 06/10/25 03:15 PM

Sample Size Received : 8 units

Total Amount : 805 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|---------------------|---------|-----------|---------|------------|
| BETA-CARYOPHYLLENE  | 0.00    | PASS      | 151.200 | 0.5400     | BETA-CARYOPHYLLENE  | 0.00    | PASS      | 151.200 | 0.5400     |
| BETA-MYRCENE        | 0.00    | PASS      | 117.600 | 0.4200     | BETA-MYRCENE        | 0.00    | PASS      | 117.600 | 0.4200     |
| LIMONENE            | 0.00    | PASS      | 103.600 | 0.3700     | LIMONENE            | 0.00    | PASS      | 103.600 | 0.3700     |
| ALPHA-HUMULENE      | 0.00    | PASS      | 67.200  | 0.2400     | ALPHA-HUMULENE      | 0.00    | PASS      | 67.200  | 0.2400     |
| LINALOOL            | 0.00    | PASS      | 25.200  | 0.0900     | LINALOOL            | 0.00    | PASS      | 25.200  | 0.0900     |
| BETA-PINENE         | 0.00    | PASS      | 19.600  | 0.0700     | BETA-PINENE         | 0.00    | PASS      | 19.600  | 0.0700     |
| FENCHYL ALCOHOL     | 0.00    | PASS      | 14.000  | 0.0500     | FENCHYL ALCOHOL     | 0.00    | PASS      | 14.000  | 0.0500     |
| ALPHA-TERPINEOL     | 0.00    | PASS      | 11.200  | 0.0400     | ALPHA-TERPINEOL     | 0.00    | PASS      | 11.200  | 0.0400     |
| ALPHA-PINENE        | 0.00    | PASS      | 11.200  | 0.0400     | ALPHA-PINENE        | 0.00    | PASS      | 11.200  | 0.0400     |
| GERANIOL            | 0.00    | PASS      | 5.600   | 0.0200     | GERANIOL            | 0.00    | PASS      | 5.600   | 0.0200     |
| VALENCENE           | 0.00    | PASS      | 5.600   | 0.0200     | VALENCENE           | 0.00    | PASS      | 5.600   | 0.0200     |
| CAMPHENE            | 0.00    | PASS      | 2.800   | 0.0100     | CAMPHENE            | 0.00    | PASS      | 2.800   | 0.0100     |
| CARYOPHYLLENE OXIDE | 0.00    | PASS      | 2.800   | 0.0100     | CARYOPHYLLENE OXIDE | 0.00    | PASS      | 2.800   | 0.0100     |
| ALPHA-BISABOLOL     | 0.00    | PASS      | 2.800   | 0.0100     | ALPHA-BISABOLOL     | 0.00    | PASS      | 2.800   | 0.0100     |
| FARNESENE           | 0.10    | PASS      | <28.000 | <0.1000    | FARNESENE           | 0.10    | PASS      | <28.000 | <0.1000    |
| OCIMENE             | 0.00    | PASS      | <1.120  | <0.0040    | OCIMENE             | 0.00    | PASS      | <1.120  | <0.0040    |
| TERPINOLENE         | 0.00    | PASS      | <1.120  | <0.0040    | TERPINOLENE         | 0.00    | PASS      | <1.120  | <0.0040    |
| ALPHA-PHELLANDRENE  | 0.00    | PASS      | <1.120  | <0.0040    | ALPHA-PHELLANDRENE  | 0.00    | PASS      | <1.120  | <0.0040    |
| GUAIOL              | 0.00    | PASS      | <1.120  | <0.0040    | GUAIOL              | 0.00    | PASS      | <1.120  | <0.0040    |
| MENTHOL             | 0.00    | PASS      | <1.120  | <0.0040    | MENTHOL             | 0.00    | PASS      | <1.120  | <0.0040    |
| ALPHA-TERPINENE     | 0.00    | PASS      | <1.120  | <0.0040    | ALPHA-TERPINENE     | 0.00    | PASS      | <1.120  | <0.0040    |
| Total (%)           |         |           | 1.9300  |            | Total (%)           |         |           | 1.9300  |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/14/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

F(Whole Flower)-Find.-Horseshoes-28g-H  
Matrix : Flower  
Type: Flower (Medical Use)



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License #: MM1001M

Sample : AL50611001-005

Batch#: P-FDWF282025-731A Sample Size Received : 8 units

Sampled : 06/10/25 03:15 PM

Total Amount : 805 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 5



## Pesticides

**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROXAMINE                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTHANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.9952g                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analyzed Date : 06/12/25 11:39:26                                     |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.9952g                                                               |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FENOXYCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analyzed Date : 06/13/25 14:30:22                                     |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/14/25



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

 167 Coeymans Industrial Park Lane  
 Ravena, NY, 12143, US  
 Telephone: (518) 635-6005  
 Email: hplcny@curaleaf.com  
 License #: MM1001M

Sample : AL50611001-005

 Batch#: P-FDWF282025-731A  
 Sampled : 06/10/25 03:15 PM

Sample Size Received : 8 units

Total Amount : 805 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 5

|  <b>Microbial</b> <b>PASSED</b> |     |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b> |        |       |         |             |              |
|------------------------------------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                                                          | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                                                                                           | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                                                           | 100 | CFU/g | <100        | PASS        | 100000       | AFLATOXIN G2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                                             | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                                                    | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                                               | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                                              | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                                                                                     | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                                                | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                                                                                 | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                                               | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                                            | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| Weight: 0.86g                                                                                                    |     |       |             |             |              | Weight: 0.9952g                                                                                                   |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY                             |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY                                                                |        |       |         |             |              |
| Analyzed Date : 06/14/25 12:21:46                                                                                |     |       |             |             |              | Analyzed Date : 06/12/25 11:01:11                                                                                 |        |       |         |             |              |

|  <b>Heavy Metals</b> <b>PASSED</b> |        |       |         |             |              |
|-----------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Metal                                                                                                                 | LOQ    | Units | Result  | Pass / Fail | Action Level |
| ANTIMONY                                                                                                              | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM                                                                                                               | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM                                                                                                              | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER                                                                                                                | 1.0000 | ug/g  | 3.7785  | PASS        | 30           |
| LEAD                                                                                                                  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY                                                                                                               | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL                                                                                                                | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| Weight: 0.5293g                                                                                                       |        |       |         |             |              |
| Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY                                                                    |        |       |         |             |              |
| Analyzed Date : 06/13/25 10:38:17                                                                                     |        |       |         |             |              |



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs

F(Whole Flower)-Find.-Horseshoes-28g-H  
Matrix : Flower  
Type: Flower (Medical Use)



# Certificate of Analysis

**PASSED**

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane  
Ravena, NY, 12143, US  
Telephone: (518) 635-6005  
Email: hplcny@curaleaf.com  
License #: MM1001M

Sample : AL50611001-005

Batch# : P-FDWF282025-731A Sample Size Received : 8 units  
Sampled : 06/10/25 03:15 PM Total Amount : 805 units  
Sampling Method : SOP.T.20.010.NY

Page 5 of 5



**Filth/Foreign Material**

**PASSED**



**Moisture**

**PASSED**

| Analyte           | LOQ  | Units | Result | P/F  | Action Level |
|-------------------|------|-------|--------|------|--------------|
| Stems (>3mm)      | 1.00 | %     | ND     | PASS | 5            |
| Foreign Matter    | 0.10 | %     | ND     | PASS | 2            |
| Mammalian excreta | 0.10 | mg    | ND     | PASS | 1            |

Weight:  
49.3343g

Analysis Method : SOP.T.40.090  
Analyzed Date : 06/11/25 11:32:18

| Analyte          | LOQ | Units | Result | P/F  | Action Level |
|------------------|-----|-------|--------|------|--------------|
| Moisture Content | 1.0 | %     | 7.6    | PASS | 15           |

Weight:  
1.018g

Analysis Method : SOP.T.40.021  
Analyzed Date : 06/11/25 14:43:34



**Water Activity**

**PASSED**

| Analyte        | LOQ  | Units | Result | P/F  | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.10 | aw    | 0.58   | PASS | 0.65         |

Weight:  
0.3059g

Analysis Method : SOP.T.40.019  
Analyzed Date : 06/11/25 14:32:51

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
06/14/25