34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis



Date Released: 6/4/2025 5:09:43PM

Report #: 62123

Master Kush Hash

Sample #: 15313, Weight: 13.00g, Unit Count:

Order #: X250516-0067

Category/Type: Concentrates & Extract, Concentrate

Date Collected: 5/16/2025 8:27:09PM Date Received: 5/16/2025 9:38:28PM Date Sampled: 5/16/2025 1:20:00PM Regulator Sample ID: VHHSHMK

Regulator Source Package ID: VHHSHMK

Regulator Batch ID: VHHSHMK Size: 1700Units, Unit Count:



Total THC





4.375 %



5.8 %



Total Cannabinoids

52.61 % 526.1 mg/g

44.77 % 447.7 mg/g

0.8998 mg/g

0.08998 %

Date Completed: 05/19/2025 3:18PM

Microbials PASS

Residual Solvents PASS

Pesticides

PASS

PASS

Mycotoxins Water Activity PASS

Potency Analysis by HPLC

Total Cannabinoids: 52.61 % - 526.1 mg/g

Total THC: 44.77 % - 447.7 mg/g Total CRD: 0.08998 % - 0.8998 mg/g

| | TOTAL CE | D: 0.0898 | 98 % - 0.6 | 8998 mg/g | |
|----------|------------|------------|------------|-----------|------------------------|
| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
| THCa | 23978-85-0 | 0.001000 | 44.52 | 445.2 | |
| d9-THC | 1972-08-3 | 0.001000 | 5.721 | 57.21 | |
| CBGa | 25555-57-1 | 0.001000 | 1.775 | 17.75 | _ |
| CBG | 25654-31-3 | 0.001000 | 0.2328 | 2.328 | 1 |
| CBN | 521-35-7 | 0.001000 | 0.1427 | 1.427 | ī |
| CBC | 20675-51-8 | 0.001000 | 0.1123 | 1.123 | J |
| | | | | | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guelal



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis


Final



Sample #: 15313 Master Kush Hash

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|------------|------------|------------|--------|-------|------------------------|
| BDa | 1244-58-2 | 0.001000 | 0.1026 | 1.026 | 1 |
| 18-THC | 5957-75-5 | 0.001000 | ND | ND | |
| 110/R9-THC | | 0.001000 | ND | ND | |
| d10/S9-THC | | 0.001000 | ND | ND | |
| THCV | 31262-37-0 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.



LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Guela



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis

Fina



Sample #: 15313 Master Kush Hash

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|-----------------------------|------------|------------|--------|------------------------|
| Ocimene | 13877-91-3 | 0.1000 | 0.1116 | |
| Results based on dry weight | | | | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |

| M | oisture LWG | Pass | | Analysis Date: 0 | 05/29/2025 2:53 pm | |
|----|--|---------|------------|------------------|--------------------|--|
| | Compound | LOQ (%) | Limits (%) | Result (%) | Status | |
| | Moisture | 1.2 | 0 - 15 | 5.8 | Pass | |
| Co | Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | |

| W | ater Activity | Pass | | Analysis Date: 0 | 5/27/2025 10:14 am |
|----|--|----------|-------------|------------------|--------------------|
| | Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
| | Water Activity | 0.05 | 0.65 | 0.46 | Pass |
| Co | Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | |

| Pesticides by LCMSMS | Pass | | Analysis Date | e: 05/30/2025 4:45 pm |
|----------------------|------------|---------------|---------------|-----------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis

Final



Sample #: 15313 Master Kush Hash

| sticides by LCMSMS | Pass | i i | Analysis Date | e: 05/30/2025 4:45 |
|----------------------|------------|---------------|---------------|---------------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |

LOQ= Level of Quantitation, ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069



Final



Sample #: 15313 Master Kush Hash

| sticides by LCMSMS | Pass | i | Analysis Dat | e: 05/30/2025 4:45 |
|--------------------|------------|---------------|---------------|--------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etoxazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Flonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |

LOQ= Level of Quantitation, ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guelal



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis

Final



Sample #: 15313 Master Kush Hash

| esticides by LCMSMS | Pass | } | Analysis Date | : 05/30/2025 4:45 p | | |
|--|---|---------------|---------------|---------------------|--|--|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status | | |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass | | |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass | | |
| Phosmet | 0.0100 | 0.200 | ND | Pass | | |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass | | |
| Prallethrin | 0.0100 | 0.200 | ND | Pass | | |
| Propiconazole | 0.0100 | 0.400 | ND | Pass | | |
| Propoxur | 0.0100 | 0.200 | ND | Pass | | |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass | | |
| Pyridaben | 0.0100 | 0.200 | ND | Pass | | |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass | | |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass | | |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass | | |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass | | |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass | | |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass | | |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass | | |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass | | |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass | | |
| mment: Pesticides tested by LCMSMS by using P-NY15 | pmment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed. | | | | | |

| Residual Solvents by HS-GC-MS | Pass | | Analysis Date: 05/27/2025 10:55 an | | |
|-------------------------------|-----------|--------------|------------------------------------|--------|--|
| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status | |
| 1,2-Dichloroethane | 0.0500 | 5.00 | ND | Pass | |
| Acetone | 50.00 | 5000 | ND | Pass | |
| Acetonitrile | 50.00 | 410 | ND | Pass | |
| Benzene | 0.5000 | 2.00 | ND | Pass | |
| | | | | | |

LOQ= Level of Quantitation, ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069



Final



Sample #: 15313 Master Kush Hash

| esidual Solvents by HS-GC-MS | Pass | | Analysis Date | : 05/27/2025 10:55 a |
|------------------------------|-----------|--------------|---------------|----------------------|
| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
| Butanes Total | 25.00 | 5000 | ND | Pass |
| Chloroform | 0.5000 | 60.0 | ND | Pass |
| Dimethyl Sulfoxide (DMSO) | 50.00 | 5000 | ND | Pass |
| Ethanol | 50.00 | 5000 | ND | Pass |
| Ethyl acetate | 50.00 | 5000 | ND | Pass |
| Ethyl ether | 50.00 | 5000 | ND | Pass |
| Freon | 50.00 | 1000 | ND | Pass |
| Heptane | 50.00 | 5000 | ND | Pass |
| Hexanes Total | 10.00 | 290 | ND | Pass |
| Isopropanol | 50.00 | 5000 | ND | Pass |
| Methanol | 50.00 | 3000 | ND | Pass |
| Methylene chloride | 50.00 | 600 | ND | Pass |
| Pentanes Total | 16.70 | 5000 | ND | Pass |
| Propane | 50.00 | 5000 | ND | Pass |
| Toluene | 50.00 | 890 | ND | Pass |
| Total xylenes | 25.00 | 2170 | ND | Pass |
| Trichloroethane (1,1,1-) | 50.00 | 1500 | ND | Pass |

| Mycotoxins by LCMSMS | Pass | Analysis Date: 05/29/2025 10:18 am |
|----------------------|------|---|
| | | |

| Compound | LOQ (μg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |

LOQ= Level of Quantitation, ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069



Final



Sample #: 15313 Master Kush Hash

| Mycotoxins by LCMSMS | Pass | | Analysis Date: 05/29/2025 10:18 am | |
|--|------------|---------------|------------------------------------|--------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |
| Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed. | | | | |

| Heavy Metals by ICPMS | Pass | | Analysis Date: 05/23/2025 3:53 pm | | |
|---|------------|---------------|--|--------|--|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Antimony | 0.0100 | 2.00 | ND | Pass | |
| Arsenic | 0.00100 | 0.200 | 0.00680 | Pass | |
| Cadmium | 0.00150 | 0.300 | 0.00520 | Pass | |
| Chromium | 0.280 | 110 | ND | Pass | |
| Copper | 0.0750 | 30.0 | 1.60 | Pass | |
| Lead | 0.00250 | 0.500 | 0.173 | Pass | |
| Mercury | 0.000500 | 0.100 | 0.00100 | Pass | |
| Nickel | 0.0100 | 2.00 | 0.198 | Pass | |
| Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed. | | | | | |

| M | icro by Petri & qPCR | Pass | i. | Analysis Date: 05/22/2025 11:27 am | |
|---|---|-------------|----------------|------------------------------------|--------|
| | Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| | Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |
| | Salmonella Qualitative | 1 | 0 | Not Detected | Pass |
| | Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass |
| | Total Aerobic Bacteria | 10 | 10000 | 300 | Pass |
| | Total Yeast & Mold | 10 | 1000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| | | | | | |

LOQ= Level of Quantitation, ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guelal

Dr. Kelly Greenland, Lab Director



Page 8 of 9

Report Date: 06/04/2025 5:16:34PN

34 W Fulton St, Gloversville, NY 12078 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-PROC-24-000069

Certificate of Analysis

Final



Sample #: 15313 Master Kush Hash

Comment:

Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.

Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Guelal

Dr. Kelly Greenland, Lab Director



Page 9 of 9