

Certificate of Analysis

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
 Batch#: SNZ-G-DT-006; Batch Size: 6000 units
 Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
 Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
 Sample Collection Site: Nowave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | |
|---------------------------|---------------------------|-------------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins |
| Pass Solvents | Pass Metals | Not Tested Foreign Matter |

Cannabinoids

| | | |
|----------------------------------|----------------------------------|-----------------------|
| 5.07 mg/unit Total THC | 5.36 mg/unit Total CBD | NT Moisture |
|----------------------------------|----------------------------------|-----------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|-------------|
| | mg/g | mg/unit | mg/g |
| CBDVa | 0.20 | ND | ND |
| CBDV | 0.20 | ND | ND |
| CBDa | 0.20 | ND | ND |
| CBGa | 0.20 | ND | ND |
| CBG | 0.20 | 5.74 | 0.96 |
| CBD | 0.20 | 5.36 | 0.89 |
| THCV | 0.20 | ND | ND |
| THCVa | 0.20 | ND | ND |
| CBN | 0.20 | <LOQ | <LOQ |
| Δ9-THC | 0.20 | 5.07 | 0.85 |
| Δ8-THC | 0.20 | ND | ND |
| (6aR,9R)-d10-THC | 0.20 | ND | ND |
| (6aR,9S)-d10-THC | 0.20 | ND | ND |
| CBC | 0.20 | ND | ND |
| THCa | 0.20 | ND | ND |
| CBCa | 0.20 | ND | ND |
| Total Cannabinoids | | 16.16 | 2.69 |

Entered By: VJ, Instrument ID: AL2-001
 Method: MTHD-001, Date Tested: 06/02/2025 10:01
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
 Batch#: SNZ-G-DT-006; Batch Size: 6000 units
 Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
 Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
 Sample Collection Site: Nowave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------------|-------|--------|--------|--------|
| | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 3.9 | 5.0 | ND | Pass |
| 2,2-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2,3-Dimethyl-Butane | 31.3 | | ND | Tested |
| 2-Methyl-Pentane | 31.3 | | ND | Tested |
| 3-Methyl-Pentane | 31.3 | | ND | Tested |
| Acetone | 156.3 | 5000.0 | ND | Pass |
| Acetonitrile | 156.3 | 410.0 | ND | Pass |
| Benzene | 1.6 | 2.0 | ND | Pass |
| Chloroform | 1.6 | 60.0 | ND | Pass |
| Dichloromethane | 156.3 | 600.0 | ND | Pass |
| Dimethyl Sulfoxide | 156.3 | 5000.0 | ND | Pass |
| Ethanol | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Acetate | 156.3 | 5000.0 | ND | Pass |
| Ethyl-Ether | 156.3 | 5000.0 | ND | Pass |
| Heptane | 156.3 | 5000.0 | ND | Pass |
| Isobutane | 78.1 | | ND | Tested |
| 2-Methyl-Butane | 52.1 | | ND | Tested |
| Isopropanol | 156.3 | 5000.0 | ND | Pass |
| m+p Xylene | 78.1 | 2170.0 | ND | Pass |
| Methanol | 156.3 | 3000.0 | ND | Pass |
| n-Butane | 78.1 | | ND | Tested |
| Neopentane | 52.1 | | ND | Tested |
| n-Hexane | 31.3 | | ND | Tested |
| n-Pentane | 52.1 | | ND | Tested |
| o-Xylene | 39.1 | | ND | Tested |
| Propane | 156.3 | 5000.0 | ND | Pass |
| Toluene | 156.3 | 890.0 | ND | Pass |
| Trichloroethane | 78.1 | 1500.0 | ND | Pass |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | ND | Pass |
| Butanes | | 5000.0 | ND | Pass |
| Hexanes | | 290.0 | ND | Pass |
| Pentanes | | 5000.0 | ND | Pass |
| Xylenes | | 2170.0 | ND | Pass |

Entered By: CB, Instrument ID: AL1-001
 Method: MTHD-007, Date Tested: 05/29/2025 17:38
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported
 Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | 10000 | ND | Pass |
| Yeast & Mold | 10 | 1000 | ND | Pass |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 05/29/2025 12:35
 YM Date Tested: 05/30/2025 13:02 Sal/STEC/Asp Date Tested: 05/29/2025 14:05
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 110.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 20.0000 | <LOQ | Pass |
| Copper | 1.0000 | 300.0000 | 1.9102 | Pass |
| Arsenic | 0.1000 | 1.5000 | ND | Pass |
| Cadmium | 0.1000 | 0.5000 | ND | Pass |
| Antimony | 0.5000 | 120.0000 | ND | Pass |
| Mercury | 0.0500 | 3.0000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: AT, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 05/30/2025 17:27:54
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: AT, Instrument ID: AL1-003
 Method: MTHD-009 Date Tested: 05/29/2025 02:00

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Certificate of Analysis

Nowave LLC - NYS

Contact Person: Jacob Rapp
 Rochester, NY 14624
 jacob@nowave.com
 (844) 466-9283
 Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
 Batch#: SNZ-G-DT-006; Batch Size: 6000 units
 Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
 Parent Lot:

Sampling


Sample Collection Date/Time: 05/23/25 15:12
 Sample Collection Site: Nowave
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|---------------------|--------|--------|--------|
| | % | % | mg/g |
| Farnesene | 0.0021 | 0.02 | 0.21 |
| α-Bisabolol | 0.0065 | 0.02 | 0.17 |
| Caryophyllene Oxide | 0.0065 | 0.01 | 0.09 |
| Valencene | 0.0021 | 0.00 | 0.03 |
| α-Humulene | 0.0065 | ND | ND |
| α-Phellandrene | 0.0052 | ND | ND |
| α-Pinene | 0.0065 | <LOQ | <LOQ |
| α-Terpinene | 0.0065 | ND | ND |
| β-Caryophyllene | 0.0065 | ND | ND |
| β-Myrcene | 0.0065 | ND | ND |
| β-Pinene | 0.0065 | ND | ND |
| Camphene | 0.0065 | ND | ND |
| Fenchol | 0.0104 | ND | ND |
| Geraniol | 0.0065 | <LOQ | <LOQ |
| Guaiol | 0.0065 | ND | ND |
| Limonene | 0.0065 | <LOQ | <LOQ |
| Linalool | 0.0065 | <LOQ | <LOQ |
| Ocimene | 0.0065 | ND | ND |
| Terpineol | 0.0052 | ND | ND |
| Terpinolene | 0.0065 | ND | ND |



0.0499%
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 05/29/2025 12:56

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
Batch#: SNZ-G-DT-006; Batch Size: 6000 units
Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
Sample Collection Site: Nowave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 05/28/2025 04:44
LC Method: MTHD-009 LC Date Tested: 05/29/2025 02:00
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
Batch#: SNZ-G-DT-006; Batch Size: 6000 units
Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
Sample Collection Site: Nowave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 05/28/2025 04:44
LC Method: MTHD-009 LC Date Tested: 05/29/2025 02:00
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
Batch#: SNZ-G-DT-006; Batch Size: 6000 units
Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
Sample Collection Site: Nowave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.05 | 1.00 | ND | Pass |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 05/28/2025 04:44
LC Method: MTHD-009 LC Date Tested: 05/29/2025 02:00
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
Batch#: SNZ-G-DT-006; Batch Size: 6000 units
Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
Sample Collection Site: Nowave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 05/28/2025 04:44
LC Method: MTHD-009 LC Date Tested: 05/29/2025 02:00
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Nowave LLC - NYS

Contact Person: Jacob Rapp
Rochester, NY 14624
jacob@nowave.com
(844) 466-9283
Lic. #OCM-PROC-24-0000070

Sample: 2505RLI0431-1614

Strain: N/A
Batch#: SNZ-G-DT-006; Batch Size: 6000 units
Sample Received: 05/23/2025; Report Created: 06/02/2025;

Snoozy: New Morning Highs - Orange

Ingestible, Soft Chew
Parent Lot:

Sampling

Sample Collection Date/Time: 05/23/25 15:12
Sample Collection Site: Nowave
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: ;
Moisture Method:

Water Activity Date/Time Tested: 05/27/2025; 10:19
Water Activity Method: MTHD-002

0.48 aw
Limit: 0.85 aw
Pass
Water Activity

NT
Limit: %
Not Tested
Moisture

Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
| | % | | |
| | % | | |
| | % | | |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.