

Stiiizy

Order No.: ONYSTNY0617-0007110
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
 Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
 Report Received: 06/17/2025 16:38
 Report Created: 06/24/2025 15:08
 Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape




Results

830.00 mg/unit D9-THC	21.22 mg/unit CBN
0.00 mg/unit Total CBD	830.00 mg/unit Total THC
903.51 mg/unit Total Cannabinoids	5.228% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
Sample Received: 06/17/2025 16:38
Report Created: 06/24/2025 15:08
Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 06/20/2025
13:43

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,528.70	ND	ND	ND
CBDa	4,528.70	ND	ND	ND
CBGa	4,528.70	ND	ND	ND
CBG	4,528.70	1.29	12.91	12.91
CBD	4,528.70	< LOQ	< LOQ	< LOQ
THCV	4,528.70	1.96	19.57	19.57
CBN	4,528.70	2.12	21.22	21.22
D9-THC	4,528.70	83.00	830.00	830.00
D8-THC	4,528.70	ND	ND	ND
(6aR,9S)-d10-THC	4,528.70	ND	ND	ND
(6aR,9R)-d10-THC	4,528.70	ND	ND	ND
CBC	4,528.70	1.98	19.81	19.81
THCa	4,528.70	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		83.00	830.00	830.00
Total Cannabinoids		90.35	903.51	903.51

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Cannabinoids= Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
Date/Time Tested: 06/20/2025
18:32

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Date/Time Tested: 06/20/2025
13:43

Pass

Analyte	Result
Homogeneity	Pass



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
Sample Received: 06/17/2025 16:38
Report Created: 06/24/2025 15:08
Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
Date/Time Tested: 06/19/2025 16:29

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.2285	Passed	g-Terpinene	165		ND	Tested
Limonene	165		1.1620	Tested	DL-Menthol	165		ND	Tested
b-Caryophyllene	165		0.9848	Tested	Borneol	165		ND	Tested
b-Myrcene	165		0.8378	Tested	Nerol	165		ND	Tested
Linalool	165		0.5750	Tested	Eucalyptol	165		ND	Tested
a-Bisabolol	165		0.4063	Tested	Camphor	165		ND	Tested
a-Humulene	165		0.2394	Tested	Geranyl Acetate	165		ND	Tested
b-Pinene	165		0.2097	Tested	a-Cedrene	165		ND	Tested
Valencene	165		0.1459	Tested	a-Terpinene	165		ND	Tested
a-Pinene	165		0.1139	Tested	d-3-Carene	165		ND	Tested
Terpineol	165		0.1097	Tested	Isopulegol	165		ND	Tested
Fenchol	165		0.1036	Tested	Fenchone	165		ND	Tested
trans-Nerolidol	165		0.0790	Tested	p-Cymene	165		ND	Tested
a-Phellandrene	165		0.0783	Tested	Guaiol	165		< LOQ	Tested
Caryophyllene Oxide	165		0.0595	Tested	Sabinene Hydrate	165		ND	Tested
cis-Nerolidol	165		0.0465	Tested	Cedrol	165		ND	Tested
Geraniol	165		0.0338	Tested	Sabinene	165		ND	Tested
Camphene	165		0.0267	Tested	trans-b-Ocimene	165		ND	Tested
Terpinolene	165		0.0167	Tested	trans-b-Farnesene	165		ND	Tested
Pulegone	165		ND	Tested	Isoborneol	165		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
Sample Received: 06/17/2025 16:38
Report Created: 06/24/2025 15:08
Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 06/16/2025 18:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	39	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	39	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	192	5,000	< LOQ	Passed
Ethyl Acetate	192	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	96	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	192	5,000	< LOQ	Passed
Methanol	115	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	58	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	48	1,500	ND	Passed
Xylenes	254	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 06/19/2025 16:50

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested	Ochratoxin A	5.0	20.0	ND	Passed
B2	5.0		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	5.0		ND	Tested	Total Mycotoxins			ND	Tested
G2	5.0		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Stiiizy

Order No.: ONYSTNY0617-0007110
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
 Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
 Sample Received: 06/17/2025 16:38
 Report Created: 06/24/2025 15:08
 Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY
 Date/Time Tested: 06/19/2025 10:34

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.174	2.000	ND	Passed
Arsenic	0.174	0.200	ND	Passed
Cadmium	0.174	0.200	ND	Passed
Chromium	0.174	110.000	ND	Passed
Copper	0.208	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.208	2.000	ND	Passed
Lead	0.174	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
Report Received: 06/17/2025 16:38
Report Created: 06/24/2025 15:08
Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 06/19/2025 13:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	< LOQ	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Stiiizy

Order No.: ONYSTNY0617-0007110
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0617-CVAP-0016164

Unit Weight: 1.0000g
 Batch#: NYS-AIO-HOG-F0525 , Batch Size: 492
 Report Received: 06/17/2025 16:38
 Report Created: 06/24/2025 15:08
 Sampling SOP 204-NY

Hardcore OG AIO

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	0.21	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.