

Sample Result: PASS

Date Reported:	8/1/2025
Client Name:	Empire Standard LLC
Sampling Location:	Binghamton, New York
Contact Name:	Empire Standard LLC
Contact Email:	info@empirestandardny.com
License Number:	OCM-PROC-24-000202
Medical/Adult Use:	Adult Use
Sampling Date:	07/17/2025 12:30:00 PM

Sample ID:	20250717-EMNY-002
Sample Name:	CM-PCTY-02
Sample Matrix:	Flower
Sample Sub Type:	Pre-roll
Package ID:	CM-PCTY-02
Batch Lot ID:	CM-PCTY-02
Batch Size:	8000
Serving Size (g):	0.5

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	-	Terpenes	P
		Moisture	P	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: CM-PCTY-02 (20250717-EMNY-002)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.162
CBDA	< MRL	< MRL	0.162
CBGA	1.355	6.775	0.162
CBG	0.289	1.446	0.162
CBD	< MRL	< MRL	0.162
THCV	< MRL	< MRL	0.162
CBN	< MRL	< MRL	0.162
D9-THC	3.918	19.590	0.162
D8-THC	< MRL	< MRL	0.162
D10-THC-S	< MRL	< MRL	0.162
D10-THC-R	< MRL	< MRL	0.162
CBC	< MRL	< MRL	0.162
THCA	30.202	151.010	0.162

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x 10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #121829 | Date Tested: 07/24/2025 09:50 PM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (\text{THCA} * 0.877)$]	30.405	152.026
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	35.849	179.242



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Terpenes: CM-PCTY-02 (20250717-EMNY-002)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.07
Camphene	< MRL	0.07
Sabinene	< MRL	0.07
beta-Pinene	< MRL	0.07
beta-Myrcene	< MRL	0.07
Alpha-phellandrene	< MRL	0.07
Carene	< MRL	0.07
alpha-terpinene	< MRL	0.07
p-Cymene	< MRL	0.07
Limonene	< MRL	0.07
Eucalyptol	< MRL	0.07
Ocimene	< MRL	0.05
gamma-Terpinene	< MRL	0.07
Sabinene Hydrate	< MRL	0.07
Terpinolene	< MRL	0.07
Linalool	0.13	0.07
Fenchol	< MRL	0.07
Menthol	< MRL	0.07
Terpineol	< MRL	0.05
Citronellol	< MRL	0.07
Isopulegol	< MRL	0.07
Geraniol	< MRL	0.07
Alpha-cedrene	< MRL	0.06
Beta-Caryophyllene	0.48	0.07
Farnesene	0.08	0.07
alpha-Humulene	0.17	0.07
Valencene	< MRL	0.07
cis-Nerolidol	< MRL	0.03
trans-Nerolidol	< MRL	0.04
Caryophyllene oxide	< MRL	0.07
Guaiol	< MRL	0.07
alpha-Bisabolol	0.08	0.07

MRL = Minimum reporting limit/limit of quantification

Test ID: #122470 | Date Tested: 07/23/2025 08:40 PM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.93	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Pesticides: CM-PCTY-02 (20250717-EMNY-002)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinoxy	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantraniliprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	0.20	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxy carb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.40	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	0.40	0.100
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #121826 | Date Tested: 07/28/2025 03:10 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Mycotoxins: CM-PCTY-02 (20250717-EMNY-002)

PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result ($\mu\text{g/g}$)	Limit ($\mu\text{g/g}$)	MRL ($\mu\text{g/g}$)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010

MRL = Minimum reporting limit/limit of quantification

Test ID: #121827 | Date Tested: 07/30/2025 08:12 AM

Heavy Metals: CM-PCTY-02 (20250717-EMNY-002)

PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

Analyte	Pass/Fail	Result ($\mu\text{g/g}$)	Limit ($\mu\text{g/g}$)	MRL ($\mu\text{g/g}$)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	5.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.2	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20

MRL = Minimum reporting limit/limit of quantification

Test ID: #121825 | Date Tested: 07/24/2025 01:37 PM

Microbiology - Plating: CM-PCTY-02 (20250717-EMNY-002)

PASS

Microbial analysis utilizing microbial enumeration (SOP-700-NY)

Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	76364	None	100.0
Total Yeast & Mold	PASS	< MRL	None	100.0

Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)

Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Salmonella spp	PASS	Absent	Absent	1.0
Shiga toxin-producing E. coli	PASS	Absent	Absent	1.0
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1.0

MRL = Minimum reporting limit/limit of quantification

Test IDs: #121833, #121832, #121835, #121834 | Date Tested: 07/30/2025 05:05 PM, 07/30/2025 08:29 PM

Moisture: CM-PCTY-02 (20250717-EMNY-002)

PASS

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)

Analyte	Pass/Fail	Result (%)	Limit (%)
Moisture	PASS	6.0	15

MRL = Minimum reporting limit/limit of quantification

Test ID: #121828 | Date Tested: 07/29/2025 12:27 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Water Activity: CM-PCTY-02 (20250717-EMNY-002)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.45	0.65

MRL = Minimum reporting limit/limit of quantification

Test ID: #121824 | Date Tested: 07/29/2025 11:56 AM



Matthew Elmes
Lab Director
8/1/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.