



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50718009-020



Northeast Extracts- Eureka Vapor

License # : OCM-PROC-25-000283

26 Powell Lane  
Penn Yan, NY, 14527, US

Production Method: Ethanol

Batch#: EUV-VB2G-071625

Sample Size Received: 6 units

Total Amount: 500 units

Retail Product Size: 2 gram

Retail Serving Size: 2 gram

Servings: 1

Sampled: 07/18/25 01:40 PM

Sampling Start: 01:40 PM

Sampling End: 03:40 PM

Sampling Method: SOP.T.20.010.NY

**PASSED**

Pages 1 of 2

### SAFETY RESULTS

Pesticides  
**PASSED**Heavy Metals  
**PASSED**Microbials  
**PASSED**Mycotoxins  
**PASSED**Residuals  
Solvents  
**PASSED**Filtration  
**NOT TESTED**Water Activity  
**NOT TESTED**Moisture  
**NOT TESTED**Terpenes  
**PASSED**


### MISC.

Bulk Oil for batch EUV-VB2G-071625 was tested under AL50718009-006 for all analyses except heavy metals. Results are attached below.



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



VERY BERRY  
Matrix : Derivative  
Type: Vape Cartridge

# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-PROC-25-000283

Sample : AL50718009-020

Batch# : EUV-VB2G-071625  
Sampled : 07/18/25 01:40 PM

Sample Size Received : 6 units  
Total Amount : 500 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 2



## Heavy Metals

**PASSED**

| Metal    | LOQ    | Units | Result  | Pass / Fail | Action Level |
|----------|--------|-------|---------|-------------|--------------|
| ANTIMONY | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |
| ARSENIC  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CADMIUM  | 0.1000 | ug/g  | <0.1000 | PASS        | 0.2          |
| CHROMIUM | 1.0000 | ug/g  | <1.0000 | PASS        | 110          |
| COPPER   | 1.0000 | ug/g  | <1.0000 | PASS        | 30           |
| LEAD     | 0.1000 | ug/g  | <0.1000 | PASS        | 0.5          |
| MERCURY  | 0.0100 | ug/g  | <0.0100 | PASS        | 0.1          |
| NICKEL   | 0.1000 | ug/g  | <0.1000 | PASS        | 2            |

Weight:  
0.4604g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY  
Analyzed Date : 07/21/25 16:30:26


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/22/25



# Certificate of Analysis

## FOR COMPLIANCE

Laboratory Sample ID: AL50718009-006



Northeast Extracts- Eureka Vapor

License # : OCM-PROC-25-000283

26 Powell Lane  
 Penn Yan, NY, 14527, US

Production Method: Ethanol

Batch#: EUV-VB1G-071625

Sample Size Received: 18 gram

Total Amount: 400 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/18/25 01:40 PM

Sampling Start: 01:40 PM

Sampling End: 03:40 PM

Sampling Method: SOP.T.20.010.NY

## PASSED

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**

MISC.



Terpenes  
**PASSED**



### Cannabinoid

## PASSED



Total THC

**86.5805%**

Total THC/Container : 865.8054 mg



Total CBD

**0.2297%**

Total CBD/Container : 2.2974 mg



Total Cannabinoids

**93.7113%**

Total Cannabinoids/Container : 937.1135 mg

|         | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC    | CBD    | CBDA    | CBDV    | CBG    | D8-THC  | CBGA    | CBN    | D9-THC  | THCA   | THCV   |
|---------|---------------------|---------------------|--------|--------|---------|---------|--------|---------|---------|--------|---------|--------|--------|
| %       | <0.1000             | 0.1801              | 1.1168 | 0.2297 | <0.1000 | <0.1000 | 3.3474 | <0.1000 | <0.1000 | 0.6591 | 86.1260 | 0.3129 | 1.7393 |
| mg/unit | <1.000              | 1.801               | 11.168 | 2.297  | <1.000  | <1.000  | 33.474 | <1.000  | <1.000  | 6.591  | 861.260 | 3.129  | 17.393 |
| LOQ     | 0.1000              | 0.1000              | 0.1000 | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000  | 0.1000 | 0.1000  | 0.1000 | 0.1000 |
| %       | %                   | %                   | %      | %      | %       | %       | %      | %       | %       | %      | %       | %      | %      |

Weight:  
 0.1419g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
 Analyzed Date : 07/22/25 08:16:58

Label Claim

## PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
 ISO 17025 Accreditation # 97164



Signature  
 07/22/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



VERY BERRY  
Matrix : Derivative  
Type: Vape Cartridge

# Certificate of Analysis

PASSED

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-PROC-25-000283

Sample : AL50718009-006

Batch# : EUV-VB1G-071625  
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram  
Total Amount : 400 units  
Sampling Method : SOP.T.20.010.NY

Page 2 of 5



## Terpenes

PASSED


| Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes            | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|---------------------|---------|-----------|---------|------------|---------------------|---------|-----------|---------|------------|
| LIMONENE            | 0.00    | PASS      | 23.200  | 2.3200     | BETA-CARYOPHYLLENE  | 0.00    | PASS      | 5.300   | 0.5300     |
| BETA-CARYOPHYLLENE  | 0.00    | PASS      | 5.300   | 0.5300     | BETA-MYRCENE        | 0.00    | PASS      | 1.900   | 0.1900     |
| BETA-MYRCENE        | 0.00    | PASS      | 1.900   | 0.1900     | LINALOOL            | 0.00    | PASS      | 1.800   | 0.1800     |
| TERPINOLENE         | 0.00    | PASS      | 1.400   | 0.1400     | ALPHA-BISABOLOL     | 0.00    | PASS      | 1.400   | 0.1400     |
| LINALOOL            | 0.00    | PASS      | 1.400   | 0.1400     | ALPHA-HUMULENE      | 0.00    | PASS      | 1.200   | 0.1200     |
| ALPHA-BISABOLOL     | 0.00    | PASS      | 1.200   | 0.1200     | ALPHA-PINENE        | 0.00    | PASS      | 1.100   | 0.1100     |
| ALPHA-HUMULENE      | 0.00    | PASS      | 1.100   | 0.1100     | OCIMENE             | 0.00    | PASS      | 1.100   | 0.1100     |
| ALPHA-PINENE        | 0.00    | PASS      | 0.300   | 0.0300     | BETA-PINENE         | 0.00    | PASS      | 0.300   | 0.0300     |
| OCIMENE             | 0.00    | PASS      | 0.300   | 0.0300     | CARYOPHYLLENE OXIDE | 0.00    | PASS      | 0.200   | 0.0200     |
| BETA-PINENE         | 0.00    | PASS      | 0.200   | 0.0200     | VALENCENE           | 0.00    | PASS      | 0.200   | 0.0200     |
| CARYOPHYLLENE OXIDE | 0.00    | PASS      | 0.100   | 0.0100     | ALPHA TERPINEOL     | 0.00    | PASS      | 0.040   | <0.0040    |
| VALENCENE           | 0.00    | PASS      | 0.040   | <0.0040    | FENCHYL ALCOHOL     | 0.10    | PASS      | <1.000  | <0.1000    |
| ALPHA TERPINEOL     | 0.00    | PASS      | 0.040   | <0.0040    | GUAIOL              | 0.00    | PASS      | 0.040   | <0.0040    |
| FENCHYL ALCOHOL     | 0.00    | PASS      | 0.040   | <0.0040    | CAMPHERE            | 0.00    | PASS      | 0.040   | <0.0040    |
| GUAIOL              | 0.00    | PASS      | 0.040   | <0.0040    | FARNESENE           | 0.00    | PASS      | 0.040   | <0.0040    |
| CAMPHERE            | 0.00    | PASS      | 0.040   | <0.0040    | GERANIOL            | 0.00    | PASS      | 0.040   | <0.0040    |
| FARNESENE           | 0.00    | PASS      | 0.040   | <0.0040    | ALPHA-PHELLANDRENE  | 0.00    | PASS      | 0.040   | <0.0040    |
| GERANIOL            | 0.00    | PASS      | 0.040   | <0.0040    | ALPHA-TERPINENE     | 0.00    | PASS      | 0.040   | <0.0040    |
| ALPHA-PHELLANDRENE  | 0.00    | PASS      | 0.040   | <0.0040    | MENTHOL             | 0.00    | PASS      | 0.040   | <0.0040    |
| ALPHA-TERPINENE     | 0.00    | PASS      | 0.040   | <0.0040    |                     |         |           |         |            |
| MENTHOL             | 0.00    | PASS      | 0.040   | <0.0040    |                     |         |           |         |            |
| Total (%)           |         |           |         | 4.5000     |                     |         |           |         |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy  
Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/22/25



# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

Sample : AL50718009-006

Batch# : EUV-VB1G-071625

Sample Size Received : 18 gram

Sampled : 07/18/25 01:40 PM

Total Amount : 400 units

Sampling Method : SOP.T.20.010.NY

 26 Powell Lane  
 Penn Yan, NY, 14527, US  
 Telephone: (914) 960-3524  
 Email: RL@eurekavapor.com  
 License # : OCM-PROC-25-000283

Page 3 of 5



## Pesticides


**PASSED**

| Pesticide             | LOQ    | Units | Action Level | Pass/Fail | Result  | Pesticide                                                             | LOQ    | Units | Action Level | Pass/Fail | Result  |
|-----------------------|--------|-------|--------------|-----------|---------|-----------------------------------------------------------------------|--------|-------|--------------|-----------|---------|
| ACEQUINOXYL           | 0.1000 | ppm   | 2            | PASS      | <0.1000 | OXAMYL                                                                | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| PRALLETHRIN           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PACLOBUTRAZOL                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| PYRETHRINS, TOTAL     | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PERMETHRIN                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZADIRACTIN           | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PHOSMET                                                               | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm   | 1            | PASS      | <0.1000 | PROPOCONAZOLE                                                         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| MYCLOBUTANIL          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PROPOXUR                                                              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| PIPERONYL BUTOXIDE    | 0.1000 | ppm   | 2            | PASS      | <0.1000 | PYRIDABEN                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ABAMECTIN B1A         | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 | SPINETORAM, TOTAL                                                     | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| ACEPHATE              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPINOSAD, TOTAL                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ACETAMIPRID           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | SPIROMESIFEN                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| ALDICARB              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | SPIROTETRAMAT                                                         | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| AZOXYSTROBIN          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TEBUXAMINE                                                            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORMEQUAT CHLORIDE  | 0.1000 | ppm   | 1            | PASS      | <0.1000 | TEBUCONAZOLE                                                          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |
| BIFENAZATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIACLOPRID                                                           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| BIFENTHRIN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | THIAMETHOXAM                                                          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CARBARYL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | TRIFLOXYSTROBIN                                                       | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| COUMAPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CAPTAN *                                                              | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CHLORPYRIFOS          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORDANE *                                                           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| CARBOFURAN            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | CHLORFENAPYR *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DAMINOZIDE            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | CYFLUTHRIN *                                                          | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| BOSCALID              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | CYPERMETHRIN *                                                        | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DIAZINON              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | METHYL PARATHION *                                                    | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CLOFENTEZINE          | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | MGK-264 *                                                             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |
| CHLORANTRANILIPROLE   | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | PENTACHLORONITROBENZENE *                                             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |
| DICHLORVOS            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| DIMETHOATE            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| DIMETHOMORPH          | 0.1000 | ppm   | 1            | PASS      | <0.1000 | 0.4535g                                                               |        |       |              |           |         |
| ETHOPROPHOS           | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY |        |       |              |           |         |
| ETOFENPROX            | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 07/22/25 13:53:01                                     |        |       |              |           |         |
| ETOXAZOLE             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FENHEXAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 | Weight:                                                               |        |       |              |           |         |
| FENOXICARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 | 0.4535g                                                               |        |       |              |           |         |
| FENPYROXIMATE         | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analysis Method : SOP.T.40.154.NY                                     |        |       |              |           |         |
| FIPRONIL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 | Analyzed Date : 07/21/25 13:50:46                                     |        |       |              |           |         |
| FLONICAMID            | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| FLUDIOXONIL           | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| HEXYTHIAZOX           | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMAZALIL              | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| IMIDACLOPRID          | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| KRESOXIM METHYL       | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MALATHION             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METALAXYL             | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHIOCARB            | 0.1000 | ppm   | 0.2          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| METHOMYL              | 0.1000 | ppm   | 0.4          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| MEVINPHOS             | 0.1000 | ppm   | 1            | PASS      | <0.1000 |                                                                       |        |       |              |           |         |
| NALED                 | 0.1000 | ppm   | 0.5          | PASS      | <0.1000 |                                                                       |        |       |              |           |         |



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



VERY BERRY  
Matrix : Derivative  
Type: Vape Cartridge

# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License #: OCM-PROC-25-000283

Sample : AL50718009-006

Batch#: EUV-VB1G-071625  
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram  
Total Amount : 400 units  
Sampling Method : SOP.T.20.010.NY

Page 4 of 5



## Residual Solvents

**PASSED**

| Solvents                  | LOQ   | Units | Action Level | Pass/Fail | Result |
|---------------------------|-------|-------|--------------|-----------|--------|
| 1,1,1,2-TETRAFLUOROETHANE | 500.0 | ppm   | 1000         | PASS      | <500.0 |
| DIMETHYL SULFOXIDE        | 375.0 | ppm   | 5000         | PASS      | <375.0 |
| 1,1,1-TRICHLOROETHANE     | 375.0 | ppm   | 1500         | PASS      | <375.0 |
| HEXANE, TOTAL             | 125.0 | ppm   | 290          | PASS      | <125.0 |
| PENTANES, TOTAL           | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BUTANES, TOTAL            | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| XYLENES, TOTAL            | 125.0 | ppm   | 2170         | PASS      | <125.0 |
| 1,2-DICHLOROETHANE        | 1.3   | ppm   | 5            | PASS      | <1.3   |
| PROPANE                   | 750.0 | ppm   | 5000         | PASS      | <750.0 |
| METHANOL                  | 125.0 | ppm   | 3000         | PASS      | <125.0 |
| ETHANOL                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ETHYL ETHER               | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONE                   | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| 2-PROPANOL                | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| ACETONITRILE              | 125.0 | ppm   | 410          | PASS      | <125.0 |
| DICHLOROMETHANE           | 125.0 | ppm   | 600          | PASS      | <125.0 |
| ETHYL ACETATE             | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| BENZENE                   | 1.3   | ppm   | 2            | PASS      | <1.3   |
| N-HEPTANE                 | 125.0 | ppm   | 5000         | PASS      | <125.0 |
| TOLUENE                   | 125.0 | ppm   | 890          | PASS      | <125.0 |
| CHLOROFORM                | 1.3   | ppm   | 60           | PASS      | <1.3   |

Weight:  
0.028g

Analysis Method : SOP.T.40.044.NY  
Analyzed Date : 07/22/25 08:29:14

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/22/25



1 Winners Circle  
Albany, NY, 12205, US  
(833) 465-8378

Kaycha Labs



VERY BERRY

Matrix : Derivative

Type: Vape Cartridge

# Certificate of Analysis

**PASSED**

Northeast Extracts- Eureka Vapor

26 Powell Lane  
Penn Yan, NY, 14527, US  
Telephone: (914) 960-3524  
Email: RL@eurekavapor.com  
License # : OCM-PROC-25-000283

Sample : AL50718009-006

Batch# : EUV-VB1G-071625  
Sampled : 07/18/25 01:40 PM

Sample Size Received : 18 gram

Total Amount : 400 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 5

|  <b>Microbial</b> <b>PASSED</b> |     |       |             |             |              |  <b>Mycotoxins</b> <b>PASSED</b> |        |       |         |             |              |
|------------------------------------------------------------------------------------------------------------------|-----|-------|-------------|-------------|--------------|-------------------------------------------------------------------------------------------------------------------|--------|-------|---------|-------------|--------------|
| Analyte                                                                                                          | LOQ | Units | Result      | Pass / Fail | Action Level | Analyte                                                                                                           | LOQ    | Units | Result  | Pass / Fail | Action Level |
| TOTAL AEROBIC BACTERIA                                                                                           | 100 | CFU/g | <100        | PASS        | 10000        | AFLATOXIN G2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| TOTAL YEAST AND MOLD                                                                                             | 100 | CFU/g | <100        | PASS        | 1000         | AFLATOXIN G1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ESCHERICHIA COLI SHIGELLA SPP                                                                                    | 1   |       | Not Present | PASS        |              | AFLATOXIN B2                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| SALMONELLA SPECIES                                                                                               | 1   |       | Not Present | PASS        |              | AFLATOXIN B1                                                                                                      | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS TERREUS                                                                                              | 1   |       | Not Present | PASS        |              | OCHRATOXIN A+                                                                                                     | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS NIGER                                                                                                | 1   |       | Not Present | PASS        |              | TOTAL AFLATOXINS (B1, B2, G1, G2)                                                                                 | 0.0100 | ppm   | <0.0100 | PASS        | 0.02         |
| ASPERGILLUS FLAVUS                                                                                               | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| ASPERGILLUS FUMIGATUS                                                                                            | 1   |       | Not Present | PASS        |              |                                                                                                                   |        |       |         |             |              |
| Weight:<br>1.07g                                                                                                 |     |       |             |             |              | Weight:<br>0.4535g                                                                                                |        |       |         |             |              |
| Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY                             |     |       |             |             |              | Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY                                                                |        |       |         |             |              |
| Analyzed Date : 07/21/25 11:28:35                                                                                |     |       |             |             |              | Analyzed Date : 07/22/25 14:12:54                                                                                 |        |       |         |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
07/22/25