

Kaycha Labs

F(Whole Flower)-Find.-Bottomless Mints-70g-H

Matrix: Flower

Classification: Hybrid Type: Flower (Medical Use)



Production Method: Cured

Batch#: P-FDWF702025-979A Seed to Sale#: 202507314812 Sample Size Received: 13 units

Total Amount: 831 units

Servings: 5600

Retail Product Size: 70 gram Retail Serving Size: 0.0125 gram

> **Sampled:** 08/01/25 02:45 PM Sampling Start: 02:45 PM Sampling End: 03:50 PM

Sampling Method: SOP.T.20.010.NY

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50802004-003



Curaleaf NY, LLC.

License #: MM1001M 167 Coeymans Industrial Park Lane

Ravena, NY, 12143, US



PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



PASSED



PASSED



Residuals Solvents **NOT TESTED**



PASSED



Water Activity PASSED



PASSED



Terpenes PASSED

PASSED



Cannabinoid

Total THC



Total CBD

Total CBD/Container: 0



Total Cannabinoids Total Cannabinoids/Container:

												ш	
	(6AR,9R) D10- THC	(6AR,9S) D10- THC	СВС	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	<0.1	0.9684	<0.1	0.7886	38.3134	< 0.1
mg/unit	<70	<70	<70	<70	<70	<70	<70	<70	677.9067	<70	552.0509	26819.3840	<70
LOQ	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date : 08/05/25 14:06:01

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25



Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane Ravena, NY, 12143, US Telephone: (518) 635-6005 Email: hplcny@curaleaf.com License #: MM1001M Sample: AL50802004-003

Batch#:P-FDWF702025-979A Sample Size Received:13 units Sampled:08/01/25 02:45 PM Total Amount:831 units

Sampling Method: SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.004	PASS	434.0000	0.6200	Weight:				
BETA-MYRCENE	0.004	PASS	308.0000	0.4400	1.0096g				
BETA-CARYOPHYLLENE	0.004	PASS	210.0000	0.3000	Analysis Method: SOP.T.30.064.NY, SOP.T.40.064.NY				
LINALOOL	0.004	PASS	147.0000	0.2100	Analyzed Date : 08/05/25 10:17:44				
BETA-PINENE	0.004	PASS	70.0000	0.1000					
GUAIOL	0.004	PASS	63.0000	0.0900					
ALPHA-HUMULENE	0.004	PASS	63.0000	0.0900					
TERPINOLENE	0.004	PASS	49.0000	0.0700					
ALPHA TERPINEOL	0.004	PASS	42.0000	0.0600					
FENCHYL ALCOHOL	0.004	PASS	35.0000	0.0500					
ALPHA-PINENE	0.004	PASS	35.0000	0.0500					
OCIMENE	0.004	PASS	21.0000	0.0300					
ALPHA-BISABOLOL	0.004	PASS	14.0000	0.0200					
CAMPHENE	0.004	PASS	7.0000	0.0100					
VALENCENE	0.004	PASS	7.0000	0.0100					
CARYOPHYLLENE OXIDE	0.004	PASS	<2.8000	< 0.0040					
FARNESENE	0.1	PASS	<70.0000	< 0.1000					
GERANIOL	0.004	PASS	<2.8000	< 0.0040					
MENTHOL	0.004	PASS	<2.8000	< 0.0040					
ALPHA-PHELLANDRENE	0.004	PASS	<2.8000	< 0.0040					
ALPHA-TERPINENE	0.004	PASS	<2.8000	< 0.0040					
ALPHA-TERPINENE	0.004	PASS	<2.8000						

Total (%) 2.1500



Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164





Certificate of Analysis

PASSED

167 Coeymans Industrial Park Lane Ravena, NY, 12143, US Telephone: (518) 635-6005 Email: hplcny@curaleaf.com License # : MM1001M

Batch#:P-FDWF702025-979A Sample Size Received:13 units Sampled:08/01/25 02:45 PM Total Amount:831 units

Sampling Method: SOP.T.20.010.NY

Page 3 of 5



Pesticides

P	A	S	S	Е	D
---	---	---	---	---	---

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	< 0.1
ACEQUINOCYL	0.1	ppm	2	PASS	< 0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	< 0.1
AZADIRACHTIN	0.1	ppm	1	PASS	< 0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	< 0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	< 0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	< 0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	< 0.1
ACEPHATE	0.1	ppm	0.4	PASS	< 0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	< 0.1
ALDICARB	0.1	ppm	0.4	PASS	< 0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	< 0.1
BIFENAZATE	0.1	ppm	0.2	PASS	< 0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	< 0.1
CARBARYL	0.1	ppm	0.2	PASS	< 0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	< 0.1
COUMAPHOS	0.1	ppm	1	PASS	< 0.1
DAMINOZIDE	0.1	ppm	1	PASS	< 0.1
CARBOFURAN	0.1	ppm	0.2	PASS	< 0.1
BOSCALID	0.1	ppm	0.4	PASS	< 0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	< 0.1
DIAZINON	0.1	ppm	0.2	PASS	< 0.1
CLOFENTEZINE	0.1	ppm	0.2	PASS	< 0.1
DICHLORVOS	0.1	ppm	1	PASS	< 0.1
DIMETHOATE	0.1	ppm	0.2	PASS	< 0.1
DIMETHOMORPH	0.1	ppm	1	PASS	< 0.1
ETHOPROPHOS	0.1	ppm	0.2	PASS	< 0.1
ETOFENPROX	0.1	ppm	0.4	PASS	< 0.1
ETOXAZOLE	0.1	ppm	0.2	PASS	< 0.1
FENHEXAMID	0.1	ppm	1	PASS	< 0.1
FENOXYCARB	0.1	ppm	0.2	PASS	< 0.1
FENPYROXIMATE	0.1	ppm	0.4	PASS	< 0.1
FIPRONIL	0.1	ppm	0.4	PASS	< 0.1
FLONICAMID	0.1	ppm	1	PASS	< 0.1
FLUDIOXONIL	0.1	ppm	0.4	PASS	< 0.1
HEXYTHIAZOX	0.1	ppm	1	PASS	< 0.1
IMAZALIL	0.1	ppm	0.2	PASS	< 0.1
IMIDACLOPRID	0.1	ppm	0.4	PASS	< 0.1
KRESOXIM METHYL	0.1	ppm	0.4	PASS	< 0.1
MALATHION	0.1	ppm	0.2	PASS	< 0.1
METALAXYL	0.1	ppm	0.2	PASS	< 0.1
METHIOCARB	0.1	ppm	0.2	PASS	< 0.1
METHOMYL	0.1	ppm	0.4	PASS	< 0.1
MEVINPHOS	0.1	ppm	1	PASS	< 0.1
NALED	0.1	ppm	0.5	PASS	< 0.1

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
OXAMYL	0.1	ppm	1	PASS	< 0.1
PACLOBUTRAZOL	0.1	ppm	0.4	PASS	< 0.1
PERMETHRIN	0.1	ppm	0.2	PASS	< 0.1
PHOSMET	0.1	ppm	0.2	PASS	< 0.1
PROPICONAZOLE	0.1	ppm	0.4	PASS	< 0.1
PROPOXUR	0.1	ppm	0.2	PASS	< 0.1
PYRIDABEN	0.1	ppm	0.2	PASS	< 0.1
SPINETORAM, TOTAL	0.1	ppm	1	PASS	< 0.1
SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	< 0.1
SPIROMESIFEN	0.1	ppm	0.2	PASS	< 0.1
SPIROTETRAMAT	0.1	ppm	0.2	PASS	< 0.1
SPIROXAMINE	0.1	ppm	0.2	PASS	< 0.1
TEBUCONAZOLE	0.1	ppm	0.4	PASS	< 0.1
THIACLOPRID	0.1	ppm	0.2	PASS	< 0.1
THIAMETHOXAM	0.1	ppm	0.2	PASS	< 0.1
TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	< 0.1
CAPTAN *	0.1	ppm	1	PASS	< 0.1
CHLORDANE *	0.1	ppm	1	PASS	< 0.1
CHLORFENAPYR *	0.1	ppm	1	PASS	< 0.1
CYFLUTHRIN *	0.1	ppm	1	PASS	< 0.1
CYPERMETHRIN *	0.1	ppm	1	PASS	< 0.1
METHYL PARATHION *	0.1	ppm	0.2	PASS	< 0.1
MGK-264 *	0.1	ppm	0.2	PASS	< 0.1
PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	< 0.1

Weight: 0.9955g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY Analyzed Date : 08/06/25 10:23:28

Weight: 0.9955g

Analysis Method: SOP.T.40.154.NY Analyzed Date: 08/06/25 13:26:15

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25





Certificate of Analysis

PASSED

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane Ravena, NY, 12143, US Telephone: (518) 635-6005 Email: hplcny@curaleaf.com License #: MM1001M Sample: AL50802004-003

Batch#:P-FDWF702025-979A Sample Size Received:13 units Sampled:08/01/25 02:45 PM Total Amount:831 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 5

Units

ppm

ppm

ppm

LOO

0.01

0.01

0.01 ppm

0.01 ppm

0.01

0.01 ppm



Microbial

PASSED



AFLATOXIN G2

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

Analyte

Mycotoxins

TOTAL AFLATOXINS (B1, B2, G1, G2)

Analyzed Date: 08/06/25 10:25:47

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

<0.01 PASS

Fail

Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	100000
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	10000
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS	
SALMONELLA SPECIES	1		Not Present	PASS	
ASPERGILLUS TERREUS	1		Not Present	PASS	
ASPERGILLUS NIGER	1		Not Present	PASS	
ASPERGILLUS FLAVUS	1		Not Present	PASS	
ASPERGILLUS FUMIGATUS	1		Not Present	PASS	

Weight: 1.14a

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY **Analyzed Date :** 08/07/25 08:43:51

пſ		h
U	Hg	

Heavy Metals

PASSED

Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	< 0.1	PASS	2
ARSENIC	0.1	ug/g	< 0.1	PASS	0.2
CADMIUM	0.1	ug/g	< 0.1	PASS	0.2
CHROMIUM	1	ug/g	<1	PASS	110
COPPER	1	ug/g	5.5208	PASS	30
LEAD	0.1	ug/g	< 0.1	PASS	0.5
MERCURY	0.01	ug/g	< 0.01	PASS	0.1
NICKEL	0.1	ug/g	< 0.1	PASS	2

Weight: 0.5112g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 08/05/25 09:56:43

.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25





Certificate of Analysis

PASSED

167 Coeymans Industrial Park Lane Ravena, NY, 12143, US Telephone: (518) 635-6005 Email: hplcny@curaleaf.com License # : MM1001M

Batch#:P-FDWF702025-979A Sample Size Received: 13 units Sampled: 08/01/25 02:45 PM Total Amount: 831 units Sampling Method: SOP.T.20.010.NY

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture



Analyte Foreign Matter	LOQ 0.1	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOQ 1	Units %	Result 10.5	P/F PASS	Action Level 15
Mammalian excreta Stems (>3mm)	0.1	mg %	ND ND	PASS PASS	1 5	Weight:					
Weight: 160.9751g						Analysis Method: SOP.T.40.021 Analyzed Date: 08/05/25 14:07:20					

Analysis Method: SOP.T.40.090



Water Activity

PASSED

Analyte Water Activity	LOQ 0.1	Units aw	Result 0.64	P/F PASS	Action Level 0.65
Weight: 0.2482g					
Analysis Method: SOP.T.40.019 Analyzed Date: 08/05/25 15:40:59					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 08/07/25