

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll





Results

101.85 mg/unit THCa	87.26 mg/unit D9-THC
ND Total CBD	176.58 mg/unit Total THC
194.46 mg/unit Total Cannabinoids	2.102% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY
Date/Time Tested: 08/13/2025
 11:51

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	3,969.49	ND	ND	ND
CBDa	3,969.49	ND	ND	ND
CBGa	3,969.49	0.49	4.88	2.44
CBG	3,969.49	0.58	5.83	2.91
CBD	3,809.38	ND	ND	ND
THCV	3,809.38	< LOQ	< LOQ	< LOQ
CBN	4,188.57	< LOQ	< LOQ	< LOQ
D9-THC	4,188.57	17.45	174.51	87.26
D8-THC	4,188.57	ND	ND	ND
(6aR,9S)-d10-THC	3,809.38	ND	ND	ND
(6aR,9R)-d10-THC	4,188.57	ND	ND	ND
CBC	4,188.57	< LOQ	< LOQ	< LOQ
THCa	3,809.38	20.37	203.71	101.85
Total CBD		ND	ND	ND
Total THC		35.32	353.16	176.58
Total Cannabinoids		38.89	388.92	194.46

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY
Instrument: Shimadzu Moisture Meter - 2560
Date/Time Tested: 08/13/2025
 08:03

Pass

Analyte	Limit (%)	%	Status
Moisture	15	6.5	Passed

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 08/09/2025
 10:28

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		ND	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY
Instrument: Shimadzu Moisture Meter - 2560
Date/Time Tested: 08/13/2025
 08:42

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.53	Passed



Kimberly Krisolofsky
 Lead Technical Director

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Date/Time Tested: 08/14/2025 09:21

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.1025	Passed	a-Terpinene	79		ND	Tested
Limonene	79		0.7903	Tested	p-Cymene	79		ND	Tested
b-Caryophyllene	79		0.4844	Tested	Eucalyptol	79		ND	Tested
trans-b-Farnesene	238		0.2384	Tested	g-Terpinene	79		ND	Tested
a-Humulene	79		0.1403	Tested	Terpinolene	79		< LOQ	Tested
Linalool	79		0.1313	Tested	Sabinene Hydrate	79		ND	Tested
Caryophyllene Oxide	79		0.0596	Tested	Fenchone	79		< LOQ	Tested
Terpineol	79		0.0573	Tested	Isopulegol	79		ND	Tested
Fenchol	79		0.0436	Tested	Camphor	79		ND	Tested
a-Bisabolol	79		0.0385	Tested	Isoborneol	79		< LOQ	Tested
b-Myrcene	79		0.0350	Tested	DL-Menthol	79		ND	Tested
cis-Nerolidol	79		0.0341	Tested	Nerol	79		ND	Tested
b-Pinene	79		0.0182	Tested	Pulegone	79		ND	Tested
trans-Nerolidol	79		0.0122	Tested	Geraniol	79		ND	Tested
Borneol	79		0.0102	Tested	Geranyl Acetate	79		ND	Tested
a-Pinene	79		0.0093	Tested	a-Cedrene	79		ND	Tested
Camphene	79		ND	Tested	Valencene	79		ND	Tested
Sabinene	79		ND	Tested	Guaiol	79		< LOQ	Tested
a-Phellandrene	79		ND	Tested	Cedrol	79		ND	Tested
d-3-Carene	79		ND	Tested	trans-b-Ocimene	79		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542

Date/Time Tested: 08/13/2025 17:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	44	5,000	< LOQ	Passed
Acetonitrile	18	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	44	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	219	5,000	< LOQ	Passed
Ethyl Acetate	219	5,000	ND	Passed
Ethyl Ether	22	5,000	ND	Passed
DMSO	109	5,000	ND	Passed
Heptane	22	5,000	ND	Passed
Hexanes	7	290	ND	Passed
Isopropyl Alcohol	219	5,000	< LOQ	Passed
Methanol	131	3,000	194.2	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	66	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,465	1,500	ND	Passed
Xylenes	289	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 08/11/2025 14:21

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/13/2025 10:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.183	2.000	ND	Passed
Arsenic	0.183	0.200	ND	Passed
Cadmium	0.183	0.200	ND	Passed
Chromium	0.183	110.000	0.342	Passed
Copper	0.220	30.000	3.557	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.220	5.000	< LOQ	Passed
Lead	0.183	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 08/11/2025 10:28

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Jeeter

Order No.: ONYJTR0808-0008176
 1050 Lower South St
 New York, 10567
 lpalazzo@jeeter.com
 4424037621

Sample: SNYJTR0808-PEIP-0017799

Strain: BLUE ZKZ, Unit Weight: .5000g
 Batch#: DFNY-BLUZKZ-072425, Batch Size: 4288
 Date Sampled: 08/08/2025 14:51
 Sample Received: 08/08/2025 15:04
 Report Created: 08/14/2025 23:00
 Sampling SOP 204

Infused Jeeter 0.5G Preroll Blue ZKZ

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.