

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO
 Concentrates & Extracts, Vape





Results

848.49 mg/unit D9-THC	20.41 mg/unit CBG
0.00 mg/unit Total CBD	848.49 mg/unit Total THC
868.89 mg/unit Total Cannabinoids	5.083% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO
 Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY
 Date/Time Tested: 08/07/2025 17:35

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	9,413.81	ND	ND	ND
CBDa	9,413.81	ND	ND	ND
CBGa	9,413.81	ND	ND	ND
CBG	9,413.81	2.04	20.41	20.41
CBD	9,413.81	ND	ND	ND
THCV	9,413.81	< LOQ	< LOQ	< LOQ
CBN	9,413.81	< LOQ	< LOQ	< LOQ
D9-THC	9,413.81	84.85	848.49	848.49
D8-THC	9,413.81	ND	ND	ND
(6aR,9S)-d10-THC	9,413.81	ND	ND	ND
(6aR,9R)-d10-THC	9,413.81	ND	ND	ND
CBC	9,413.81	< LOQ	< LOQ	< LOQ
THCa	9,413.81	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		84.85	848.49	848.49
Total Cannabinoids		86.89	868.89	868.89

Report notes:

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Microbials

SOP: SOP 401-NY SOP 418-NY
 Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
 Date/Time Tested: 08/08/2025 20:10

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specification established by the Laboratory



Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO

Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 08/07/2025 17:45

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.0834	Passed	p-Cymene	155		< LOQ	Tested
b-Caryophyllene	155		1.8347	Tested	Eucalyptol	155		ND	Tested
Limonene	155		0.8172	Tested	Terpinolene	155		< LOQ	Tested
a-Humulene	155		0.5211	Tested	Sabinene Hydrate	155		ND	Tested
a-Bisabolol	155		0.4014	Tested	Fenchone	155		ND	Tested
b-Myrcene	155		0.3946	Tested	Isopulegol	155		ND	Tested
Linalool	155		0.2883	Tested	Camphor	155		ND	Tested
trans-Nerolidol	155		0.2520	Tested	Isoborneol	155		ND	Tested
b-Pinene	155		0.1859	Tested	DL-Menthol	155		ND	Tested
Caryophyllene Oxide	155		0.1028	Tested	Borneol	155		ND	Tested
a-Pinene	155		0.0913	Tested	Nerol	155		ND	Tested
Fenchol	155		0.0617	Tested	Pulegone	155		ND	Tested
cis-Nerolidol	155		0.0547	Tested	Geraniol	155		ND	Tested
Terpineol	155		0.0541	Tested	Geranyl Acetate	155		ND	Tested
g-Terpinene	155		0.0235	Tested	a-Cedrene	155		ND	Tested
Camphene	155		< LOQ	Tested	Valencene	155		< LOQ	Tested
Sabinene	155		ND	Tested	Guaiol	155		ND	Tested
a-Phellandrene	155		ND	Tested	Cedrol	155		ND	Tested
d-3-Carene	155		ND	Tested	trans-b-Ocimene	155		ND	Tested
a-Terpinene	155		ND	Tested	trans-b-Farnesene	155		ND	Tested

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO

Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542

Date/Time Tested: 08/07/2025 16:39

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	189	5,000	ND	Passed
Ethyl Acetate	189	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	95	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	189	5,000	< LOQ	Passed
Methanol	114	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	57	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,735	1,500	ND	Passed
Xylenes	250	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 08/07/2025 09:35

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.




Angus Alfieri
 Technical Director

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO

Concentrates & Extracts, Vape



Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/07/2025 10:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.172	2.000	ND	Passed
Arsenic	0.172	0.200	ND	Passed
Cadmium	0.172	0.200	ND	Passed
Chromium	0.172	110.000	< LOQ	Passed
Copper	0.206	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.206	2.000	ND	Passed
Lead	0.172	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO

Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 08/07/2025 09:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017584

Strain: Sour Diesel, Unit Weight: 1.0000g
 Batch#: NYS-AIO-SOD-G2225, Batch Size: 978
 Date Sampled: 08/05/2025 15:56
 Sample Received: 08/05/2025 15:56
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

Sour Diesel AIO

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.