

## Stiiizy

Order No.: ONYSTNY0717-0007708  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
 Sample Received: 07/17/2025 16:57  
 Report Created: 07/24/2025 13:47  
 Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape




## Results

<b>905.20 mg/unit</b> D9-THC	<b>22.29 mg/unit</b> CBG
<b>0.00 mg/unit</b> Total CBD	<b>905.20 mg/unit</b> Total THC
<b>945.17 mg/unit</b> Total Cannabinoids	<b>5.576%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Pass
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## Stiiizy

Order No.: ONYSTNY0717-0007708  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
 Sample Received: 07/17/2025 16:57  
 Report Created: 07/24/2025 13:47  
 Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape



### Cannabinoids

SOP 801-NY  
 Date/Time Tested: 07/22/2025  
 10:31

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,560.92	ND	ND	ND
CBDa	4,560.92	ND	ND	ND
CBGa	4,560.92	ND	ND	ND
CBG	4,560.92	<b>2.23</b>	<b>22.29</b>	<b>22.29</b>
CBD	4,560.92	< LOQ	< LOQ	< LOQ
THCV	4,560.92	<b>0.54</b>	<b>5.44</b>	<b>5.44</b>
CBN	4,560.92	<b>0.52</b>	<b>5.22</b>	<b>5.22</b>
D9-THC	4,560.92	<b>90.52</b>	<b>905.20</b>	<b>905.20</b>
D8-THC	4,560.92	ND	ND	ND
(6aR,9S)-d10-THC	4,560.92	ND	ND	ND
(6aR,9R)-d10-THC	4,560.92	ND	ND	ND
CBC	4,560.92	<b>0.70</b>	<b>7.02</b>	<b>7.02</b>
THCa	4,560.92	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		<b>90.52</b>	<b>905.20</b>	<b>905.20</b>
Total Cannabinoids		<b>94.52</b>	<b>945.17</b>	<b>945.17</b>

#### Notes:

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Total Cannabinoids = Sum of all cannabinoids**  
**LOQ = Limit of Quantitation;**  
**The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported**

### Microbials

SOP 401-NY SOP 418-NY  
 Date/Time Tested: 07/18/2025  
 19:33

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

#### Notes:

**Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

### Homogeneity

Date/Time Tested: 07/22/2025  
 10:31

Pass

Analyte	Result
Homogeneity	Pass



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Adult Use

## Stiiizy

Order No.: ONYSTNY0717-0007708  
101 O'neil Rd  
New York, 13838  
info@stiiizy.com  
2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
Sample Received: 07/17/2025 16:57  
Report Created: 07/24/2025 13:47  
Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY

Date/Time Tested: 07/22/2025 15:05

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>5.5762</b>	Passed	g-Terpinene	164		ND	Tested
b-Caryophyllene	164		<b>2.0442</b>	Tested	Terpinolene	164		ND	Tested
Limonene	164		<b>0.8726</b>	Tested	Sabinene Hydrate	164		ND	Tested
Linalool	164		<b>0.7434</b>	Tested	Fenchone	164		ND	Tested
a-Humulene	164		<b>0.4882</b>	Tested	Isopulegol	164		ND	Tested
b-Myrcene	164		<b>0.3085</b>	Tested	Camphor	164		ND	Tested
a-Bisabolol	164		<b>0.1960</b>	Tested	Isoborneol	164		ND	Tested
b-Pinene	164		<b>0.1905</b>	Tested	DL-Menthol	164		ND	Tested
trans-Nerolidol	164		<b>0.1881</b>	Tested	Borneol	164		< LOQ	Tested
a-Pinene	164		<b>0.1866</b>	Tested	Nerol	164		ND	Tested
Terpineol	164		<b>0.1236</b>	Tested	Pulegone	164		ND	Tested
Fenchol	164		<b>0.1105</b>	Tested	Geraniol	164		ND	Tested
Caryophyllene Oxide	164		<b>0.1037</b>	Tested	Geranyl Acetate	164		ND	Tested
Camphene	164		<b>0.0201</b>	Tested	a-Cedrene	164		< LOQ	Tested
Sabinene	164		ND	Tested	Valencene	164		ND	Tested
a-Phellandrene	164		ND	Tested	cis-Nerolidol	164		< LOQ	Tested
d-3-Carene	164		ND	Tested	Guaiol	164		ND	Tested
a-Terpinene	164		ND	Tested	Cedrol	164		ND	Tested
p-Cymene	164		ND	Tested	trans-b-Ocimene	164		ND	Tested
Eucalyptol	164		ND	Tested	trans-b-Farnesene	164		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

## Stiiizy

Order No.: ONYSTNY0717-0007708  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
 Report Received: 07/17/2025 16:57  
 Report Created: 07/24/2025 13:47  
 Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY

Date/Time Tested: 07/22/2025 10:37

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	38	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	38	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	190	5,000	< LOQ	Passed
Ethyl Acetate	190	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	95	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	190	5,000	ND	Passed
Methanol	114	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	57	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	4,739	1,500	ND	Passed
Xylenes	250	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Mycotoxins

SOP 808-NY

Date/Time Tested: 07/19/2025 19:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

## Stiiizy

Order No.: ONYSTNY0717-0007708  
101 O'neil Rd  
New York, 13838  
info@stiiizy.com  
2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
Sample Received: 07/17/2025 16:57  
Report Created: 07/24/2025 13:47  
Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 07/23/2025 15:36

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.173	2.000	ND	Passed
Arsenic	0.173	0.200	ND	Passed
Cadmium	0.173	0.200	ND	Passed
Chromium	0.173	110.000	ND	Passed
Copper	0.207	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.207	2.000	ND	Passed
Lead	0.173	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Adult Use

## Stiiizy

Order No.: ONYSTNY0717-0007708  
101 O'neil Rd  
New York, 13838  
info@stiiizy.com  
2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
Sample Received: 07/17/2025 16:57  
Report Created: 07/24/2025 13:47  
Sampling SOP 204-NY

## White Raspberry AIO

Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY

Date/Time Tested: 07/19/2025 18:20

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

## Stiiizy

Order No.: ONYSTNY0717-0007708  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232

## Sample: SNYSTNY0717-CVAP-0016993

Strain: White Raspberry, Unit Weight: 1.0000g  
 Batch#: NYS-AIO-WRB-G1125, Batch Size: 478  
 Report Received: 07/17/2025 16:57  
 Report Created: 07/24/2025 13:47  
 Sampling SOP 204-NY

White Raspberry AIO  
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Notes:

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.