

GTI

Order No.: ONYGTINY0505-0006325  
 85 John Hicks Drive  
 New York, 10990  
 cole.miller@gtigrows.com  
 6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
 Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
 Sample Received: 05/05/2025 15:47  
 Report Created: 05/08/2025 17:51  
 Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)  
 Concentrates & Extracts, Vape




## Results

<b>4.25 mg/dose</b> THCa	<b>0.10 mg/dose</b> CBGa
<b>0 mg/dose</b> Total CBD	<b>3.78 mg/dose</b> Total THC
<b>4.4 mg/dose</b> Total Cannabinoids	<b>8.161%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes





# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Medical Use

2 of 7

GTI

Order No.: ONYGTINY0505-0006325  
 85 John Hicks Drive  
 New York, 10990  
 cole.miller@gtigrows.com  
 6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
 Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
 Sample Received: 05/05/2025 15:47  
 Report Created: 05/08/2025 17:51  
 Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY

Date/Time Tested: 05/06/2025 10:53

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,981.79	ND	ND	ND	ND
CBDa	4,981.79	ND	ND	ND	ND
CBGa	4,981.79	<b>2.03</b>	<b>20.35</b>	<b>0.10</b>	<b>40.69</b>
CBG	4,981.79	< LOQ	< LOQ	< LOQ	< LOQ
CBD	4,981.79	ND	ND	ND	ND
THCV	4,981.79	ND	ND	ND	ND
CBN	4,981.79	ND	ND	ND	ND
D9-THC	4,981.79	<b>1.06</b>	<b>10.58</b>	<b>0.05</b>	<b>21.16</b>
D8-THC	4,981.79	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,981.79	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,981.79	ND	ND	ND	ND
CBC	4,981.79	ND	ND	ND	ND
THCa	4,981.79	<b>84.99</b>	<b>849.90</b>	<b>4.25</b>	<b>1,699.81</b>
Total CBD		0.00	0.00	0.00	0.00
Total THC		<b>75.59</b>	<b>755.95</b>	<b>3.78</b>	<b>1,511.89</b>
Total Cannabinoids		<b>88.08</b>	<b>880.83</b>	<b>4.40</b>	<b>1,761.66</b>

### Notes:

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Total Cannabinoids = Sum of all cannabinoids**  
**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported**

## Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 05/07/2025 17:48

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	1,000	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

**Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**



Angus Alfieri  
Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

GTI

Order No.: ONYGTINY0505-0006325  
 85 John Hicks Drive  
 New York, 10990  
 cole.miller@gtigrows.com  
 6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
 Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
 Sample Received: 05/05/2025 15:47  
 Report Created: 05/08/2025 17:51  
 Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)  
 Concentrates & Extracts, Vape



Terpenes

SOP 620-NY  
 Date/Time Tested: 05/06/2025 17:55

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>8.1613</b>	Passed	Camphor	159		ND	Tested
Limonene	159		<b>1.9242</b>	Tested	DL-Menthol	159		ND	Tested
b-Caryophyllene	159		<b>1.4770</b>	Tested	Isopulegol	159		ND	Tested
b-Myrcene	159		<b>1.2469</b>	Tested	Nerol	159		ND	Tested
Linalool	159		<b>0.9187</b>	Tested	Pulegone	159		ND	Tested
trans-b-Farnesene	476		<b>0.8477</b>	Tested	Fenchone	159	< LOQ		Tested
a-Humulene	159		<b>0.4083</b>	Tested	Geranyl Acetate	159		ND	Tested
b-Pinene	159		<b>0.2289</b>	Tested	a-Cedrene	159		ND	Tested
cis-Nerolidol	159		<b>0.2084</b>	Tested	p-Cymene	159		ND	Tested
a-Bisabolol	159		<b>0.1904</b>	Tested	a-Terpinene	159		ND	Tested
Fenchol	159		<b>0.1783</b>	Tested	Valencene	159		ND	Tested
Terpineol	159		<b>0.1604</b>	Tested	d-3-Carene	159		ND	Tested
a-Pinene	159		<b>0.1129</b>	Tested	g-Terpinene	159		ND	Tested
trans-Nerolidol	159		<b>0.0887</b>	Tested	Guaiol	159		ND	Tested
Geraniol	159		<b>0.0447</b>	Tested	Isoborneol	159		ND	Tested
Borneol	159		<b>0.0380</b>	Tested	Cedrol	159		ND	Tested
Camphene	159		<b>0.0320</b>	Tested	a-Phellandrene	159		ND	Tested
Terpinolene	159		<b>0.0285</b>	Tested	trans-b-Ocimene	159		ND	Tested
Caryophyllene Oxide	159		<b>0.0271</b>	Tested	Sabinene	159		ND	Tested
Sabinene Hydrate	159		ND	Tested	Eucalyptol	159		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



*Angus Alfieri*

**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

4 of 7

GTI

Order No.: ONYGTINY0505-0006325  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
Sample Received: 05/05/2025 15:47  
Report Created: 05/08/2025 17:51  
Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Residual Solvents

SOP 612-NY

Date/Time Tested: 05/07/2025 14:41

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	912.2	Passed
Chloroform	2	60	ND	Passed
Ethanol	185	5,000	< LOQ	Passed
Ethyl Acetate	185	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	92	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	185	5,000	< LOQ	Passed
Methanol	111	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	< LOQ	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	46	1,500	ND	Passed
Xylenes	244	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Mycotoxins

SOP 808-NY

Date/Time Tested: 05/07/2025 17:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested	Ochratoxin A	4.7	20.0	ND	Passed
B2	4.7		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.7		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.7		ND	Tested					

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri  
Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

Compliance

Medical Use

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

GTI

Order No.: ONYGTINY0505-0006325  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
Sample Received: 05/05/2025 15:47  
Report Created: 05/08/2025 17:51  
Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 05/07/2025 11:53

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.186	2.000	ND	Passed
Arsenic	0.186	0.200	ND	Passed
Cadmium	0.186	0.200	ND	Passed
Chromium	0.186	110.000	< LOQ	Passed
Copper	0.224	30.000	ND	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.224	2.000	ND	Passed
Lead	0.186	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri  
Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Medical Use

6 of 7

GTI

Order No.: ONYGTINY0505-0006325  
85 John Hicks Drive  
New York, 10990  
cole.miller@gtigrows.com  
6147380382

Sample: SNYGTINY0505-CVAP-0014969

Strain: VelcroZ, Unit Weight: 2.0000g  
Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
Sample Received: 05/05/2025 15:47  
Report Created: 05/08/2025 17:51  
Sampling SOP 204-NY

VelcroZ Live Concentrate 2g - Rythm (Hybrid)

Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY

Date/Time Tested: 05/07/2025 09:46

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



*Angus Alfieri*

**Angus Alfieri**  
Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

**GTI**

Order No.: ONYGTINY0505-0006325  
 85 John Hicks Drive  
 New York, 10990  
 cole.miller@gtigrows.com  
 6147380382

**Sample: SNYGTINY0505-CVAP-0014969**

Strain: VelcroZ, Unit Weight: 2.0000g  
 Batch#: 20250502VZ-LR-2.0, Batch Size: 700  
 Sample Received: 05/05/2025 15:47  
 Report Created: 05/08/2025 17:51  
 Sampling SOP 204-NY

**VelcroZ Live Concentrate 2g - Rythm (Hybrid)**

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

**Notes:**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**




**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.