

Stiiizy

Order No.: ONYSTNY0725-0007886
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
 Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
 NYS Report Received: 07/25/2025 13:24
 Report Created: 07/30/2025 19:57
 Sampling SOP 204-NY

Orange Sunset AIO
 Concentrates & Extracts, Vape





Results

834.14 mg/unit D9-THC	20.86 mg/unit CBG
0.00 mg/unit Total CBD	834.14 mg/unit Total THC
871.84 mg/unit Total Cannabinoids	1.374% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0725-0007886
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
Sample Received: 07/25/2025 13:24
Report Created: 07/30/2025 19:57
Sampling SOP 204-NY

Orange Sunset AIO

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY

Date/Time Tested: 07/29/2025 14:28

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,164.64	ND	ND	ND
CBDa	4,164.64	ND	ND	ND
CBGa	4,164.64	ND	ND	ND
CBG	4,164.64	2.09	20.86	20.86
CBD	4,164.64	< LOQ	< LOQ	< LOQ
THCV	4,164.64	0.52	5.22	5.22
CBN	4,164.64	0.56	5.57	5.57
D9-THC	4,164.64	83.41	834.14	834.14
D8-THC	4,164.64	ND	ND	ND
(6aR,9S)-d10-THC	4,164.64	ND	ND	ND
(6aR,9R)-d10-THC	4,164.64	ND	ND	ND
CBC	4,164.64	0.60	6.05	6.05
THCa	4,164.64	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		83.41	834.14	834.14
Total Cannabinoids		87.18	871.84	871.84

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY

Date/Time Tested: 07/26/2025 10:58

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0725-0007886
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
 Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
 Sample Received: 07/25/2025 13:24
 Report Created: 07/30/2025 19:57
 Sampling SOP 204-NY

Orange Sunset AIO
 Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
 Date/Time Tested: 07/29/2025 14:36

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.3745	Passed	Fenchol	154		ND	Tested
Limonene	154		1.0168	Tested	Sabinene Hydrate	154		ND	Tested
Linalool	154		0.1508	Tested	Fenchone	154		ND	Tested
b-Caryophyllene	154		0.0539	Tested	Isopulegol	154		ND	Tested
a-Bisabolol	154		0.0478	Tested	Camphor	154		ND	Tested
Terpineol	154		0.0426	Tested	Isoborneol	154		ND	Tested
b-Myrcene	154		0.0226	Tested	DL-Menthol	154		ND	Tested
Caryophyllene Oxide	154		0.0215	Tested	Borneol	154		ND	Tested
a-Humulene	154		0.0186	Tested	Nerol	154		ND	Tested
a-Pinene	154		< LOQ	Tested	Pulegone	154		< LOQ	Tested
Camphene	154		ND	Tested	Geraniol	154		ND	Tested
Sabinene	154		ND	Tested	Geranyl Acetate	154		ND	Tested
b-Pinene	154		< LOQ	Tested	a-Cedrene	154		ND	Tested
a-Phellandrene	154		ND	Tested	Valencene	154		ND	Tested
d-3-Carene	154		ND	Tested	cis-Nerolidol	154		< LOQ	Tested
a-Terpinene	154		ND	Tested	trans-Nerolidol	154		< LOQ	Tested
p-Cymene	154		< LOQ	Tested	Guaiol	154		< LOQ	Tested
Eucalyptol	154		ND	Tested	Cedrol	154		ND	Tested
g-Terpinene	154		< LOQ	Tested	trans-b-Ocimene	154		ND	Tested
Terpinolene	154		< LOQ	Tested	trans-b-Farnesene	154		< LOQ	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0725-0007886
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
 Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
 Sample Received: 07/25/2025 13:24
 Report Created: 07/30/2025 19:57
 Sampling SOP 204-NY

Orange Sunset AIO

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 07/29/2025 14:13

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	206	5,000	< LOQ	Passed
Ethyl Acetate	206	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	103	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	660	5,000	1,345.8	Passed
Methanol	124	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	62	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,144	1,500	ND	Passed
Xylenes	272	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 07/27/2025 18:27

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Stiiizy

Order No.: ONYSTNY0725-0007886
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
Sample Received: 07/25/2025 13:24
Report Created: 07/30/2025 19:57
Sampling SOP 204-NY

Orange Sunset AIO

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/30/2025 09:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.183	2.000	ND	Passed
Arsenic	0.183	0.200	ND	Passed
Cadmium	0.183	0.200	ND	Passed
Chromium	0.183	110.000	ND	Passed
Copper	0.219	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.219	2.000	ND	Passed
Lead	0.183	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0725-0007886
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
Report Received: 07/25/2025 13:24
Report Created: 07/30/2025 19:57
Sampling SOP 204-NY

Orange Sunset AIO
Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
Date/Time Tested: 07/27/2025 15:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0725-0007886
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0725-CVAP-0017271

Strain: Orange Sunset, Unit Weight: 1.0000g
 Batch#: NYS-AIO-ORS-G1525 , Batch Size: 483
 Report Received: 07/25/2025 13:24
 Report Created: 07/30/2025 19:57
 Sampling SOP 204-NY

Orange Sunset AIO

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	< LOQ	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.