




# Certificate of Analysis

## FOR COMPLIANCE

## PASSED



**Batch #:** BBY827  
**Production Method:** Cured  
**Total Amount:** 1200 units  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5  
**Servings:** 1

**Lab ID:** AL50828006-005  
**Sampled Date:** 08/28/25  
**Sample Collection Time:** 12:00 PM  
**Sampling End:** 12:40 PM  
**Sampling Method:** SOP.T.20.010.NY  
**Sample Size:** 8 units  
**Completed:** 09/03/25

### Banzzy

720 E 86th St  
Brooklyn, NY, 11236, US

License # : OCM-PT3B-25-000017

### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**NOT TESTED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**PASSED**



Vitamin E  
**NOT TESTED**



Terpenes  
**PASSED**



## Cannabinoid

## PASSED



**Total THC**  
**25.9265%**

Total THC/Container : 907.4281 mg



**Total CBD**  
**<0.1**

Total CBD/Container : 0



**Total Cannabinoids**  
**29.6549%**

Total Cannabinoids/Container :  
1037.9206 mg

|           | (6AR,9R)<br>D10-THC | (6AR,9S)<br>D10-THC | CBC  | CBD  | CBDA | CBDV | CBG  | D8-THC | CBGA    | CBN  | D9-THC  | THCA     | THCV |
|-----------|---------------------|---------------------|------|------|------|------|------|--------|---------|------|---------|----------|------|
| %         | <0.1                | <0.1                | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1   | 0.2892  | <0.1 | 1.4051  | 27.9606  | <0.1 |
| mg/unit   | <3.5                | <3.5                | <3.5 | <3.5 | <3.5 | <3.5 | <3.5 | <3.5   | 10.1222 | <3.5 | 49.1785 | 978.6199 | <3.5 |
| LOD       |                     |                     |      |      |      |      |      |        |         |      |         |          |      |
| LOQ       | 0.1                 | 0.1                 | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1    | 0.1     | 0.1  | 0.1     | 0.1      | 0.1  |
| %         | %                   | %                   | %    | %    | %    | %    | %    | %      | %       | %    | %       | %        | %    |
| Qualifier |                     |                     |      |      |      |      |      |        |         |      |         |          |      |

Weight:  
0.1737g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 09/02/25 14:10:00

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director



State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

Signature  
09/03/25



# Certificate of Analysis

**Banzzy**  
720 E 86th St  
Brooklyn, NY, 11236, US  
License # : OCM-PT3B-25-000017

**Sample: AL50828006-005**  
Batch #: BBY827

Ordered: 08/28/25  
Sampled: 08/28/25  
Completed: 09/03/25

**PASSED**



## Label Claim Verification

PASSED

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------|------|-----|-----|-------|-----------|--------|-----------|
|----------|------|-----|-----|-------|-----------|--------|-----------|

Weight:

Analysis Method : N/A  
Analyzed Date : 09/02/25 14:10:38



## Terpenes

PASSED

| ANALYTES            | LOD | LOQ   | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|-----|-------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES      | -1  | 0.1   | 10    | PASS      | 1.1800     | 41.3000   |           |
| BETA-MYRCENE        | -1  | 0.004 | 10    | PASS      | 0.5700     | 19.9500   |           |
| BETA-CARYOPHYLLENE  | -1  | 0.004 | 10    | PASS      | 0.1900     | 6.6500    |           |
| ALPHA-PINENE        | -1  | 0.004 | 10    | PASS      | 0.1300     | 4.5500    |           |
| LIMONENE            | -1  | 0.004 | 10    | PASS      | 0.0700     | 2.4500    |           |
| ALPHA-HUMULENE      | -1  | 0.004 | 10    | PASS      | 0.0700     | 2.4500    |           |
| BETA-PINENE         | -1  | 0.004 | 10    | PASS      | 0.0700     | 2.4500    |           |
| LINALOOL            | -1  | 0.004 | 10    | PASS      | 0.0300     | 1.0500    |           |
| ALPHA-BISABOLOL     | -1  | 0.004 | 10    | PASS      | 0.0300     | 1.0500    |           |
| CARYOPHYLLENE OXIDE | -1  | 0.004 | 10    | PASS      | 0.0100     | 0.3500    |           |
| VALENCENE           | -1  | 0.004 | 10    | PASS      | 0.0100     | 0.3500    |           |
| ALPHA TERPINEOL     | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| CAMPHENE            | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| FARNESENE           | -1  | 0.1   | 10    | PASS      | <0.1       | <3.5      |           |
| FENCHYL ALCOHOL     | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| GERANIOL            | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| GUAJOL              | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| MENTHOL             | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| OCIMENE             | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| TERPINOLENE         | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| ALPHA-PHELLANDRENE  | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |
| ALPHA-TERPINENE     | -1  | 0.004 | 10    | PASS      | <0.004     | <0.14     |           |

Weight:

1.0354g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY  
Analyzed Date : N/A



## Pesticide

PASSED

| ANALYTES              | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------|------|-----|-----|-------|-----------|--------|-----------|
| PRALLETHRIN           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| ACEQUINOCYL           | ppm  | -1  | 0.1 | 2     | PASS      | <0.1   |           |
| PYRETHRINS, TOTAL     | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| AZADIRACTIN           | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| INDOLE-3-BUTYRIC ACID | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| MYCLOBUTANIL          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| PIPERONYL BUTOXIDE    | ppm  | -1  | 0.1 | 2     | PASS      | <0.1   |           |
| ABAMECTIN B1A         | ppm  | -1  | 0.1 | 0.5   | PASS      | <0.1   |           |
| ACEPHATE              | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| ACETAMIPRID           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| ALDICARB              | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| AZOXYSTROBIN          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| CHLORMEQUAT CHLORIDE  | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director



State License # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164

Signature  
09/03/25



# Certificate of Analysis

**Banzzy**

720 E 86th St  
Brooklyn, NY, 11236, US  
License # : OCM-PT3B-25-000017

Sample: AL50828006-005

Batch #: BBY827

Ordered: 08/28/25  
Sampled: 08/28/25  
Completed: 09/03/25

**PASSED**



**Pesticide**

PASSED

| ANALYTES            | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---------------------|------|-----|-----|-------|-----------|--------|-----------|
| BIFENAZATE          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| BIFENTHRIN          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| CARBARYL            | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| CHLORPYRIFOS        | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| COUMAPHOS           | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| DAMINOZIDE          | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| CARBOFURAN          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| BOSCALID            | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| CHLORANTRANILIPROLE | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| DIAZINON            | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| CLOFENTEZINE        | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| DICHLORVOS          | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| DIMETHOATE          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| DIMETHOMORPH        | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| ETHOPROPHOS         | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| ETOFENPROX          | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| ETOXAZOLE           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| FENHEXAMID          | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| FENOXYCARB          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| FENPYROXIMATE       | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| FIPRONIL            | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| FLONICAMID          | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| FLUDIOXONIL         | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| HEXYTHIAZOX         | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| IMAZALIL            | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| IMIDACLOPRID        | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| KRESOXIM METHYL     | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| MALATHION           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| METALAXYL           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| METHIOCARB          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| METHOMYL            | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| MEVINPHOS           | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| NALED               | ppm  | -1  | 0.1 | 0.5   | PASS      | <0.1   |           |
| OXAMYL              | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| PACLOBUTRAZOL       | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| PERMETHRIN          | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| PHOSMET             | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| PROPICONAZOLE       | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| PROPOXUR            | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| PYRIDABEN           | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| SPINETORAM, TOTAL   | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| SPINOSAD, TOTAL     | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| SPIROMESIFEN        | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| SPIROTETRAMAT       | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| SPIROXAMINE         | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| TEBUCONAZOLE        | ppm  | -1  | 0.1 | 0.4   | PASS      | <0.1   |           |
| THIACLOPRID         | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| THIAMETHOXAM        | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| TRIFLOXYSTROBIN     | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| CAPTAN              | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| CHLORDANE           | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| CHLORFENAPYR        | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| CYFLUTHRIN          | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| CYPERMETHRIN        | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |
| METHYL PARATHION    | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |
| MGK-264             | ppm  | -1  | 0.1 | 0.2   | PASS      | <0.1   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director



State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164

Signature  
09/03/25



# Certificate of Analysis

**Banzzy**  
720 E 86th St  
Brooklyn, NY, 11236, US  
License # : OCM-PT3B-25-000017

**Sample: AL50828006-005**  
Batch #: BBY827

Ordered: 08/28/25  
Sampled: 08/28/25  
Completed: 09/03/25

**PASSED**




## Pesticide

PASSED

| ANALYTES                | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------|------|-----|-----|-------|-----------|--------|-----------|
| PENTACHLORONITROBENZENE | ppm  | -1  | 0.1 | 1     | PASS      | <0.1   |           |

Weight: 0.9305g  
Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY  
Analyzed Date : N/A

Weight: 0.9305g  
Analysis Method : SOP.T.40.154.NY  
Analyzed Date : 08/29/25 13:46:45



## Microbial

PASSED

| ANALYTES                       | UNIT  | LOD | LOQ | LIMIT | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------------|-------|-----|-----|-------|-----------|-------------|-----------|
| TOTAL AEROBIC BACTERIA         | CFU/g | -1  | 100 |       | TESTED    | <100        |           |
| TOTAL YEAST AND MOLD           | CFU/g | -1  | 100 |       | TESTED    | <100        |           |
| ESCHERICHIA COLI/SHIGELLA SPP. | 1     | 1   | 1   |       | PASS      | Not Present |           |
| SALMONELLA SPECIES             | 1     | 1   | 1   |       | PASS      | Not Present |           |
| ASPERGILLUS TERREUS            | 1     | 1   | 1   |       | PASS      | Not Present |           |
| ASPERGILLUS NIGER              | 1     | 1   | 1   |       | PASS      | Not Present |           |
| ASPERGILLUS FLAVUS             | 1     | 1   | 1   |       | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS          | 1     | 1   | 1   |       | PASS      | Not Present |           |

Weight: 1.09g  
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY  
Analyzed Date : 09/02/25 07:10:28



## Mycotoxins

PASSED

| ANALYTES                          | UNIT | LOD | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|------|-----|------|-------|-----------|--------|-----------|
| TOTAL AFLATOXINS (B1, B2, G1, G2) | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |
| AFLATOXIN G2                      | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |
| AFLATOXIN G1                      | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |
| AFLATOXIN B2                      | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |
| AFLATOXIN B1                      | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |
| OCHRATOXIN A+                     | ppm  | -1  | 0.01 | 0.02  | PASS      | <0.01  |           |

Weight: 0.9305g  
Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY  
Analyzed Date : N/A



## Water Activity

PASSED

| ANALYTES       | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-----|-----|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.1 | 0.1 | 0.65  | PASS      | 0.52   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164



Signature  
09/03/25



# Certificate of Analysis

**Banzzy**  
720 E 86th St  
Brooklyn, NY, 11236, US  
License # : OCM-PT3B-25-000017

**Sample: AL50828006-005**  
Batch #: BBY827

Ordered: 08/28/25  
Sampled: 08/28/25  
Completed: 09/03/25

**PASSED**



## Water Activity

PASSED


| ANALYTES  | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|-----|-----|-------|-----------|--------|-----------|
| <b>Weight:</b><br>0.3392g   |      |     |     |       |           |        |           |
| <b>Analysis Method :</b> SOP.T.40.019<br><b>Analyzed Date :</b> 08/28/25 12:18:36 |      |     |     |       |           |        |           |



## Moisture Content

PASSED


| ANALYTES  | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|-----|-----|-------|-----------|--------|-----------|
| MOISTURE CONTENT  | %    | 1   | 1   | 15    | PASS      | 9.0    |           |
| <b>Weight:</b><br>1.121g  |      |     |     |       |           |        |           |
| <b>Analysis Method :</b> SOP.T.40.021<br><b>Analyzed Date :</b> 08/28/25 13:33:57 |      |     |     |       |           |        |           |



## Heavy Metals

PASSED

| ANALYTES  | UNIT | LOD | LOQ  | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|---|------|-----|------|-------|-----------|---------|-----------|
| ANTIMONY  | ug/g | -1  | 0.1  | 2     | PASS      | <0.1    |           |
| ARSENIC   | ug/g | -1  | 0.1  | 0.2   | PASS      | <0.1    |           |
| CADMIUM   | ug/g | -1  | 0.1  | 0.2   | PASS      | <0.1    |           |
| CHROMIUM  | ug/g | -1  | 1    | 110   | PASS      | <1      |           |
| COPPER  | ug/g | -1  | 1    | 30    | PASS      | 11.0743 |           |
| LEAD  | ug/g | -1  | 0.1  | 0.5   | PASS      | <0.1    |           |
| MERCURY   | ug/g | -1  | 0.01 | 0.1   | PASS      | <0.01   |           |
| NICKEL  | ug/g | -1  | 0.1  | 5     | PASS      | <0.1    |           |
| <b>Weight:</b><br>0.5261g   |      |     |      |       |           |         |           |
| <b>Analysis Method :</b> SOP.T.30.084.NY, SOP.T.40.084.NY<br><b>Analyzed Date :</b> 08/29/25 09:30:33 |      |     |      |       |           |         |           |



## Filtration/Foreign Material

PASSED

| ANALYTES  | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|------|-----|-----|-------|-----------|--------|-----------|
| FOREIGN MATTER  | %    | 0.1 | 0.1 | 2     | PASS      | ND     |           |
| MAMMALIAN EXCRETA   | mg   | 0.1 | 0.1 | 1     | PASS      | ND     |           |
| STEMS (>3MM)  | %    | 1   | 1   | 5     | PASS      | ND     |           |
| <b>Weight:</b><br>6.6859g   |      |     |     |       |           |        |           |
| <b>Analysis Method :</b> SOP.T.40.090<br><b>Analyzed Date :</b> 08/28/25 10:19:16 |      |     |     |       |           |        |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**  
Lab Director

State License # OCM-  
CPL-2022-00006  
ISO 17025 Accreditation #  
97164



Signature  
09/03/25