

# Certificate of Analysis

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
 Middleport, NY 14105  
 oasiscannabisny@gmail.com  
 (1NN) NNN-NNNN  
 Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
 Batch#: 825SD; Batch Size: 500 units  
 Sample Received: 09/03/2025; Report Created: 09/10/2025;

Sour Diesel 3.5g  
 Plant, Flower - Cured  
 Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
 Sample Collection Site: Oasis Cannabis  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



### Safety

|                        |                    |                        |                        |
|------------------------|--------------------|------------------------|------------------------|
| Pass<br>Pesticides     | Pass<br>Microbials | Pass<br>Mycotoxins     | Pass<br>Water Activity |
| Not Tested<br>Solvents | Pass<br>Metals     | Pass<br>Foreign Matter | Pass<br>Moisture       |

### Cannabinoids

|                     |                 |                   |
|---------------------|-----------------|-------------------|
| 33.76%<br>Total THC | ND<br>Total CBD | 12.3%<br>Moisture |
|---------------------|-----------------|-------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 0.86         | 8.6           |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 0.60         | 6.0           |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 37.81        | 378.1         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>39.27</b> | <b>392.66</b> |

Entered By: VJ, Instrument ID: AL2-004  
 Method: MTHD-001, Date Tested: 09/05/2025 17:52  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oasiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

## Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

Sour Diesel 3.5g  
Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

### Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

### Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 2500    | Tested |
| Yeast & Mold          | 10    | N/A    | 1400    | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 09/06/2025 14:41  
YM Date Tested: 09/06/2025 10:24 Sal/STEC/Asp Date Tested: 09/08/2025 10:48  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result | Status |
|----------|--------|-----------|--------|--------|
|          | PPM    | PPM       | PPM    |        |
| Chromium | 1.0000 | 1100.0000 | ND     | Pass   |
| Nickel   | 0.5000 | 5.0000    | ND     | Pass   |
| Copper   | 1.0000 | 30.0000   | 9.0438 | Pass   |
| Arsenic  | 0.1000 | 0.2000    | <LOQ   | Pass   |
| Cadmium  | 0.1000 | 0.2000    | <LOQ   | Pass   |
| Antimony | 0.5000 | 2.0000    | <LOQ   | Pass   |
| Mercury  | 0.0500 | 0.1000    | ND     | Pass   |
| Lead     | 0.2500 | 0.5000    | <LOQ   | Pass   |

Entered By: AT, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 09/04/2025 15:11  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: AT, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 09/09/2025 0:32

Entered By: , Instrument ID:  
Method: , Date Tested:

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
 Middleport, NY 14105  
 oasiscannabisny@gmail.com  
 (1NN) NNN-NNNN  
 Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
 Batch#: 825SD; Batch Size: 500 units  
 Sample Received: 09/03/2025; Report Created: 09/10/2025;

## Sour Diesel 3.5g

Plant, Flower - Cured  
 Parent Lot:

### Sampling


Sample Collection Date/Time: 09/03/25 12:13  
 Sample Collection Site: Oasis Cannabis  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte             | LOQ    | Result | Result |
|---------------------|--------|--------|--------|
|                     | %      | %      | mg/g   |
| Limonene            | 0.0065 | 0.77   | 7.75   |
| β-Myrcene           | 0.0065 | 0.71   | 7.13   |
| β-Caryophyllene     | 0.0065 | 0.45   | 4.51   |
| α-Humulene          | 0.0065 | 0.15   | 1.50   |
| β-Pinene            | 0.0065 | 0.14   | 1.38   |
| Linalool            | 0.0065 | 0.13   | 1.35   |
| Fenchol             | 0.0104 | 0.09   | 0.86   |
| α-Bisabolol         | 0.0065 | 0.08   | 0.82   |
| α-Pinene            | 0.0065 | 0.07   | 0.66   |
| Camphene            | 0.0065 | 0.02   | 0.17   |
| α-Phellandrene      | 0.0052 | ND     | ND     |
| α-Terpinene         | 0.0065 | ND     | ND     |
| Caryophyllene Oxide | 0.0065 | ND     | ND     |
| Farnesene           | 0.0021 | ND     | ND     |
| Geraniol            | 0.0065 | ND     | ND     |
| Guaiol              | 0.0065 | ND     | ND     |
| Ocimene             | 0.0065 | ND     | ND     |
| Terpineol           | 0.0052 | ND     | ND     |
| Terpinolene         | 0.0065 | <LOQ   | <LOQ   |
| Valencene           | 0.0021 | ND     | ND     |



**2.6117%**  
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 09/09/2025 1:18

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011



  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oasiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

## Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

Sour Diesel 3.5g  
Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

## Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 09/08/2025 2:51  
LC Method: MTHD-009 LC Date Tested: 09/09/2025 0:32  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oasiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

Sour Diesel 3.5g  
Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Fonicamid          | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 09/08/2025 2:51  
LC Method: MTHD-009 LC Date Tested: 09/09/2025 0:32  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oasiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

## Sour Diesel 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.05 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 09/08/2025 2:51  
LC Method: MTHD-009 LC Date Tested: 09/09/2025 0:32  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oasiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

## Sour Diesel 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 09/08/2025 2:51  
LC Method: MTHD-009 LC Date Tested: 09/09/2025 0:32  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Oasis Cannabis LLC

Contact Person: Joe Irizarri  
Middleport, NY 14105  
oaiscannabisny@gmail.com  
(1NN) NNN-NNNN  
Lic. #OCMMICR-2023-00424

Sample: 2509RLI0796-2990

Strain: Sour Diesel  
Batch#: 825SD; Batch Size: 500 units  
Sample Received: 09/03/2025; Report Created: 09/10/2025;

## Sour Diesel 3.5g

Plant, Flower - Cured  
Parent Lot:

### Sampling

Sample Collection Date/Time: 09/03/25 12:13  
Sample Collection Site: Oasis Cannabis  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 09/04/2025; 11:38  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 09/04/2025; 9:18  
Water Activity Method: MTHD-002

**0.50 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**12.3%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method: MTHD-004  
Foreign Matter Date/Time Tested: 09/04/2025; 14:30

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.