



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50729003-001



Production Method: Gelatin

Batch#: CM-GM-YL-250724

Sample Size Received: 4 units

Total Amount: 6000 units

Retail Product Size: 72 gram

Retail Serving Size: 3.6 gram

Servings: 20

Sampled: 07/29/25 02:25 PM

Sampling Start: 02:25 PM

Sampling End: 02:50 PM

Revision Date: 08/06/25

Sampling Method: SOP.T.20.010.NY

Cirona Labs

License #: OCM-PROC-24-000051

350 Buell Road

Rochester, NY, 14624, US

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC

0.1489%

Total THC/Container : 107.2097 mg



Total CBD

0.1435%

Total CBD/Container : 103.3439 mg



Total Cannabinoids

0.3078%

Total Cannabinoids/Container : 221.6115 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.0007	<0.0007	0.0018	0.1435	<0.0007	0.0007	0.0079	<0.0007	<0.0007	0.0036	0.1489	<0.0007	0.0014
mg/unit	<0.504	<0.504	1.2705	103.3439	<0.504	0.5250	5.6545	<0.504	<0.504	2.5886	107.2097	<0.504	1.0194
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
3.3845g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/01/25 13:52:12

Label Claim

PASSED



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

YUZU LEMON

Matrix : Edible

Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-PROC-24-000051

Sample : AL50729003-001

Batch# : CM-GM-YL-250724
Sampled : 07/29/25 02:25 PM

Sample Size Received : 4 units
Total Amount : 6000 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 6



Terpenes

TESTED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
ALPHA TERPINEOL	0.004	TESTED	<2.8800	<0.0040	Weight:				
BETA-CARYOPHYLLENE	0.004	TESTED	<2.8800	<0.0040	0.9933g				
CAMPHERE	0.004	TESTED	<2.8800	<0.0040	Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
CARYOPHYLLENE OXIDE	0.004	TESTED	<2.8800	<0.0040	Analized Date : 07/30/25 09:19:18				
FARNESENE	0.1	TESTED	<72.0000	<0.1000					
FENCHYL ALCOHOL	0.004	TESTED	<2.8800	<0.0040					
GERANIOL	0.004	TESTED	<2.8800	<0.0040					
GUAJOL	0.004	TESTED	<2.8800	<0.0040					
LIMONENE	0.004	TESTED	<2.8800	<0.0040					
LINALOOL	0.004	TESTED	<2.8800	<0.0040					
MERTHOL	0.004	TESTED	<2.8800	<0.0040					
OCIMENE	0.004	TESTED	<2.8800	<0.0040					
TERPINOLENE	0.004	TESTED	<2.8800	<0.0040					
VALENCENE	0.004	TESTED	<2.8800	<0.0040					
ALPHA-BISABOLOL	0.004	TESTED	<2.8800	<0.0040					
ALPHA-HUMULENE	0.004	TESTED	<2.8800	<0.0040					
ALPHA-PHELLANDRENE	0.004	TESTED	<2.8800	<0.0040					
ALPHA-PINENE	0.004	TESTED	<2.8800	<0.0040					
ALPHA-TERPINENE	0.004	TESTED	<2.8800	<0.0040					
BETA-MYRCENE	0.004	TESTED	<2.8800	<0.0040					
BETA-PINENE	0.004	TESTED	<2.8800	<0.0040					
Total (%)			<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Revision: #1 - Report revised to update header information.

Signature
08/01/25

Revision: #1 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

YUZU LEMON

Matrix : Edible

Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-PROC-24-000051

Sample : AL50729003-001

Batch# : CM-GM-YL-250724
Sampled : 07/29/25 02:25 PM

Sample Size Received : 4 units

Total Amount : 6000 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
PRALLETHRIN	0.1	ppm	0.2	PASS	<0.1	OXAMYL	0.1	ppm	1	PASS	<0.1
ACEQUINOCYL	0.1	ppm	2	PASS	<0.1	PACLOBUTRAZOL	0.1	ppm	0.4	PASS	<0.1
PYRETHRINS, TOTAL	0.1	ppm	1	PASS	<0.1	PERMETHRIN	0.1	ppm	0.2	PASS	<0.1
AZADIRACHTIN	0.1	ppm	1	PASS	<0.1	PHOSMET	0.1	ppm	0.2	PASS	<0.1
INDOLE-3-BUTYRIC ACID	0.1	ppm	1	PASS	<0.1	PROPICONAZOLE	0.1	ppm	0.4	PASS	<0.1
MYCLOBUTANIL	0.1	ppm	0.2	PASS	<0.1	PROPOXUR	0.1	ppm	0.2	PASS	<0.1
PIPERONYL BUTOXIDE	0.1	ppm	2	PASS	<0.1	PYRIDABEN	0.1	ppm	0.2	PASS	<0.1
ABAMECTIN B1A	0.1	ppm	0.5	PASS	<0.1	SPINETORAM, TOTAL	0.1	ppm	1	PASS	<0.1
ACEPHATE	0.1	ppm	0.4	PASS	<0.1	SPINOSAD, TOTAL	0.1	ppm	0.2	PASS	<0.1
ACETAMIPRID	0.1	ppm	0.2	PASS	<0.1	SPIROMESIFEN	0.1	ppm	0.2	PASS	<0.1
ALDICARB	0.1	ppm	0.4	PASS	<0.1	SPIROTETRAMAT	0.1	ppm	0.2	PASS	<0.1
AZOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1	SPIROXAMINE	0.1	ppm	0.2	PASS	<0.1
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	<0.1	TEBUCONAZOLE	0.1	ppm	0.4	PASS	<0.1
BIFENAZATE	0.1	ppm	0.2	PASS	<0.1	THIACLOPRID	0.1	ppm	0.2	PASS	<0.1
BIFENTHRIN	0.1	ppm	0.2	PASS	<0.1	THIAMETHOXAM	0.1	ppm	0.2	PASS	<0.1
CARBARYL	0.1	ppm	0.2	PASS	<0.1	TRIFLOXYSTROBIN	0.1	ppm	0.2	PASS	<0.1
CHLORPYRIFOS	0.1	ppm	0.2	PASS	<0.1	CAPTAN *	0.1	ppm	1	PASS	<0.1
COUMAPHOS	0.1	ppm	1	PASS	<0.1	CHLORDANE *	0.1	ppm	1	PASS	<0.1
DAMINOZIDE	0.1	ppm	1	PASS	<0.1	CHLORFENAPYR *	0.1	ppm	1	PASS	<0.1
CARBOFURAN	0.1	ppm	0.2	PASS	<0.1	CYFLUTHRIN *	0.1	ppm	1	PASS	<0.1
BOSCALID	0.1	ppm	0.4	PASS	<0.1	CYPERMETHRIN *	0.1	ppm	1	PASS	<0.1
CHLORANTRANILIPROLE	0.1	ppm	0.2	PASS	<0.1	METHYL PARATHION *	0.1	ppm	0.2	PASS	<0.1
DIAZINON	0.1	ppm	0.2	PASS	<0.1	MGK-264 *	0.1	ppm	0.2	PASS	<0.1
CLOFENTZINE	0.1	ppm	0.2	PASS	<0.1	PENTACHLORONITROBENZENE *	0.1	ppm	1	PASS	<0.1
DICHLORVOS	0.1	ppm	1	PASS	<0.1						
DIMETHOATE	0.1	ppm	0.2	PASS	<0.1	Weight:					
DIMETHOMORPH	0.1	ppm	1	PASS	<0.1	0.495g					
ETHOPROPHOS	0.1	ppm	0.2	PASS	<0.1	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 08/01/25 13:52:27					
ETOXAZOLE	0.1	ppm	0.2	PASS	<0.1						
FENHEXAMID	0.1	ppm	1	PASS	<0.1	Weight:					
FENOXYCARB	0.1	ppm	0.2	PASS	<0.1	0.495g					
FENPYROXIMATE	0.1	ppm	0.4	PASS	<0.1	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1	ppm	0.4	PASS	<0.1	Analyzed Date : 08/01/25 09:01:17					
FLONICAMID	0.1	ppm	1	PASS	<0.1						
FLUDIOXONIL	0.1	ppm	0.4	PASS	<0.1						
HEXYTHIAZOX	0.1	ppm	1	PASS	<0.1						
IMAZALIL	0.1	ppm	0.2	PASS	<0.1						
IMIDACLOPRID	0.1	ppm	0.4	PASS	<0.1						
KRESOXIM METHYL	0.1	ppm	0.4	PASS	<0.1						
MALATHION	0.1	ppm	0.2	PASS	<0.1						
METALAXYL	0.1	ppm	0.2	PASS	<0.1						
METHIOCARB	0.1	ppm	0.2	PASS	<0.1						
METHOMYL	0.1	ppm	0.4	PASS	<0.1						
MEVINPHOS	0.1	ppm	1	PASS	<0.1						
NALED	0.1	ppm	0.5	PASS	<0.1						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Revision: #1 - Report revised to update header information.

Signature
08/01/25

Revision: #1 This revision supersedes any and all previous versions of this document.



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

YUZU LEMON

Matrix : Edible

Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road
Rochester, NY, 14624, US
Telephone: (305) 498-3066
Email: hunter@cironalabs.com
License # : OCM-PROC-24-000051

Sample : AL50729003-001

Batch# : CM-GM-YL-250724
Sampled : 07/29/25 02:25 PM

Sample Size Received : 4 units
Total Amount : 6000 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
PENTANES, TOTAL	125	ppm	5000	PASS	<125
HEXANE, TOTAL	125	ppm	290	PASS	<125
1,1,1-TRICHLOROETHANE	375	ppm	1500	PASS	<375
DIMETHYL SULFOXIDE	375	ppm	5000	PASS	<375
1,1,1,2-TETRAFLUOROETHANE	500	ppm	1000	PASS	<500
XYLENES, TOTAL	125	ppm	2170	PASS	<125
BUTANES, TOTAL	750	ppm	5000	PASS	<750
PROPANE	750	ppm	5000	PASS	<750
1,2-DICHLOROETHANE	1.25	ppm	5	PASS	<1.25
METHANOL	125	ppm	3000	PASS	<125
ETHANOL	125	ppm	5000	PASS	<125
ETHYL ETHER	125	ppm	5000	PASS	<125
ACETONE	125	ppm	5000	PASS	<125
2-PROPANOL	125	ppm	5000	PASS	<125
ACETONITRILE	125	ppm	410	PASS	<125
DICHLOROMETHANE	125	ppm	600	PASS	<125
ETHYL ACETATE	125	ppm	5000	PASS	<125
BENZENE	1.25	ppm	2	PASS	<1.25
N-HEPTANE	125	ppm	5000	PASS	<125
TOLUENE	125	ppm	890	PASS	<125
CHLOROFORM	1.25	ppm	60	PASS	<1.25

Weight:
0.0249g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 08/01/25 08:19:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/01/25

Revision: #1 - Report revised to update header information.

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED
Cirona Labs

 350 Buell Road
 Rochester, NY, 14624, US
 Telephone: (305) 498-3066
 Email: hunter@cironalabs.com
 License # : OCM-PROC-24-000051

Sample : AL50729003-001



 Batch# : CM-GM-YL-250724
 Sampled : 07/29/25 02:25 PM


Sample Size Received : 4 units

Total Amount : 6000 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	TOTAL AFLATOXINS (B1, B2, G1, G2)	0.01	ppm	<0.01	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G2	0.01	ppm	<0.01	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN G1	0.01	ppm	<0.01	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B2	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		AFLATOXIN B1	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		OCHRATOXIN A+	0.01	ppm	<0.01	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.1g						Weight: 0.495g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 08/01/25 10:10:07						Analyzed Date : 08/01/25 11:00:31					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1	ug/g	<0.1	PASS	120
ARSENIC	0.1	ug/g	<0.1	PASS	1.5
CADMIUM	0.1	ug/g	<0.1	PASS	0.5
CHROMIUM	1	ug/g	<1	PASS	1100
COPPER	1	ug/g	<1	PASS	300
LEAD	0.1	ug/g	<0.1	PASS	0.5
MERCURY	0.01	ug/g	<0.01	PASS	3
NICKEL	0.1	ug/g	<0.1	PASS	20
Weight: 0.4572g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 08/01/25 07:58:09					




1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

YUZU LEMON

Matrix : Edible

Type: Gummy



Certificate of Analysis

PASSED

Cirona Labs

350 Buell Road

Rochester, NY, 14624, US

Telephone: (305) 498-3066

Email: hunter@cironalabs.com

License # : OCM-PROC-24-000051

Sample : AL50729003-001

Batch# : CM-GM-YL-250724

Sampled : 07/29/25 02:25 PM

Sample Size Received : 4 units

Total Amount : 6000 units

Sampling Method : SOP.T.20.010.NY

Page 6 of 6

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOQ	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.72	PASS	0.85

Weight:

1.0553g

Analysis Method : SOP.T.40.019

Analyzed Date : 07/29/25 16:12:34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
08/01/25

Revision: #1 - Report revised to update header information.

Revision: #1 This revision supersedes any and all previous versions of this document.