



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50724003-008

**Shango**

License # : OCM-PROC-24-000189

399 Smith St
Farmingdale, NY, 11735, US**Production Method:** Ethanol**Batch#:** BTQ-V4GA-2-BZZL-2501**Sample Size Received:** 23 gram**Total Amount:** 2000 units**Retail Product Size:** 2 gram**Retail Serving Size:** 1 gram**Servings:** 2**Sampled:** 07/24/25 02:00 PM**Sampling Start:** 02:00 PM**Sampling End:** 03:00 PM**Sampling Method:** SOP.T.20.010.NY**PASSED**

Pages 1 of 1

SAFETY RESULTSPesticides
PASSEDHeavy Metals
PASSEDMicrobials
PASSEDMycotoxins
PASSEDResiduals
Solvents
PASSEDFiltration
NOT TESTEDWater Activity
NOT TESTEDMoisture
NOT TESTED**MISC.**Terpenes
PASSED

Boutiq Switch V4 vapes have two chambers with individual potency/terpene profiles. Results for each side are attached below.



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50724002-009



Production Method: Ethanol

Batch#: B-V4G-2-BLZZ250719

Sample Size Received: 11.5 gram

Total Amount: 2000 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/24/25 02:00 PM

Sampling Start: 02:00 PM

Sampling End: 03:00 PM

Sampling Method: SOP.T.20.010.NY

Shango

License # : OCM-PROC-24-000189

399 Smith St

Farmingdale, NY, 11735, US

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
PASSED



Cannabinoid

PASSED



Total THC

83.8163%

Total THC/Container : 838.1629 mg



Total CBD

0.2542%

Total CBD/Container : 2.5418 mg



Total Cannabinoids

90.7048%

Total Cannabinoids/Container : 907.0483 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1950	1.5777	0.2542	<0.1000	<0.1000	2.9690	<0.1000	<0.1000	1.2147	83.3343	0.3273	0.8327
mg/unit	<1.000	1.950	15.777	2.542	<1.000	<1.000	29.690	<1.000	<1.000	12.147	833.343	3.273	8.327
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1244g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
 Analyzed Date : 07/26/25 16:19:25

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
 ISO 17025 Accreditation # 97164



Signature
 07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

ZZ LIMEADE BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-009

Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 6



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	25.200	2.5200	BETA-CARYOPHYLLENE	0.00	PASS	14.600	1.4600
BETA-CARYOPHYLLENE	0.00	PASS	14.600	1.4600	LINALOOL	0.00	PASS	6.800	0.6800
LINALOOL	0.00	PASS	6.800	0.6800	BETA-MYRCENE	0.00	PASS	5.000	0.5000
BETA-MYRCENE	0.00	PASS	5.000	0.5000	BETA-PINENE	0.00	PASS	4.500	0.4500
BETA-PINENE	0.00	PASS	4.500	0.4500	ALPHA-PINENE	0.00	PASS	2.200	0.2200
ALPHA-PINENE	0.00	PASS	2.200	0.2200	FENCHYL ALCOHOL	0.00	PASS	1.700	0.1700
FENCHYL ALCOHOL	0.00	PASS	1.700	0.1700	TERPINOLENE	0.00	PASS	1.400	0.1400
TERPINOLENE	0.00	PASS	1.400	0.1400	ALPHA-HUMULENE	0.00	PASS	1.300	0.1300
ALPHA-HUMULENE	0.00	PASS	1.300	0.1300	ALPHA-TERPINEOL	0.00	PASS	0.700	0.0700
ALPHA-TERPINEOL	0.00	PASS	0.700	0.0700	CAMPHERE	0.00	PASS	0.500	0.0500
CAMPHERE	0.00	PASS	0.500	0.0500	VALENCENE	0.00	PASS	0.500	0.0500
VALENCENE	0.00	PASS	0.500	0.0500	ALPHA-BISABOLOL	0.00	PASS	0.300	0.0300
ALPHA-BISABOLOL	0.00	PASS	0.300	0.0300	CARYOPHYLLENE OXIDE	0.00	PASS	0.100	0.0100
CARYOPHYLLENE OXIDE	0.00	PASS	0.100	0.0100	FARNESENE	0.10	PASS	<1.000	<0.1000
FARNESENE	0.10	PASS	<1.000	<0.1000	GERANIOL	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040	GUAIAOL	0.00	PASS	<0.040	<0.0040
GUAIAOL	0.00	PASS	<0.040	<0.0040	MENTHOL	0.00	PASS	<0.040	<0.0040
MENTHOL	0.00	PASS	<0.040	<0.0040	OCIMENE	0.00	PASS	<0.040	<0.0040
OCIMENE	0.00	PASS	<0.040	<0.0040	ALPHA-PHELLODENDRENE	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLODENDRENE	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040					
Total (%)			6.4800						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

ZZ LIMEADE BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-009

Batch# : B-V4G-2-8LZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTHANILPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.5788g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/26/25 16:46:57					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight:					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	0.5788g					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/25/25 12:15:24					
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25




1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

ZZ LIMEADE BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License #: OCM-PROC-24-000189

Sample : AL50724002-009

Batch#: B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	468.7
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.0285g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 07/25/25 09:01:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

ZZ LIMEADE BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License #: OCM-PROC-24-000189

Sample : AL50724002-009

Batch#: B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 5 of 6

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.03g						Weight: 0.5788g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 07/26/25 16:44:15						Analyzed Date : 07/25/25 10:38:00					

Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	<0.1000	PASS	2
Weight: 0.4634g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 07/25/25 09:51:50					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

ZZ LIMEADE BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-009

Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 6 of 6

Homogeneity

PASSED

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
HOM1 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	1.35	25
HOM1 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	18.18	25
HOM2 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	4.68	25
HOM2 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	9.01	25
HOM3 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	3.01	25
HOM3 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	4.55	25
HOM4 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	3.37	25
HOM4 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	4.55	25
HOM5 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	0.37	25
HOM5 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 07/26/25 16:19:25

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50724002-008


Production Method: Ethanol

Batch#: B-V4G-2-BLZZ250719

Sample Size Received: 11.5 gram

Total Amount: 2000 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/24/25 02:00 PM

Sampling Start: 02:00 PM

Sampling End: 03:00 PM

Sampling Method: SOP.T.20.010.NY

Shango

License # : OCM-PROC-24-000189

399 Smith St

Farmingdale, NY, 11735, US

PASSED

Pages 1 of 6

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

**Residuals
Solvents**
PASSED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
PASSED

MISC.



Cannabinoid

PASSED


Total THC
84.2447%

Total THC/Container : 842.4473 mg


Total CBD
0.2537%

Total CBD/Container : 2.5368 mg


Total Cannabinoids
91.4063%

Total Cannabinoids/Container : 914.0632 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	0.1031	1.5304	0.2537	<0.1000	<0.1000	3.1733	<0.1000	<0.1000	1.2894	83.9910	0.1717	0.8936
mg/unit	<1.000	1.031	15.304	2.537	<1.000	<1.000	31.734	<1.000	<1.000	12.894	839.910	1.717	8.937
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1606g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/26/25 16:16:40

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
BLACK BOUTIQ SWITCH V4
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-008

Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram
Sampled : 07/24/25 02:00 PM Total Amount : 2000 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 6



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	27.600	2.7600	Weight:				
BETA-CARYOPHYLLENE	0.00	PASS	14.200	1.4200	0.8609g				
LINALOOL	0.00	PASS	6.600	0.6600	Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY				
BETA-PINENE	0.00	PASS	5.200	0.5200	Analyzed Date : 07/25/25 16:55:22				
BETA-MYRCENE	0.00	PASS	5.100	0.5100					
ALPHA-PINENE	0.00	PASS	2.400	0.2400					
FENCHYL ALCOHOL	0.00	PASS	1.600	0.1600					
TERPINOLENE	0.00	PASS	1.300	0.1300					
ALPHA-HUMULENE	0.00	PASS	1.200	0.1200					
ALPHA-TERPINEOL	0.00	PASS	0.600	0.0600					
CAMPHENE	0.00	PASS	0.400	0.0400					
ALPHA-BISABOLOL	0.00	PASS	0.400	0.0400					
CARYOPHYLLENE OXIDE	0.00	PASS	0.200	0.0200					
GUAIOL	0.00	PASS	<0.040	<0.0040					
FARNESENE	0.10	PASS	<1.000	<0.1000					
GERANIOL	0.00	PASS	<0.040	<0.0040					
MENTHOL	0.00	PASS	<0.040	<0.0040					
OCIMENE	0.00	PASS	<0.040	<0.0040					
VALENCENE	0.00	PASS	<0.040	<0.0040					
ALPHA-PHELLODENDRENE	0.00	PASS	<0.040	<0.0040					
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040					
Total (%)			6.6800						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs
BLACK BOUTIQ SWITCH V4
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-008

Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram
Sampled : 07/24/25 02:00 PM Total Amount : 2000 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTHANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	Weight:					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	0.5986g					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/26/25 16:45:57					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Weight:					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	0.5986g					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000	Analyzed Date : 07/25/25 12:15:12					
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

BLACK BOUTIQ SWITCH V4

Matrix : Derivative

Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License #: OCM-PROC-24-000189

Sample : AL50724002-008

Batch#: B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.0251g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 07/25/25 09:01:15

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25



Certificate of Analysis

PASSED

Shango

 399 Smith St
 Farmingdale, NY, 11735, US
 Telephone: (503) 705-1399
 Email: bsager@goshango.com
 License # : OCM-PROC-24-000189

Sample : AL50724002-008

 Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram
 Sampled : 07/24/25 02:00 PM Total Amount : 2000 units
 Sampling Method : SOP.T.20.010.NY

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 0.8902g						Weight: 0.5986g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 07/26/25 16:43:41						Analyzed Date : 07/25/25 10:37:41					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	0.1185	PASS	2
Weight: 0.4804g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 07/25/25 09:51:41					



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

BLACK BOUTIQ SWITCH V4
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

Shango

399 Smith St
Farmingdale, NY, 11735, US
Telephone: (503) 705-1399
Email: bsager@goshango.com
License # : OCM-PROC-24-000189

Sample : AL50724002-008

Batch# : B-V4G-2-BLZZ250719 Sample Size Received : 11.5 gram

Sampled : 07/24/25 02:00 PM Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 6 of 6

Homogeneity

PASSED

Analyte	LOQ	Units	Pass/Fail	Result	Action Level
HOM1 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	1.72	25
HOM1 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	ND	25
HOM2 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	1.42	25
HOM2 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	4.17	25
HOM3 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	2.49	25
HOM3 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	4.17	25
HOM4 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	6.60	25
HOM4 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	8.33	25
HOM5 TOTAL THC PERCENT DIFFERENCE	0.01	%	PASS	4.09	25
HOM5 TOTAL CBD PERCENT DIFFERENCE	0.01	%	PASS	4.17	25

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY

Analyzed Date : 07/26/25 16:16:40

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
07/26/25