

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g
 Plant, Enhanced/Infused Preroll





Results

21.58 % D9-THC	0 % CBD
107.89 mg/unit D9-THC	0 mg/unit CBD
154.08 mg/unit Total Cannabinoids	0.674% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent Infinity II - 2779 / Agilent HPLC 2518 - 2518

Date/Time Tested: 09/05/2025 18:15

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,327.90	ND	ND	ND
CBDa	4,327.90	ND	ND	ND
CBGa	4,327.90	< LOQ	< LOQ	< LOQ
CBG	3,757.74	0.77	7.73	3.86
CBD	3,757.74	ND	ND	ND
THCV	3,757.74	< LOQ	< LOQ	< LOQ
CBN	4,313.26	< LOQ	< LOQ	< LOQ
D9-THC	3,757.74	21.58	215.78	107.89
D8-THC	4,313.26	ND	ND	ND
(6aR,9S)-d10-THC	3,757.74	ND	ND	ND
(6aR,9R)-d10-THC	4,327.90	ND	ND	ND
CBC	4,327.90	< LOQ	< LOQ	< LOQ
THCa	3,757.74	8.46	84.64	42.32
Total CBD		ND	ND	ND
Total THC		29.00	290.01	145.00
Total Cannabinoids		30.82	308.15	154.08

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Date/Time Tested: 09/05/2025 09:55

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.3	Passed

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034
Date/Time Tested: 09/05/2025 10:54

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		248,396	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		13,455	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY
Date/Time Tested: 09/05/2025 09:24

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.58	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 09/05/2025 13:09

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	0.6742	Passed	p-Cymene	78		ND	Tested
Limonene	78		0.2845	Tested	Eucalyptol	78		ND	Tested
b-Caryophyllene	78		0.1188	Tested	g-Terpinene	78		ND	Tested
a-Bisabolol	78		0.0792	Tested	Terpinolene	78	< LOQ		Tested
a-Humulene	78		0.0507	Tested	Sabinene Hydrate	78		ND	Tested
trans-b-Farnesene	78		0.0275	Tested	Fenchone	78		ND	Tested
Terpineol	78		0.0241	Tested	Isopulegol	78		ND	Tested
Caryophyllene Oxide	78		0.0210	Tested	Camphor	78		ND	Tested
Linalool	78		0.0205	Tested	Isoborneol	78		ND	Tested
Fenchol	78		0.0168	Tested	DL-Menthol	78		ND	Tested
b-Myrcene	78		0.0130	Tested	Borneol	78	< LOQ		Tested
cis-Nerolidol	78		0.0098	Tested	Nerol	78		ND	Tested
trans-Nerolidol	78		0.0083	Tested	Pulegone	78		ND	Tested
a-Pinene	78		< LOQ	Tested	Geraniol	78		ND	Tested
Camphene	78		ND	Tested	Geranyl Acetate	78		ND	Tested
Sabinene	78		ND	Tested	a-Cedrene	78		ND	Tested
b-Pinene	78		< LOQ	Tested	Valencene	78		ND	Tested
a-Phellandrene	78		ND	Tested	Guaiol	78	< LOQ		Tested
d-3-Carene	78		ND	Tested	Cedrol	78		ND	Tested
a-Terpinene	78		ND	Tested	trans-b-Ocimene	78	< LOQ		Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 09/07/2025 13:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	43	5,000	< LOQ	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	43	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	215	5,000	< LOQ	Passed
Ethyl Acetate	215	5,000	ND	Passed
Ethyl Ether	22	5,000	< LOQ	Passed
DMSO	108	5,000	ND	Passed
Heptane	22	5,000	ND	Passed
Hexanes	7	290	ND	Passed
Isopropyl Alcohol	215	5,000	ND	Passed
Methanol	129	3,000	249.3	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	65	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	54	1,500	ND	Passed
Xylenes	284	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 09/05/2025 14:21

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals


SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 09/05/2025 10:09

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.175	2.000	ND	Passed
Arsenic	0.175	0.200	ND	Passed
Cadmium	0.175	0.200	ND	Passed
Chromium	0.175	110.000	0.234	Passed
Copper	0.211	30.000	3.880	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.211	5.000	< LOQ	Passed
Lead	0.175	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 09/05/2025 14:01

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0903-0008689
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0903-PEIP-0018611

Strain: Strawberry Cough, Unit Weight: .5000g
 Batch#: NYS-MP-SBC-H2725, Batch Size: 1279 Units
 Date Sampled: 09/03/2025 16:43
 Sample Received: 09/04/2025 17:26
 Report Created: 09/09/2025 12:23
 Sampling SOP 204

Strawberry Cough Infused Pre-Roll 0.5g

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.