

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
 Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/11/2025 11:43
 Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll





Results

18.9 % D9-THC	0 % CBD
94.48 mg/unit D9-THC	0 mg/unit CBD
146.73 mg/unit Total Cannabinoids	1.973% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0905-0008755
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
Date Sampled: 09/05/2025 16:40
Sample Received: 09/05/2025 17:40
Report Created: 09/11/2025 11:43
Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 09/04/2025 16:18

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	3,994.36	ND	ND	ND
CBDa	3,994.36	ND	ND	ND
CBGa	3,994.36	0.60	5.96	2.98
CBG	4,415.58	0.59	5.90	2.95
CBD	4,415.58	ND	ND	ND
THCV	4,415.58	< LOQ	< LOQ	< LOQ
CBN	4,690.95	< LOQ	< LOQ	< LOQ
D9-THC	4,415.58	18.90	188.96	94.48
D8-THC	4,690.95	ND	ND	ND
(6aR,9S)-d10-THC	4,415.58	ND	ND	ND
(6aR,9R)-d10-THC	3,994.36	ND	ND	ND
CBC	3,994.36	< LOQ	< LOQ	< LOQ
THCa	4,415.58	9.26	92.63	46.32
Total CBD		ND	ND	ND
Total THC		27.02	270.20	135.10
Total Cannabinoids		29.35	293.46	146.73

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Amend Note:

Rev01: Updated Batch Size

Moisture

SOP: SOP 205-NY

Date/Time Tested: 09/08/2025 13:08

Pass

Analyte	Limit (%)	%	Status
Moisture	15	6.7	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0905-0008755
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
Date Sampled: 09/05/2025 16:40
Sample Received: 09/05/2025 17:40
Report Created: 09/11/2025 11:43
Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 09/06/2025 11:46

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		46,705	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		5,686	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 09/08/2025 12:38

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.51	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
 Batch#: NYS-MP-BLB-H2825 , Batch Size: 1140 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/11/2025 11:43
 Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 09/08/2025 14:51

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.9728	Passed	a-Phellandrene	84		ND	Tested
Terpineol	84		0.6718	Tested	d-3-Carene	84		ND	Tested
b-Caryophyllene	84		0.6541	Tested	a-Terpinene	84		ND	Tested
a-Humulene	84		0.1570	Tested	p-Cymene	84		ND	Tested
Isopulegol	84		0.1048	Tested	Eucalyptol	84		ND	Tested
Limonene	84		0.0805	Tested	g-Terpinene	84		ND	Tested
Fenchol	84		0.0565	Tested	Sabinene Hydrate	84		ND	Tested
a-Bisabolol	84		0.0552	Tested	Fenchone	84		ND	Tested
Terpinolene	84		0.0448	Tested	Camphor	84		ND	Tested
Caryophyllene Oxide	84		0.0370	Tested	Isoborneol	84		ND	Tested
Linalool	84		0.0303	Tested	DL-Menthol	84		ND	Tested
trans-b-Farnesene	84		0.0290	Tested	Borneol	84		ND	Tested
cis-Nerolidol	84		0.0192	Tested	Nerol	84		ND	Tested
Valencene	84		0.0127	Tested	Pulegone	84		ND	Tested
b-Myrcene	84		0.0101	Tested	Geraniol	84		ND	Tested
trans-Nerolidol	84		0.0098	Tested	Geranyl Acetate	84		ND	Tested
a-Pinene	84		< LOQ	Tested	a-Cedrene	84		ND	Tested
Camphene	84		ND	Tested	Guaiol	84		ND	Tested
Sabinene	84		ND	Tested	Cedrol	84		ND	Tested
b-Pinene	84		< LOQ	Tested	trans-b-Ocimene	84		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
 Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/11/2025 11:43
 Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 09/07/2025 13:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	44	5,000	< LOQ	Passed
Acetonitrile	18	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	44	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	222	5,000	ND	Passed
Ethyl Acetate	222	5,000	ND	Passed
Ethyl Ether	22	5,000	< LOQ	Passed
DMSO	111	5,000	ND	Passed
Heptane	22	5,000	ND	Passed
Hexanes	7	290	ND	Passed
Isopropyl Alcohol	222	5,000	ND	Passed
Methanol	133	3,000	254.2	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	67	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	56	1,500	ND	Passed
Xylenes	293	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
 Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/11/2025 11:43
 Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 09/08/2025 19:14

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Date/Time Tested: 09/09/2025 10:09

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.178	2.000	< LOQ	Passed
Arsenic	0.178	0.200	ND	Passed
Cadmium	0.178	0.200	ND	Passed
Chromium	0.178	110.000	1.471	Passed
Copper	0.213	30.000	5.069	Passed
Mercury	0.043	0.100	< LOQ	Passed
Nickel	0.213	5.000	0.746	Passed
Lead	0.178	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
 Batch#: NYS-MP-BLB-H2825, Batch Size: 1140 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/11/2025 11:43
 Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 09/08/2025 13:16

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed





Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0905-0008755
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0905-PEIP-0018713

Unit Weight: .5000g
Batch#: NYS-MP-BLB-H2825 , Batch Size: 1140 Units
Date Sampled: 09/05/2025 16:40
Sample Received: 09/05/2025 17:40
Report Created: 09/11/2025 11:43
Sampling SOP 204

Stiiizy 40s Blue Burst MP

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.