

Full Compliance Test

Green Analytics NY, LLC 401 North Middletown Road, Building 60B Pearl River, NY 10965 www.greenanalyticsllc.com License #s: OCM-CPL-00013 ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

/2025
iium
enhurst, New York
nium Health
e.marx@rynoventures.com
1-PROC-24-000047
t Use
8/2025 12:00:00 PM

20250818-OMNI-004
Cookies - Flower 3.5g Mylar Bag - Blue
Agave
Flower
Whole Flower
FB.NY.CK.BA.250818.3.5g
1200
0.5



Pesticides	Р
Microbiological	Р
Moisture	Р



Mycotoxins P

Terpenes P

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Analyte	% w/w	mg/serving	MRL (% w/w)	
CBDV	< MRL	< MRL	0.110	
CBDA	< MRL	< MRL	0.110	
CBGA	0.240	1.199	0.110	
CBG	0.157	0.783	0.110	
CBD	< MRL	< MRL	0.110	
THCV	< MRL	< MRL	0.110	
CBN	< MRL	< MRL	0.110	
D9-THC	6.365	31.826	0.110	
D8-THC	< MRL	< MRL	0.110	
D10-THC-S	< MRL	< MRL	0.110	
D10-THC-R	< MRL	< MRL	0.110	
CBC	< MRL	< MRL	0.110	
THCA	18.020	90.102	0.110	

Potency Summary	% w/w	mg/serving
Total THC [Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877))]	22.169	110.845
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	24.782	123.909





Full Compliance Test

Green Analytics NY, LLC 401 North Middletown Road, Building 60B Pearl River, NY 10965 www.greenanalyticsllc.com License #s: OCM-CPL-00013 ISO 17025 Certificate No.: 4356.09

Terpenes: Cookies -	Flower 3.5g Mylar Bag	- Blue Agave	(20250818-OMNI-004)	PASS
Terpenes analysis utilizing GC-	MS (SOP-063-NY, SOP-069-NY)			
Analyte	Result (% w/w)	MRL (% w/w)		
alpha-Pinene	< MRL	0.07		
Camphene	< MRL	0.07		
Sabinene	< MRL	0.07		
beta-Pinene	< MRL	0.07		
beta-Myrcene	0.12	0.07		
Alpha-phellandrene	< MRL	0.07		
Carene	< MRL	0.07		
alpha-terpinene	< MRL	0.07		
p-Cymene	< MRL	0.07		
Limonene	0.15	0.07		
Eucalyptol	< MRL	0.07		
Ocimene	< MRL	0.05		
gamma-Terpinene	< MRL	0.07		
Sabinene Hydrate	< MRL	0.07		
Terpinolene	< MRL	0.07		
Linalool	0.32	0.07		
Fenchol	< MRL	0.07		
Menthol	< MRL	0.07		
Terpineol	< MRL	0.05		
Citronellol	< MRL	0.07		
Isopulegol	< MRL	0.07		
Geraniol	< MRL	0.07		
Alpha-cedrene	< MRL	0.05		
Beta-Caryophyllene	0.12	0.07		
Farnesene	< MRL	0.07		
alpha-Humulene	< MRL	0.07		
Valencene Valencene	< MRL	0.07		
cis-Nerolidol	< MRL	0.03		
trans-Nerolidol	0.05	0.04		
Caryophyllene oxide	< MRL	0.07		
Guaiol	< MRL	0.07		
alpha-Bisabolol	< MRL	0.07		
MRL = Minimum reporting limit	/limit of quantification	Test	ID: #131513 Date Tested: 08/20/202	25 10:39 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.76	10	PASS





Full Compliance Test

Green Analytics NY, LLC 401 North Middletown Road, Building 60B Pearl River, NY 10965 www.greenanalyticsllc.com License #s: OCM-CPL-00013 ISO 17025 Certificate No.: 4356.09

Pesticides: Cookies -			•	B-OMNI-004)	PASS
esidual pesticide analysis utiliz	• .		`	,	
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	_
Abamectin	PASS	< MRL	0.50	0.100	_
Acephate	PASS	< MRL	0.40	0.100	
Acequinocyl	PASS	< MRL	2.00	0.100	
Acetamiprid	PASS	< MRL	0.20	0.100	
Aldicarb	PASS	< MRL	0.40	0.100	
Azadirachtin	PASS	< MRL	1.00	0.250	
Azoxystrobin	PASS	< MRL	0.20	0.100	
Bifenazate	PASS	< MRL	0.20	0.100	
Bifenthrin	PASS	< MRL	0.20	0.100	
Boscalid	PASS	< MRL	0.40	0.100	
Captan	PASS	< MRL	1.00	0.500	
Carbaryl	PASS PASS	< MRL < MRL	0.20 0.20	0.100	
Carbofuran Chlorantranilprole	PASS	< MRL	0.20	0.100 0.100	
Chlordane	PASS	< MRL	1.00	0.100	
Chlorfenapyr	PASS	< MRL	1.00	0.100	
Chlormequat chloride	PASS	< MRL	1.00	0.100	
Chlorpyrifos	PASS	< MRL	0.20	0.100	
Clofentezine	PASS	< MRL	0.20	0.100	
Coumaphos	PASS	< MRL	1.00	0.100	
Cyfluthrin	PASS	< MRL	1.00	0.100	
Cypermethrin	PASS	< MRL	1.00	0.100	
Daminozide	PASS	< MRL	1.00	0.100	
Diazinon	PASS	< MRL	0.20	0.100	
Dichlorvos	PASS	< MRL	1.00	0.100	
Dimethoate	PASS	< MRL	0.20	0.100	
Dimethomorph	PASS	< MRL	0.20	0.100	
Ethoprophos	PASS	< MRL	0.20	0.100	
Etofenprox	PASS	< MRL	0.40	0.100	
Etoxazole	PASS	< MRL	0.20	0.100	
enhexamid	PASS	< MRL	1.00	0.100	
enoxycarb	PASS	< MRL	0.20	0.100	
enpyroximate	PASS	< MRL	0.40	0.100	
ipronil	PASS	< MRL	0.40	0.100	
lonicamid	PASS	< MRL	1.00	0.100	
ludioxonil	PASS	< MRL	0.40	0.100	
Hexythiazox	PASS	< MRL	1.00	0.100	
mazalil	PASS	< MRL	0.20	0.100	
midacloprid	PASS	< MRL	0.40	0.100	
ndole-3-butyric acid	PASS	< MRL	1.00	0.250	
Kresoxim-methyl	PASS	< MRL	0.40	0.100	
Malathion	PASS	< MRL	0.20	0.100	
/letalaxyl	PASS	< MRL	0.20	0.100	
Methiocarb	PASS	< MRL	0.20	0.100	
Methomyl	PASS	< MRL	0.40	0.100	
Methyl Parathion	PASS	< MRL	0.40	0.100	
Лevinphos ЛGK-264 I/II	PASS PASS	< MRL < MRL	1.00 0.20	0.100 0.100	
/IGK-264 I/II /Iyclobutanil	PASS PASS	< MRL < MRL	0.20	0.100	
Valed	PASS	< MRL	0.20	0.100	
Dxamyl	PASS	< MRL	1.00	0.100	
Paclobutrazol	PASS	< MRL	0.40	0.100	
Pentachloronitrobenzene	PASS	< MRL	0.40	0.100	
Permethrins, total	PASS	< MRL	0.20	0.100	
Phosmet	PASS	< MRL	0.20	0.100	
Piperonyl butoxide	PASS	< MRL	2.00	0.100	
Prallethrin	PASS	< MRL	0.20	0.100	
Propiconazole	PASS	< MRL	0.40	0.100	
Propoxur	PASS	< MRL	0.20	0.100	
Pyrethrins	PASS	< MRL	1.00	0.100	
Pyridaben	PASS	< MRL	0.20	0.100	
Spinetoram, Total	PASS	< MRL	1.00	0.100	
Spinosad, Total	PASS	< MRL	0.20	0.100	
Spiromesifen	PASS	< MRL	0.20	0.100	
Spirotetramat	PASS	< MRL	0.20	0.100	
Spiroxamine	PASS	< MRL	0.20	0.100	
-ėbuconazole	PASS	< MRL	0.40	0.100	
⁻ hiacloprid	PASS	< MRL	0.20	0.100	
hiamethoxam	PASS	< MRL	0.20	0.100	
rifloxystrobin	PASS	< MRL	0.20	0.100	
Tilloxyou obiii					





Full Compliance Test

Green Analytics NY, LLC 401 North Middletown Road, Building 60B Pearl River, NY 10965 www.greenanalyticsllc.com License #s: OCM-CPL-00013 ISO 17025 Certificate No.: 4356.09

Mycotoxins: Co	okies - Flower 3.5	5g Mylar Bag - Blu	e Agave (2025	0818-OMNI-004)	PASS				
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)									
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)					
Ochratoxin Total Aflatoxins	PASS PASS	< MRL < MRL	0.02 0.02	0.010 0.010					
MRL = Minimum report	ing limit/limit of quantificat	ion	MRL = Minimum reporting limit/limit of quantification Test ID: #131508 Date Tested: 08/21/2025 12:48 PM						

Heavy Metals analy	sis utilizing Inductively Cou	ıpled Plasma Mass Spectroi	metry (SOP-061-NY, SOF	P-072-NY)
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	5.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.2	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20

Pass/Fail	Results (CFU/g)	Limit (CFU	/g) MRL ((CELUa)
DACC				(Cruig)
PASS	600	None	10	00.0
PASS	17273	None	10	0.00
Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
PASS	Absent	Absent	1.0	
	Absent	Absent	1.0	
PASS	Anseni	,		
	ve Polymerase Cha Pass/Fail	ve Polymerase Chain Reaction (SOP-701-N Pass/Fail Results (CFU/g)	ve Polymerase Chain Reaction (SOP-701-NY) Pass/Fail Results (CFU/g) Limit (CFU/g)	ve Polymerase Chain Reaction (SOP-701-NY) Pass/Fail Results (CFU/g) Limit (CFU/g) MRL (CFU/g)

Moisture: Cod	okies - Flower 3.5g I	Mylar Bag - Blue A	gave (2025081	8-OMNI-004)	PASS
Moisture content an	alysis utilizing Moisture Balan	ce (MB; SOP-055-GA)			
Analyte	Pass/Fail	Result (%)	Limit (%)		
Moisture	PASS	8.9	15		
MRL = Minimum rep	porting limit/limit of quantificat	ion	Test ID: #131509	Date Tested: 08/19/20	25 04:35 PM





Certificate of Analysis Full Compliance Test

Green Analytics NY, LLC 401 North Middletown Road, Building 60B Pearl River, NY 10965 www.greenanalyticsllc.com License #s: OCM-CPL-00013

ISO 17025 Certificate No.: 4356.09

Water Activity: Cookies - Flower 3.5g Mylar Bag - Blue Agave (20250818-OMNI-004) PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a _w)	Limit (a _w)
Water Activity	PASS	0.56	0.65

MRL = Minimum reporting limit/limit of quantification

est ID: #131505 | Date Tested: 08/20/2025 10:25 AM

Filth and Foreign Material: C (20250818-OMNI-004)	ag - Blue Agave	PASS				
Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)						
Analyte	Results	Limit	Pass/Fail			
Foreign Material (other, % m/m)	ND	2	PASS			
Foreign Material (stems, % m/m)	ND	5	PASS			
Mammalian Excreta (mg/lb)	ND	1	PASS			
ND = Not Detected		Te	st ID: #131504 Date Tested: 08	/20/2025 10:29 AM		

Matthew Elmes Lab Director 8/23/2025

Mathew Elmes

