

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50409006-001



Production Method: Glycerin
Batch#: 25078-U
Sample Size Received: 4 units
Total Amount: 5000 units
Retail Product Size: 43 gram
Retail Serving Size: 4.3 gram
Servings: 10
Sampled: 04/09/25 01:05 PM
Sampling Start: 01:05 PM
Sampling End: 01:30 PM
Sampling Method: SOP.T.20.010.NY

Opera Antefix 2

License # : OCM-PROC-24-000011

25 N. Front Street
New Paltz, NY, 12561, US

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
NOT TESTED



Water Activity
PASSED



Moisture
NOT TESTED

MISC.



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
0.2197%

Total THC/Container : 94.4710 mg



Total CBD
<0.0007

Total CBD/Container : 0.0000 mg



Total Cannabinoids
0.3469%

Total Cannabinoids/Container : 149.1670 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.0006	<0.0007	0.0053	<0.0007	<0.0007	<0.0007	0.0083	<0.0007	<0.0007	0.1081	0.2197	<0.0007	0.0055
mg/unit	<0.258	<0.301	2.279	<0.301	<0.301	<0.301	3.569	<0.301	<0.301	46.483	94.471	<0.301	2.365
LOQ	0.0006	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
2.9889g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 04/11/25 09:43:24

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
04/13/25



Certificate of Analysis

PASSED

Opera Antefix 2

Sample : AL50409006-001

25 N. Front Street
New Paltz, NY, 12561, US
Telephone: (917) 216-4936
Email: mm@spsweets.com
License # : OCM-PROC-24-000011

Batch# : 25078-U Sample Size Received : 4 units
Sampled : 04/09/25 01:05 PM Total Amount : 5000 units
Sampling Method : SOP.T.20.010.NY

Page 2 of 6

Terpenes					TESTED				
Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
BETA-CARYOPHYLLENE	0.00	TESTED	4.300	0.0100	BETA-CARYOPHYLLENE	0.00	TESTED	4.300	0.0100
LIMONENE	0.00	TESTED	4.300	0.0100	LIMONENE	0.00	TESTED	4.300	0.0100
LINALOOL	0.00	TESTED	4.300	0.0100	LINALOOL	0.00	TESTED	4.300	0.0100
ALPHA-BISABOLOL	0.00	TESTED	4.300	0.0100	ALPHA-BISABOLOL	0.00	TESTED	4.300	0.0100
ALPHA-HUMULENE	0.00	TESTED	4.300	0.0100	ALPHA-HUMULENE	0.00	TESTED	4.300	0.0100
BETA-MYRCENE	0.00	TESTED	4.300	0.0100	BETA-MYRCENE	0.00	TESTED	4.300	0.0100
ALPHA-TERPINEOL	0.00	TESTED	<1.720	<0.0040	ALPHA-TERPINEOL	0.00	TESTED	<1.720	<0.0040
CAMPHENE	0.00	TESTED	<1.720	<0.0040	CAMPHENE	0.00	TESTED	<1.720	<0.0040
ALPHA-PINENE	0.00	TESTED	<1.720	<0.0040	ALPHA-PINENE	0.00	TESTED	<1.720	<0.0040
BETA-PINENE	0.00	TESTED	<1.720	<0.0040	BETA-PINENE	0.00	TESTED	<1.720	<0.0040
CARYOPHYLLENE OXIDE	0.00	TESTED	<1.720	<0.0040	CARYOPHYLLENE OXIDE	0.00	TESTED	<1.720	<0.0040
FARNESENE	0.10	TESTED	<43.000	<0.1000	FARNESENE	0.10	TESTED	<43.000	<0.1000
FENCHYL ALCOHOL	0.00	TESTED	<1.720	<0.0040	FENCHYL ALCOHOL	0.00	TESTED	<1.720	<0.0040
GERANIOL	0.00	TESTED	<1.720	<0.0040	GERANIOL	0.00	TESTED	<1.720	<0.0040
GUAJOL	0.00	TESTED	<1.720	<0.0040	GUAJOL	0.00	TESTED	<1.720	<0.0040
MENTHOL	0.00	TESTED	<1.720	<0.0040	MENTHOL	0.00	TESTED	<1.720	<0.0040
OCIMENE	0.00	TESTED	<1.720	<0.0040	OCIMENE	0.00	TESTED	<1.720	<0.0040
TERPINOLENE	0.00	TESTED	<1.720	<0.0040	TERPINOLENE	0.00	TESTED	<1.720	<0.0040
VALENCENE	0.00	TESTED	<1.720	<0.0040	VALENCENE	0.00	TESTED	<1.720	<0.0040
ALPHA-PHELANDRENE	0.00	TESTED	<1.720	<0.0040	ALPHA-PHELANDRENE	0.00	TESTED	<1.720	<0.0040
ALPHA-TERPINENE	0.00	TESTED	<1.720	<0.0040	ALPHA-TERPINENE	0.00	TESTED	<1.720	<0.0040
Total (%)				<0.1000					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
04/13/25



Certificate of Analysis

PASSED

Opera Antefix 2

Sample : AL50409006-001

25 N. Front Street
New Paltz, NY, 12561, US
Telephone: (917) 216-4936
Email: mm@spsweets.com
License # : OCM-PROC-24-000011

Batch# : 25078-U
Sampled : 04/09/25 01:05 PM
Sample Size Received : 4 units
Total Amount : 5000 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 6



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPICONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	TEBUOXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUOXAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTRANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000						
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000						
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000						
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000						
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000						
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000						
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000						
FENOXICARB	0.1000	ppm	0.2	PASS	<0.1000						
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000						
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000						
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

Weight:
0.5597g
Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 04/11/25 15:09:28

Weight:
0.5597g
Analysis Method : SOP.T.40.154.NY
Analyzed Date : 04/11/25 14:58:58

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
04/13/25



Certificate of Analysis

PASSED

Opera Antefix 2

Sample : AL50409006-001

25 N. Front Street
New Paltz, NY, 12561, US
Telephone: (917) 216-4936
Email: mm@spsweets.com
License # : OCM-PROC-24-000011

Batch# : 25078-U
Sampled : 04/09/25 01:05 PM
Sample Size Received : 4 units
Total Amount : 5000 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	<125.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.0206g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 04/13/25 17:09:54



Certificate of Analysis

PASSED



Opera Antefix 2


Sample : AL50409006-001

25 N. Front Street
New Paltz, NY, 12561, US
Telephone: (917) 216-4936
Email: mm@spsweets.com
License # : OCM-PROC-24-000011

Batch# : 25078-U
Sampled : 04/09/25 01:05 PM
Sample Size Received : 4 units
Total Amount : 5000 units
Sampling Method : SOP.T.20.010.NY

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0025	ppm	<0.0025	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0025	ppm	<0.0025	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0025	ppm	<0.0025	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0025	ppm	<0.0025	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0025	ppm	<0.0025	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 1.02g Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date : 04/13/25 05:49:27						Weight: 0.5597g Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY Analyzed Date : 04/13/25 15:49:08					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	120
ARSENIC	0.1000	ug/g	<0.1000	PASS	1.5
CADMIUM	0.1000	ug/g	0.4270	PASS	0.5
CHROMIUM	1.0000	ug/g	<1.0000	PASS	1100
COPPER	1.0000	ug/g	12.5991	PASS	300
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	3
NICKEL	0.1000	ug/g	4.4539	PASS	20
Weight: 0.4917g Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY Analyzed Date : 04/10/25 09:37:50					



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378



Certificate of Analysis

PASSED

Opera Antefix 2

25 N. Front Street
New Paltz, NY, 12561, US
Telephone: (917) 216-4936
Email: mm@spsweets.com
License # : OCM-PROC-24-000011

Sample : AL50409006-001

Batch# : 25078-U
Sampled : 04/09/25 01:05 PM

Sample Size Received : 4 units
Total Amount : 5000 units
Sampling Method : SOP.T.20.010.NY

Page 6 of 6

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOQ	Units	Result	P/F	Action Level
Water Activity	0.10	aw	0.25	PASS	0.85
Weight: 1.3369g					
Analysis Method : SOP.T.40.019					
Analyzed Date : 04/10/25 16:27:02					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
04/13/25