

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape




Results

3.86 mg/dose D9-THC	0.16 mg/dose CBG
0 mg/dose Total CBD	3.86 mg/dose Total THC
4.02 mg/dose Total Cannabinoids	10.81% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape



Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent Infinity II - 2779
Date/Time Tested: 08/19/2025 18:18

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,755.45	ND	ND	ND	ND
CBDa	4,755.45	ND	ND	ND	ND
CBGa	4,755.45	< LOQ	< LOQ	< LOQ	< LOQ
CBG	4,755.45	3.21	32.13	0.16	32.13
CBD	4,755.45	< LOQ	< LOQ	< LOQ	< LOQ
THCV	4,755.45	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,755.45	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,755.45	77.27	772.69	3.86	772.69
D8-THC	4,755.45	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,755.45	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,755.45	ND	ND	ND	ND
CBC	4,755.45	< LOQ	< LOQ	< LOQ	< LOQ
THCa	4,755.45	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		77.27	772.69	3.86	772.69
Total Cannabinoids		80.48	804.82	4.02	804.82

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 08/19/2025 18:37

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 08/19/2025 18:21

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	10.8096	Passed	Borneol	163		0.0214	Tested
Terpinolene	163		4.4527	Tested	Caryophyllene Oxide	163		0.0203	Tested
b-Caryophyllene	163		1.5821	Tested	Eucalyptol	163		0.0180	Tested
trans-b-Ocimene	163		1.1092	Tested	Camphene	163		< LOQ	Tested
b-Myrcene	163		0.7455	Tested	Sabinene	163		ND	Tested
trans-b-Farnesene	488		0.6083	Tested	p-Cymene	163		< LOQ	Tested
a-Humulene	163		0.5292	Tested	Sabinene Hydrate	163		ND	Tested
Limonene	163		0.3678	Tested	Fenchone	163		ND	Tested
a-Pinene	163		0.2328	Tested	Isopulegol	163		ND	Tested
a-Bisabolol	163		0.1503	Tested	Camphor	163		ND	Tested
Linalool	163		0.1414	Tested	Isoborneol	163		ND	Tested
a-Terpinene	163		0.1311	Tested	DL-Menthol	163		ND	Tested
a-Phellandrene	163		0.1237	Tested	Nerol	163		ND	Tested
Terpineol	163		0.1097	Tested	Pulegone	163		ND	Tested
cis-Nerolidol	163		0.1097	Tested	Geraniol	163		ND	Tested
g-Terpinene	163		0.1087	Tested	Geranyl Acetate	163		ND	Tested
d-3-Carene	163		0.0977	Tested	a-Cedrene	163		ND	Tested
b-Pinene	163		0.0847	Tested	Valencene	163		ND	Tested
Fenchol	163		0.0421	Tested	Guaiol	163		ND	Tested
trans-Nerolidol	163		0.0234	Tested	Cedrol	163		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)

Concentrates & Extracts, Vape



Residual Solvents

Pass

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 08/19/2025 15:25

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	108.2	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	615.2	Passed
Chloroform	2	60	ND	Passed
Ethanol	185	5,000	< LOQ	Passed
Ethyl Acetate	185	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	92	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	185	5,000	< LOQ	Passed
Methanol	111	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	< LOQ	Passed
Propane	19	5,000	< LOQ	Passed
Toluene	3	890	ND	Passed
Trichloroethane	46	1,500	ND	Passed
Xylenes	244	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 08/19/2025 17:34

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 08/20/2025 09:54

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.184	2.000	ND	Passed
Arsenic	0.184	0.200	ND	Passed
Cadmium	0.184	0.200	ND	Passed
Chromium	0.184	110.000	ND	Passed
Copper	0.221	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.221	2.000	ND	Passed
Lead	0.184	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204

Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 08/19/2025 17:24

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0818-0008329
 85 John Hicks Drive
 New York, 10990
 cole.miller@gtigrows.com
 6147380382
 MM0706M

Sample: SNYGTINY0818-CVAP-0018083

Strain: Jacks Delight, Unit Weight: 1.0000g
 Batch#: 20250808JD-LLR-1.0, Batch Size: 1050
 Date Sampled: 08/18/2025 09:12
 Sample Received: 08/18/2025 16:50
 Report Created: 08/23/2025 22:38
 Sampling SOP 204


Jack's Delight Cartridge (Live Resin) 1000mg - Rythm (Sativa Dominant)
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.