

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape




Results

82.24 % D9-THC	2.44 % CBG
0.00 % Total CBD	82.24 % Total THC
86.54 % Total Cannabinoids	3.791% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 08/15/2025 17:00

Tested

Analyte	LOQ (ug/mL)	%	mg/g
CBDV	4,436.63	ND	ND
CBDa	4,436.63	ND	ND
CBGa	4,436.63	ND	ND
CBG	4,436.63	2.44	24.39
CBD	4,436.63	< LOQ	< LOQ
THCV	4,436.63	0.58	5.79
CBN	4,436.63	0.56	5.55
D9-THC	4,436.63	82.24	822.41
D8-THC	4,436.63	ND	ND
(6aR,9S)-d10-THC	4,436.63	ND	ND
(6aR,9R)-d10-THC	4,436.63	ND	ND
CBC	4,436.63	0.73	7.27
THCa	4,436.63	ND	ND
Total CBD		0.00	0.00
Total THC		82.24	822.41
Total Cannabinoids		86.54	865.41

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
 Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 08/15/2025 17:08

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 08/17/2025 15:54

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	3.7914	Passed	p-Cymene	161		< LOQ	Tested
Limonene	161		1.5371	Tested	Eucalyptol	161		ND	Tested
b-Myrcene	161		0.9281	Tested	g-Terpinene	161		< LOQ	Tested
a-Pinene	161		0.3658	Tested	Sabinene Hydrate	161		ND	Tested
b-Pinene	161		0.3061	Tested	Fenchone	161		ND	Tested
b-Caryophyllene	161		0.2109	Tested	Isopulegol	161		ND	Tested
a-Bisabolol	161		0.0766	Tested	Camphor	161		ND	Tested
Camphene	161		0.0740	Tested	Isoborneol	161		ND	Tested
Linalool	161		0.0550	Tested	DL-Menthol	161		ND	Tested
Terpinolene	161		0.0507	Tested	Borneol	161		ND	Tested
Fenchol	161		0.0482	Tested	Nerol	161		ND	Tested
Terpineol	161		0.0356	Tested	Pulegone	161		ND	Tested
a-Humulene	161		0.0332	Tested	Geraniol	161		ND	Tested
Caryophyllene Oxide	161		0.0299	Tested	Geranyl Acetate	161		ND	Tested
trans-b-Farnesene	161		0.0230	Tested	a-Cedrene	161		ND	Tested
trans-b-Ocimene	161		0.0171	Tested	Valencene	161		< LOQ	Tested
Sabinene	161		ND	Tested	cis-Nerolidol	161		< LOQ	Tested
a-Phellandrene	161		ND	Tested	trans-Nerolidol	161		< LOQ	Tested
d-3-Carene	161		< LOQ	Tested	Guaiol	161		ND	Tested
a-Terpinene	161		< LOQ	Tested	Cedrol	161		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 08/15/2025 19:56

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	42	5,000	< LOQ	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	42	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	208	5,000	ND	Passed
Ethyl Acetate	208	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	104	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	208	5,000	ND	Passed
Methanol	125	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	62	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	52	1,500	ND	Passed
Xylenes	274	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape



Mycotoxins

SOP: SOP 808-NY

Date/Time Tested: 08/17/2025 18:23

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/18/2025 10:12

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.179	2.000	ND	Passed
Arsenic	0.179	0.200	ND	Passed
Cadmium	0.179	0.200	ND	Passed
Chromium	0.179	110.000	ND	Passed
Copper	0.215	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.215	2.000	ND	Passed
Lead	0.179	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO

Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 08/17/2025 14:57

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0814-0008266
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0814-CVAP-0017984

Strain: NY Diesel
 Batch#: NYS-AIO-NYD-H0625, Batch Size: 973
 Date Sampled: 08/14/2025 09:12
 Sample Received: 08/14/2025 16:38
 Report Created: 08/23/2025 21:17
 Sampling SOP 204

NY Diesel AIO


Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.