

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape





Results

772.63 mg/unit D9-THC	76.30 mg/unit THCa
0.00 mg/unit Total CBD	839.54 mg/unit Total THC
868.20 mg/unit Total Cannabinoids	5.511% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 08/07/2025
 17:35

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	10,007.39	ND	ND	ND
CBDa	10,007.39	ND	ND	ND
CBGa	10,007.39	ND	ND	ND
CBG	10,007.39	1.93	19.27	19.27
CBD	10,007.39	ND	ND	ND
THCV	10,007.39	< LOQ	< LOQ	< LOQ
CBN	10,007.39	< LOQ	< LOQ	< LOQ
D9-THC	10,007.39	77.26	772.63	772.63
D8-THC	10,007.39	ND	ND	ND
(6aR,9S)-d10-THC	10,007.39	ND	ND	ND
(6aR,9R)-d10-THC	10,007.39	ND	ND	ND
CBC	10,007.39	< LOQ	< LOQ	< LOQ
THCa	10,007.39	7.63	76.30	76.30
Total CBD		0.00	0.00	0.00
Total THC		83.95	839.54	839.54
Total Cannabinoids		86.82	868.20	868.20

Report notes:

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR -
 3195 / 35C Incubator - 1032 / 28C
 Incubator - 1034

Date/Time Tested: 08/08/2025
 20:10

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli			0	ND Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella			0	ND Passed
Aspergillus Flavus			0	ND Passed
Aspergillus Fumigatus			0	ND Passed
Aspergillus Niger			0	ND Passed
Aspergillus Terreus			0	ND Passed

Report notes:

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specification established by the Laboratory

Homogeneity

Date/Time Tested: 08/07/2025
 17:35

Pass

Analyte	Result
Homogeneity	Pass

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 08/06/2025 17:20

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.5106	Passed	p-Cymene	164		< LOQ	Tested
b-Myrcene	164		2.1499	Tested	Eucalyptol	164		ND	Tested
Limonene	164		1.5359	Tested	g-Terpinene	164		< LOQ	Tested
Terpinolene	164		0.4791	Tested	Sabinene Hydrate	164		ND	Tested
a-Pinene	164		0.3187	Tested	Fenchone	164		ND	Tested
b-Pinene	164		0.2914	Tested	Isopulegol	164		ND	Tested
b-Caryophyllene	164		0.1691	Tested	Camphor	164		ND	Tested
trans-b-Ocimene	164		0.1552	Tested	Isoborneol	164		ND	Tested
Linalool	164		0.0826	Tested	DL-Menthol	164		ND	Tested
Camphene	164		0.0803	Tested	Borneol	164		ND	Tested
a-Bisabolol	164		0.0531	Tested	Nerol	164		ND	Tested
trans-b-Farnesene	164		0.0400	Tested	Pulegone	164		ND	Tested
a-Humulene	164		0.0395	Tested	Geraniol	164		ND	Tested
Fenchol	164		0.0310	Tested	Geranyl Acetate	164		ND	Tested
Caryophyllene Oxide	164		0.0238	Tested	a-Cedrene	164		ND	Tested
Terpineol	164		0.0218	Tested	Valencene	164		ND	Tested
d-3-Carene	164		0.0211	Tested	cis-Nerolidol	164		< LOQ	Tested
a-Terpinene	164		0.0180	Tested	trans-Nerolidol	164		< LOQ	Tested
Sabinene	164		ND	Tested	Guaiol	164		ND	Tested
a-Phellandrene	164		ND	Tested	Cedrol	164		ND	Tested

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 08/06/2025 15:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	71.2	Passed
Chloroform	2	60	ND	Passed
Ethanol	184	5,000	< LOQ	Passed
Ethyl Acetate	184	5,000	ND	Passed
Ethyl Ether	18	5,000	ND	Passed
DMSO	92	5,000	ND	Passed
Heptane	18	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	184	5,000	ND	Passed
Methanol	111	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	< LOQ	Passed
Propane	18	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	46	1,500	ND	Passed
Xylenes	243	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	18	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 08/07/2025 09:35

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.



Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 08/07/2025 10:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.170	2.000	ND	Passed
Arsenic	0.170	0.200	ND	Passed
Cadmium	0.170	0.200	ND	Passed
Chromium	0.170	110.000	ND	Passed
Copper	0.204	30.000	ND	Passed
Mercury	0.041	0.100	ND	Passed
Nickel	0.204	2.000	ND	Passed
Lead	0.170	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 08/07/2025 09:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0805-0008067
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0805-CVAP-0017607

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-G2525, Batch Size: 785
 Date Sampled: 08/05/2025 16:06
 Sample Received: 08/05/2025 16:06
 Report Created: 08/13/2025 21:46
 Sampling SOP 204

White Widow AIO LQD

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.