

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon
Batch#: WS-1-PIC2; Batch Size: 2325 units
Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:



Safety

Complete Pesticides	Pass Microbials	Not Tested Mycotoxins	Not Tested Water Activity
Not Tested Solvents	Complete Metals	Not Tested Foreign Matter	Pass Moisture

Cannabinoids

21.37% Total THC	ND Total CBD	11.9% Moisture
----------------------------	------------------------	--------------------------

Analyte	LOQ	Result	Result
	mg/g	%	mg/g
CBDVa	0.2	ND	ND
CBDV	0.2	ND	ND
CBDa	0.2	ND	ND
CBGa	0.2	0.62	6.2
CBG	0.2	ND	ND
CBD	0.2	ND	ND
THCV	0.2	ND	ND
THCVa	0.2	ND	ND
CBN	0.2	ND	ND
Δ9-THC	0.2	7.31	73.1
Δ8-THC	0.2	ND	ND
(6aR,9R)-d10-THC	0.2	ND	ND
(6aR,9S)-d10-THC	0.2	ND	ND
CBC	0.2	ND	ND
THCa	0.2	16.03	160.3
CBCa	0.2	ND	ND
Total Cannabinoids		23.97	239.71

Entered By: VJ, Instrument ID: AL2-004
Method: MTHD-001, Date Tested: 07/30/2025 04:17
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Amanda Thorning
Laboratory Director

Violet Josik
Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 7

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon

Batch#: WS-1-PIC2; Batch Size: 2325 units

Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Not Tested

Analyte	LOQ	Limit	Result	Status
---------	-----	-------	--------	--------

Microbials

Pass

Analyte	LOQ	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Aspergillus flavus	1	Absent	Absence	Pass
Aspergillus fumigatus	1	Absent	Absence	Pass
Aspergillus niger	1	Absent	Absence	Pass
Aspergillus terreus	1	Absent	Absence	Pass
Salmonella	1	Absent	Absence	Pass
Shiga Toxin E. Coli	1	Absent	Absence	Pass
Aerobic Bacteria	10	N/A	45000	Tested
Yeast & Mold	10	N/A	18000	Tested

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 07/26/2025 15:00
YM Date Tested: 07/27/2025 8:30 Sal/STEC/Asp Date Tested: 07/28/2025 15:39
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	1100.0000	NR	NT
Nickel	0.5000	5.0000	NR	NT
Copper	1.0000	30.0000	NR	NT
Arsenic	0.1000	0.2000	NR	NT
Cadmium	0.1000	0.2000	NR	NT
Antimony	0.5000	2.0000	NR	NT
Mercury	0.0500	0.1000	NR	NT
Lead	0.2500	0.5000	NR	NT

Entered By: , Instrument ID: AL2-001
Method: MTHD-006 Date Tested:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Not Tested

Analyte	LOQ	Limit	Result	Status
---------	-----	-------	--------	--------

Entered By: , Instrument ID:
Method: , Date Tested:

Entered By: , Instrument ID:
Method: Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
3 of 7

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon

Batch#: WS-1-PIC2; Batch Size: 2325 units

Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	NR	NT
Acephate	0.05	0.40	NR	NT
Acequinocyl	0.05	2.00	NR	NT
Acetamiprid	0.05	0.20	NR	NT
Aldicarb	0.05	0.40	NR	NT
Avermectin-B1a			NR	NT
Avermectin-B1b			NR	NT
Azadirachtin	0.25	1.00	NR	NT
Azoxystrobin	0.05	0.20	NR	NT
Bifenazate	0.05	0.20	NR	NT
Bifenthrin	0.05	0.20	NR	NT
Boscalid	0.05	0.40	NR	NT
Captan	0.50	1.00	NR	NT
Carbaryl	0.05	0.20	NR	NT
Carbofuran	0.05	0.20	NR	NT
Chlorantraniliprole	0.05	0.20	NR	NT
Chlordane	0.50	1.00	NR	NT
Chlorfenapyr	0.50	1.00	NR	NT
Chlormequat chloride	0.05	1.00	NR	NT
Chlorpyrifos	0.05	0.20	NR	NT
Cinerin 1			NR	NT
Clofentezine	0.05	0.20	NR	NT
Coumaphos	0.05	1.00	NR	NT
Cyfluthrin	0.05	1.00	NR	NT
Cypermethrin	0.05	1.00	NR	NT

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested:

LC Method: MTHD-009 LC Date Tested:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 7

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon

Batch#: WS-1-PIC2; Batch Size: 2325 units

Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.05	1.00	NR	NT
Diazinon	0.05	0.20	NR	NT
Dichlorvos	0.05	1.00	NR	NT
Dimethoate	0.05	0.20	NR	NT
Dimethomorph	0.05	1.00	NR	NT
Ethoprophos	0.05	0.20	NR	NT
Etofenprox	0.05	0.40	NR	NT
Etoxazole	0.05	0.20	NR	NT
Fenhexamid	0.05	1.00	NR	NT
Fenoxycarb	0.05	0.20	NR	NT
Fenpyroximate	0.05	0.40	NR	NT
Fipronil	0.05	0.40	NR	NT
Flonicamid	0.05	1.00	NR	NT
Fludioxonil	0.05	0.40	NR	NT
Hexythiazox	0.05	1.00	NR	NT
Imazalil	0.05	0.20	NR	NT
Imidacloprid	0.05	0.40	NR	NT
Indolebutyric Acid	0.05	1.00	NR	NT
Jasmolin 1			NR	NT
Kresoxim Methyl	0.05	0.40	NR	NT
Malathion	0.05	0.20	NR	NT
Metalaxyl	0.05	0.20	NR	NT
Methiocarb	0.05	0.20	NR	NT
Methomyl	0.05	0.40	NR	NT
Methyl Parathion	0.10	0.20	NR	NT

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested:

LC Method: MTHD-009 LC Date Tested:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 7

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon

Batch#: WS-1-PIC2; Batch Size: 2325 units

Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.05	1.00	NR	NT
MGK-264	0.05	0.20	NR	NT
Myclobutanil	0.05	0.20	NR	NT
Naled	0.05	0.50	NR	NT
Oxamyl	0.05	1.00	NR	NT
Paclobutrazol	0.05	0.40	NR	NT
Pentachloronitrobenzene	0.50	1.00	NR	NT
Permethrins	0.05	0.20	NR	NT
Phosmet	0.05	0.20	NR	NT
Piperonyl Butoxide	0.05	2.00	NR	NT
Prallethrin	0.05	0.20	NR	NT
Propiconazole	0.05	0.40	NR	NT
Propoxur	0.05	0.20	NR	NT
Pyrethrin 1			NR	NT
Pyrethrin 2			NR	NT
Pyrethrins	0.05	1.00	NR	NT
Pyridaben	0.05	0.20	NR	NT
Spinetoram	0.05	1.00	NR	NT
Spinetoram J			NR	NT
Spinetoram L			NR	NT
Spinosad	0.05	0.20	NR	NT
Spinosyn A			NR	NT
Spinosyn D			NR	NT
Spiromesifen	0.05	0.20	NR	NT
Spirotetramat	0.05	0.20	NR	NT

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested:

LC Method: MTHD-009 LC Date Tested:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 7

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon

Batch#: WS-1-PIC2; Batch Size: 2325 units

Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	NR	NT
Tebuconazole	0.05	0.40	NR	NT
Thiacloprid	0.05	0.20	NR	NT
Thiamethoxam	0.05	0.20	NR	NT
Trifloxystrobin	0.05	0.20	NR	NT

Entered By: , GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested:

LC Method: MTHD-009 LC Date Tested:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCMPROC-24-000063

Sample: 2507RLI0643-2392

Strain: Picasso Moon
Batch#: WS-1-PIC2; Batch Size: 2325 units
Sample Received: 07/24/2025; Report Created: 07/30/2025;

Woodstock - Picasso Moon - Preroll Pack - 2x 0.5g

Plant, Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 07/24/25 10:10
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 07/29/2025; 14:01
Moisture Method: MTHD-003

Water Activity Date/Time Tested: ;
Water Activity Method:

NT
Limit: aw
Not Tested
Water Activity

11.9%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

Analyte	Limit	Result	Status
	%		
	%		
	%		

