

**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719  
 Lucas.kerr@torrwoodfarm.com  
 949-945-8484  
 License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final



Date Released: 11/27/2023 3:53:49PM

Report #: 5258

**Dream MacxCruffin 1/2 Bag**

Sample #: 3042, Weight: 182.00g, Unit Count:

Order #: X231116-0005

Category/Type: Plant, Flower - Cured

Date Collected: 11/16/2023 9:33:05PM


Date Received: 11/16/2023 9:48:10PM

Regulator Sample ID: 2024-MACxCruffin-Flower

Regulator Source Package ID: 2024-MACxCruffin-Flower

Regulator Batch ID: 2024-MACxCruffin-Flower

Size: 1600Units, Unit Count:



**Potency Analysis by HPLC**

Total Cannabinoids: **24.87 % - 248.7 mg/g**  
 Total THC: **21.19 % - 211.9 mg/g**  
 Total CBD: **0.09276 % - 0.9276 mg/g**

Date Completed: 11/20/2023 9:14AM

| Compound | CAS#       | LOQ (%)  | %       | mg/g   | Relative Concentration |
|----------|------------|----------|---------|--------|------------------------|
| THCa     | 23978-85-0 | 0.001000 | 14.79   | 147.9  | [Bar]                  |
| d9-THC   | 1972-08-3  | 0.001000 | 8.220   | 82.20  | [Bar]                  |
| CBGa     | 25555-57-1 | 0.001000 | 1.226   | 12.26  | [Bar]                  |
| CBG      | 25654-31-3 | 0.001000 | 0.2114  | 2.114  | [Bar]                  |
| THCV     | 31262-37-0 | 0.001000 | 0.1429  | 1.429  | [Bar]                  |
| CBN      | 521-35-7   | 0.001000 | 0.08936 | 0.8936 | [Bar]                  |
| CBC      | 20675-51-8 | 0.001000 | 0.08800 | 0.8800 | [Bar]                  |
| CBDa     | 1244-58-2  | 0.001000 | 0.08664 | 0.8664 | [Bar]                  |
| CBD      | 13956-29-1 | 0.001000 | 0.01678 | 0.1678 | [Bar]                  |
| d8-THC   | 5957-75-5  | 0.001000 | ND      | ND     | [Bar]                  |
| d10-THC  | 95543-62-7 | 0.001000 | ND      | ND     | [Bar]                  |
| CBDV     | 24274-48-4 | 0.001000 | ND      | ND     | [Bar]                  |

**Test Comment:** Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
 1809 Vestal Pkwy E  
 Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-2022-00007

*Kelly N Greenland*

Dr. Kelly Greenland, Lab Director



# Torrwood Farm

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

# Certificate of Analysis

Final



Sample #: 3042

Dream MacxCruffin 1/2 Bag

## Terpenes by HS-GC-MS

Date Completed: 11/21/2023 9:31AM



| Compound            | CAS#       | LOQ (%) | %      | Relative Concentration             |
|---------------------|------------|---------|--------|------------------------------------|
| Farnesene           | 502-61-4   | 0.1000  | 0.7400 | <div style="width: 74%;"></div>    |
| Beta-caryophyllene  | 87-44-5    | 0.1000  | 0.6047 | <div style="width: 60.47%;"></div> |
| Limonene            | 5989-27-5  | 0.1000  | 0.4130 | <div style="width: 41.3%;"></div>  |
| Valencene           | 4630-07-3  | 0.1000  | 0.2198 | <div style="width: 21.98%;"></div> |
| Alpha-humulene      | 6753-98-6  | 0.1000  | 0.2005 | <div style="width: 20.05%;"></div> |
| Alpha-bisabolol     | 515-69-5   | 0.1000  | 0.1733 | <div style="width: 17.33%;"></div> |
| Beta-myrcene        | 123-35-3   | 0.1000  | ND     |                                    |
| Alpha-pinene        | 80-56-8    | 0.1000  | ND     |                                    |
| Linalool            | 78-70-6    | 0.1000  | ND     |                                    |
| Beta-pinene         | 127-91-3   | 0.1000  | ND     |                                    |
| Terpinolene         | 586-62-9   | 0.1000  | ND     |                                    |
| Borneol             | 464-45-9   | 0.1000  | ND     |                                    |
| Ocimene             | 13877-91-3 | 0.1000  | ND     |                                    |
| Caryophyllene-oxide | 1139-30-6  | 0.1000  | ND     |                                    |
| Geraniol            | 106-24-1   | 0.1000  | ND     |                                    |
| Camphene            | 79-92-5    | 0.1000  | ND     |                                    |
| Guaiol              | 489-86-1   | 0.1000  | ND     |                                    |
| Alpha-terpinene     | 99-86-5    | 0.1000  | ND     |                                    |
| Terpineol           | 8006-39-1  | 0.1000  | ND     |                                    |
| Fenchol             | 14575-74-7 | 0.1000  | ND     |                                    |
| Alpha-phellandrene  | 99-83-2    | 0.1000  | ND     |                                    |
| Camphor             | 464-49-3   | 0.1000  | ND     |                                    |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag**

| Compound         | CAS#       | LOQ (%) | %     | Relative Concentration |
|------------------|------------|---------|-------|------------------------|
| 3-Carene         | 13466-78-9 | 0.1000  | ND    |                        |
| Alpha-cedrene    | 469-61-4   | 0.1000  | ND    |                        |
| Cedrol           | 77-53-2    | 0.1000  | ND    |                        |
| Eucalyptol       | 470-82-6   | 0.1000  | ND    |                        |
| Fenchone         | 1195-79-5  | 0.1000  | ND    |                        |
| Gamma-terpinene  | 99-85-4    | 0.1000  | ND    |                        |
| Geranyl Acetate  | 105-87-3   | 0.1000  | ND    |                        |
| Isopulegol       | 89-79-2    | 0.1000  | ND    |                        |
| Menthol          | 15356-70-4 | 0.1000  | ND    |                        |
| Nerol            | 106-25-2   | 0.1000  | ND    |                        |
| Nerolidol        |            |         | 0.000 |                        |
| Pulegone         | 89-82-7    | 0.1000  | ND    |                        |
| Sabinene         | 3387-41-5  | 0.1000  | ND    |                        |
| Sabinene Hydrate | 546-79-2   | 0.1000  | ND    |                        |

**Test Comment:** Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

**Foreign Matter by Microscopy****Pass**

Analysis Date: 11/20/2023 11:19 am

| Compound         | LOQ (%) | Limits (%) | Result (%) | Status |
|------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.00100 | 2.0        | ND         | Pass   |
| Mammalian Exreta | 0.00100 | 0.03       | ND         | Pass   |
| Stems            | 0.00100 | 5.0        | ND         | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Moisture LWG****Pass**

Analysis Date: 11/20/2023 11:19 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2     | 5 - 15     | 12.4       | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag****Water Activity****Pass**

Analysis Date: 11/20/2023 11:19 am

| Compound       | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05     | 0.65        | 0.52        | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

**Pesticides by LCMSMS****Pass**

Analysis Date: 11/22/2023 9:33 am

| Compound              | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin             | 0.0100     | 0.500         | ND            | Pass   |
| Acephate              | 0.0100     | 0.400         | ND            | Pass   |
| Acequinocyl           | 0.0100     | 2.00          | ND            | Pass   |
| Acetamiprid           | 0.0100     | 0.200         | ND            | Pass   |
| Aldicarb              | 0.0100     | 0.400         | ND            | Pass   |
| Azadirachtin          | 0.0100     | 1.00          | ND            | Pass   |
| Azoxystrobin          | 0.0100     | 0.200         | ND            | Pass   |
| Bifenazate            | 0.0100     | 0.200         | ND            | Pass   |
| Bifenthrin            | 0.0100     | 0.200         | ND            | Pass   |
| Boscalid              | 0.0100     | 0.400         | ND            | Pass   |
| Captan                | 0.0100     | 1.00          | ND            | Pass   |
| Carbaryl              | 0.0100     | 0.200         | ND            | Pass   |
| Carbofuran            | 0.0100     | 0.200         | ND            | Pass   |
| Chlorantraniliprole   | 0.0100     | 0.200         | ND            | Pass   |
| Chlordane-alpha       | 0.0100     | 1.00          | ND            | Pass   |
| Chlorfenapyr          | 0.0100     | 1.00          | ND            | Pass   |
| Chloromequat Chloride | 0.0100     | 1.00          | ND            | Pass   |
| Chlorpyrifos          | 0.0100     | 0.200         | ND            | Pass   |
| Clofentezine          | 0.0100     | 0.200         | ND            | Pass   |
| Coumaphos             | 0.0100     | 1.00          | ND            | Pass   |
| Cyfluthrin            | 0.0100     | 1.00          | ND            | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag****Pesticides by LCMSMS****Pass**

Analysis Date: 11/22/2023 9:33 am

| Compound           | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Cypermethrin       | 0.0100     | 1.00          | ND            | Pass   |
| Daminozide         | 0.0100     | 1.00          | ND            | Pass   |
| Diazinon           | 0.0100     | 0.200         | ND            | Pass   |
| Dichlorvos         | 0.0100     | 1.00          | ND            | Pass   |
| Dimethoate         | 0.0100     | 0.200         | ND            | Pass   |
| Dimethomorph       | 0.0100     | 1.00          | ND            | Pass   |
| Ethoprophos        | 0.0100     | 0.200         | ND            | Pass   |
| Etofenprox         | 0.0100     | 0.400         | ND            | Pass   |
| Etoxazole          | 0.0100     | 0.200         | ND            | Pass   |
| Fenhexamid         | 0.0100     | 1.00          | ND            | Pass   |
| Fenoxycarb         | 0.0100     | 0.200         | ND            | Pass   |
| Fenpyroximate      | 0.0100     | 0.400         | ND            | Pass   |
| Fipronil           | 0.0100     | 0.400         | ND            | Pass   |
| Fonicamid          | 0.0100     | 1.00          | ND            | Pass   |
| Fludioxonil        | 0.0100     | 0.400         | ND            | Pass   |
| Hexythiazox        | 0.0100     | 1.00          | ND            | Pass   |
| Imazalil           | 0.0100     | 0.200         | ND            | Pass   |
| Imidacloprid       | 0.0100     | 0.400         | ND            | Pass   |
| Indolebutyric Acid | 0.0100     | 1.00          | ND            | Pass   |
| Kresoxim-methyl    | 0.0100     | 0.400         | ND            | Pass   |
| Malathion          | 0.0100     | 0.200         | ND            | Pass   |
| Metalaxyl          | 0.0100     | 0.200         | ND            | Pass   |
| Methiocarb         | 0.0100     | 0.200         | ND            | Pass   |
| Methomyl           | 0.0100     | 0.400         | ND            | Pass   |
| Methyl Parathion   | 0.0100     | 0.200         | ND            | Pass   |
| Mevinphos          | 0.0100     | 1.00          | ND            | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag****Pesticides by LCMSMS****Pass**

Analysis Date: 11/22/2023 9:33 am

| Compound                | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| MGK-264                 | 0.0100     | 0.200         | ND            | Pass   |
| Myclobutanil            | 0.0100     | 0.200         | ND            | Pass   |
| Naled                   | 0.0100     | 0.500         | ND            | Pass   |
| Oxamyl                  | 0.0100     | 1.00          | ND            | Pass   |
| Paclobutrazol           | 0.0100     | 0.400         | ND            | Pass   |
| Pentachloronitrobenzene | 0.0100     | 1.00          | ND            | Pass   |
| Permethrins, Total      | 0.0100     | 0.200         | ND            | Pass   |
| Phosmet                 | 0.0100     | 0.200         | ND            | Pass   |
| Piperonyl Butoxide      | 0.0100     | 2.00          | ND            | Pass   |
| Prallethrin             | 0.0100     | 0.200         | ND            | Pass   |
| Propiconazole           | 0.0100     | 0.400         | ND            | Pass   |
| Propoxur                | 0.0100     | 0.200         | ND            | Pass   |
| Pyrethrins Total        | 0.0100     | 1.00          | ND            | Pass   |
| Pyridaben               | 0.0100     | 0.200         | ND            | Pass   |
| Spinetoram Total        | 0.0100     | 1.00          | ND            | Pass   |
| Spinosad Total          | 0.0100     | 0.200         | ND            | Pass   |
| Spiromesifen            | 0.0100     | 0.200         | ND            | Pass   |
| Spirotetramat           | 0.0100     | 0.200         | ND            | Pass   |
| Spiroxamine             | 0.0100     | 0.200         | ND            | Pass   |
| Tebuconazole            | 0.0100     | 0.400         | ND            | Pass   |
| Thiacloprid             | 0.0100     | 0.200         | ND            | Pass   |
| Thiamethoxam            | 0.0100     | 0.200         | ND            | Pass   |
| Trifloxystrobin         | 0.0100     | 0.200         | ND            | Pass   |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**

**Keystone State Testing of New York**

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag****Mycotoxins by LCMSMS****Pass**

Analysis Date: 11/22/2023 9:32 am

| Compound        | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin B2    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G2    | 0.0050     | 0.020         | ND            | Pass   |
| Ochratoxin A    | 0.0050     | 0.020         | ND            | Pass   |
| Total Aflatoxin | 0.0050     | 0.020         | ND            | Pass   |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

**Heavy Metals by ICPMS****Pass**

Analysis Date: 11/20/2023 10:26 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100     | 2.00          | ND            | Pass   |
| Arsenic  | 0.00100    | 0.200         | 0.00219       | Pass   |
| Cadmium  | 0.00150    | 0.300         | 0.0550        | Pass   |
| Chromium | 0.280      | 110           | 1.44          | Pass   |
| Copper   | 0.0750     | 30.0          | 8.77          | Pass   |
| Lead     | 0.00250    | 0.500         | 0.125         | Pass   |
| Mercury  | 0.000500   | 0.100         | 0.00284       | Pass   |
| Nickel   | 0.0100     | 5.00          | 0.364         | Pass   |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

**Micro by Petri & qPCR****Pass**

Analysis Date: 11/22/2023 9:27 am

| Compound                          | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative    | 0           | 0              | Not Detected   | Pass   |
| Aspergillus fumigatus Qualitative | 0           | 0              | Not Detected   | Pass   |
| Aspergillus niger Qualitative     | 0           | 0              | Not Detected   | Pass   |
| Aspergillus terreus Qualitative   | 0           | 0              | Not Detected   | Pass   |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**Keystone State Testing of New York  
1809 Vestal Pkwy EVestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



**Torrwood Farm**

198 Haring Rd, Barryville, NY, 12719

Lucas.kerr@torrwoodfarm.com

949-945-8484

License #: OCM-AUCC-22-000060

**Certificate of Analysis**

Final

**Sample #: 3042****Dream MacxCruffin 1/2 Bag****Micro by Petri & qPCR****Pass**

Analysis Date: 11/22/2023 9:27 am

| Compound                                  | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-------------------------------------------|-------------|----------------|----------------|--------|
| Salmonella Qualitative                    | 0           | 0              | Not Detected   | Pass   |
| Shiga Toxin-Producing E. coli Qualitative | 0           | 0              | Not Detected   | Pass   |
| Total Aerobic Bacteria                    | 10          |                | 1000           | Pass   |
| Total Yeast & Mold                        | 10          |                | 2000           | Pass   |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

**If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.**



**Keystone State Testing of New York**  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-2022-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director

