

MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY
 matt@mfny.co
 833-420-MFNY
 License #: OCM-PROC-24-000175

Certificate of Analysis

Amended



Date Released: 10/23/2025 10:55:57AM

Report #: 93202

White Fire OG - live resin 510 cart

Sample #: 20819, Weight: 12.00g, Unit Count:
 Order #: X251003-0002

Category/Type: Concentrates & Extract, Concentrate

Date Collected: 10/3/2025 6:00:00PM

Date Received: 10/3/2025 6:44:13PM

Date Sampled: 10/3/2025 2:27:00PM

Regulator Sample ID: 510RESWF5

Regulator Source Package ID: 510RESWF5

Regulator Batch ID: 510RESWF5

Size: 5453Units, Unit Count:



Total Cannabinoids
 75.53 %
 755.3 mg/g



Total THC
 71.83 %
 718.3 mg/g



Total CBD
 0.1289 %
 1.289 mg/g



Total Terpenes
 6.207 %



Heavy Metals
 PASS



Microbials
 PASS



Residual Solvents
 PASS



Pesticides
 PASS



Mycotoxins
 PASS

Potency Analysis by HPLC

Total Cannabinoids: **75.53 % - 755.3 mg/g**
 Total THC: **71.83 % - 718.3 mg/g**
 Total CBD: **0.1289 % - 1.289 mg/g**

Date Completed: 10/06/2025 11:33AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
d9-THC	1972-08-3	0.001000	71.83	718.3	<div style="width: 71.83%;"></div>
CBG	25654-31-3	0.001000	2.439	24.39	<div style="width: 2.439%;"></div>
THCV	31262-37-0	0.001000	0.5677	5.677	<div style="width: 0.5677%;"></div>
CBC	20675-51-8	0.001000	0.5098	5.098	<div style="width: 0.5098%;"></div>
CBD	13956-29-1	0.001000	0.1289	1.289	<div style="width: 0.1289%;"></div>
CBGa	25555-57-1	0.001000	0.05229	0.5229	<div style="width: 0.05229%;"></div>

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory

Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measuremental uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY
 matt@mfny.co
 833-420-MFNY
 License #: OCM-PROC-24-000175

Certificate of Analysis

Amended



Sample #: 20819


White Fire OG - live resin 510 cart

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC		0.001000	ND	ND	
d10/S9-THC		0.001000	ND	ND	
CBDa	1244-58-2	0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 10/06/2025 11:43AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-myrcene	123-35-3	0.1000	2.541	
Beta-caryophyllene	87-44-5	0.1000	1.084	
Limonene	5989-27-5	0.1000	1.030	
Linalool	78-70-6	0.1000	0.5111	
Farnesene	502-61-4	0.1000	0.2907	
Alpha-humulene	6753-98-6	0.1000	0.2592	
Valencene	4630-07-3	0.1000	0.1935	
Alpha-pinene	80-56-8	0.1000	0.1792	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory Amended to add Aspergillus testing results. New report replacing original report #90992 Results based on simple acceptance, not taking into consideration measuremental uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



MFNY PROCESSOR LLC

320 Mt Airy Rd New Windsor, NY
 matt@mfny.co
 833-420-MFNY
 License #: OCM-PROC-24-000175

Certificate of Analysis

Amended

**Sample #: 20819****White Fire OG - live resin 510 cart**

Compound	CAS#	LOQ (%)	%	Relative Concentration
Terpineol	8006-39-1	0.1000	0.1180	<div style="width: 100%; height: 10px; background-color: green;"></div>
Results based on dry weight				
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaial	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS**Pass**

Analysis Date: 10/07/2025 4:53 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory
 Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measurement uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 20819

White Fire OG - live resin 510 cart

Pesticides by LCMSMS

Pass

Analysis Date: 10/07/2025 4:53 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chloromequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory
 Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measurement uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 20819

White Fire OG - live resin 510 cart

Pesticides by LCMSMS

Pass

Analysis Date: 10/07/2025 4:53 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measurement uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 20819

White Fire OG - live resin 510 cart

Pesticides by LCMSMS

Pass

Analysis Date: 10/07/2025 4:53 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 10/07/2025 8:36 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Freon	50.00	1000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory
 Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measurement uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 20819

White Fire OG - live resin 510 cart

Residual Solvents by HS-GC-MS

Pass

Analysis Date: 10/07/2025 8:36 am

Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.

Mycotoxins by LCMSMS

Pass

Analysis Date: 10/07/2025 4:53 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 10/07/2025 9:46 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	0.0108	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.300	ND	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory

Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measurement uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 20819

White Fire OG - live resin 510 cart

Heavy Metals by ICPMS

Pass

Analysis Date: 10/07/2025 9:46 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Lead	0.00250	0.500	0.00499	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	2.00	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 10/22/2025 11:08 am

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.

Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Note: Moisture Content, Water Activity, Foreign matter and Micro testing was completed separately by a subcontracted Laboratory

Amended to add Aspergillus testing results. New report replacing original report #90992

Results based on simple acceptance, not taking into consideration measuremental uncertainty.



Keystone State Testing of New York
 1809 Vestal Pkwy E

Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

