

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	8/18/2025	Sample ID:	20250626-EMNY-006
Client Name:	Empire Standard LLC	Sample Name:	FJM-0825-001
Sampling Location:	Binghamton, New York	Sample Matrix:	Flower
Contact Name:	Empire Standard LLC	Sample Sub Type:	Infused Pre-roll
Contact Email:	info@empirestandardny.com	Package ID:	FJM-0825-001
License Number:	OCM-PROC-24-000202	Batch Lot ID:	FJM-0825-001
Medical/Adult Use:	Adult Use	Batch Size:	3000
Sampling Date:	06/26/2025 12:00:00 PM	Serving Size (g):	0.6

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	P	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: FJM-0825-001 (20250626-EMNY-006)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.204
CBDA	< MRL	< MRL	0.204
CBGA	0.416	2.493	0.204
CBG	< MRL	< MRL	0.204
CBD	< MRL	< MRL	0.204
THCV	< MRL	< MRL	0.204
CBN	< MRL	< MRL	0.204
D9-THC	3.545	21.269	0.204
D8-THC	< MRL	< MRL	0.204
D10-THC-S	< MRL	< MRL	0.204
D10-THC-R	< MRL	< MRL	0.204
CBC	< MRL	< MRL	0.204
THCA	45.044	270.264	0.204

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #118288 | Date Tested: 06/30/2025 05:49 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	43.048	258.291
Total CBD [CBD + (CBDA * 0.877)]	< MRL	< MRL
Total Cannabinoids	49.005	294.026

Version 2: CoA amended with update to water activity test - KAR

08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: FJM-0825-001 (20250626-EMNY-006)

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.03
Camphene	< MRL	0.03
Sabinene	< MRL	0.03
beta-Pinene	< MRL	0.03
beta-Myrcene	< MRL	0.03
Alpha-phellandrene	< MRL	0.03
Carene	< MRL	0.03
alpha-terpinene	< MRL	0.03
p-Cymene	< MRL	0.03
Limonene	< MRL	0.03
Eucalyptol	< MRL	0.03
Ocimene	< MRL	0.02
gamma-Terpinene	< MRL	0.03
Sabinene Hydrate	< MRL	0.03
Terpinolene	< MRL	0.03
Linalool	< MRL	0.03
Fenchol	< MRL	0.03
Menthol	< MRL	0.03
Terpineol	< MRL	0.03
Citronellol	< MRL	0.03
Isopulegol	< MRL	0.03
Geraniol	< MRL	0.03
Alpha-cedrene	< MRL	0.02
Beta-Caryophyllene	0.16	0.03
Farnesene	< MRL	0.03
alpha-Humulene	0.07	0.03
Valencene	< MRL	0.03
cis-Nerolidol	< MRL	0.01
trans-Nerolidol	< MRL	0.02
Caryophyllene oxide	0.06	0.03
Guaiol	< MRL	0.03
alpha-Bisabolol	< MRL	0.03

MRL = Minimum reporting limit/limit of quantification

Test ID: #118293 | Date Tested: 07/01/2025 04:50 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.29	10	PASS

Version 2: CoA amended with update to water activity test - KAR

08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: FJM-0825-001 (20250626-EMNY-006)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	3.471
2-Propanol	PASS	< MRL	5000	519.972
Acetone	PASS	< MRL	5000	1069.790
Acetonitrile	PASS	< MRL	410	42.638
Butanes, total	PASS	< MRL	5000	519.972
Benzene	PASS	< MRL	2	0.694
Chloroform	PASS	< MRL	60	6.240
Dichloromethane	PASS	< MRL	600	62.397
Dimethyl Sulfoxide	PASS	< MRL	5000	935.950
Ethanol	PASS	< MRL	5000	519.972
Ethyl acetate	PASS	< MRL	5000	519.972
Ethyl ether	PASS	< MRL	5000	519.972
n-Heptane	PASS	< MRL	5000	519.972
Hexanes, total	PASS	< MRL	290	30.158
Methanol	PASS	< MRL	3000	311.984
Pentanes, total	PASS	< MRL	5000	519.972
Propane	PASS	< MRL	5000	519.972
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	336.942
Toluene	PASS	< MRL	890	92.555
Trichloroethane	PASS	< MRL	1500	935.950
Xylenes, total	PASS	< MRL	2170	225.669

MRL = Minimum reporting limit/limit of quantification

Test ID: #118291 | Date Tested: 07/01/2025 11:23 AM

Version 2: CoA amended with update to water activity test - KAR

08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: FJM-0825-001 (20250626-EMNY-006)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etioazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #118292 | Date Tested: 07/02/2025 07:05 AM

Version 2: CoA amended with update to water activity test - KAR
08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: FJM-0825-001 (20250626-EMNY-006)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #118289 Date Tested: 07/01/2025 05:05 PM		

Heavy Metals: FJM-0825-001 (20250626-EMNY-006)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	1.372	5.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #118290 Date Tested: 07/01/2025 04:29 AM		

Microbiology - Plating: FJM-0825-001 (20250626-EMNY-006)					PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	13636	None	100	
Total Yeast & Mold	PASS	1000	None	100	
Microbiology - qPCR:					
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #118295 Date Tested: 07/01/2025 01:04 PM		

Moisture Content: FJM-0825-001 (20250626-EMNY-006)					PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)					
Analyte	Pass/Fail	Result (%)	Limit (%)		
Moisture	PASS	10.0	15		
MRL = Minimum reporting limit/limit of quantification			Test ID: #118294 Date Tested: 07/19/2025 02:00 PM		

Version 2: CoA amended with update to water activity test - KAR
08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Water Activity: FJM-0825-001 (20250626-EMNY-006)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.46	0.65

MRL = Minimum reporting limit/limit of quantification

Test ID: #118296 | Date Tested: 08/14/2025 08:30 AM



Matthew Elmes
Lab Director
8/18/2025

Deviations: Lot remediated for water activity and resubmitted via order 20250807-EMNY.

Version 2: CoA amended with update to water activity test - KAR
08/18/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.

