

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé
 Ingestible, Beverage



Results

11.02 mg/dose CBC	10.48 mg/dose D9-THC
0 mg/dose Total CBD	10.48 mg/dose Total THC
21.5 mg/dose Total Cannabinoids	0% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Tested	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes

No terpenes detected

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé
 Ingestible, Beverage



Cannabinoids

SOP 801-NY
 Date/Time Tested: 07/19/2025
 17:13

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose
CBDV	3.00	ND	ND	ND
CBDa	3.00	ND	ND	ND
CBGa	3.00	ND	ND	ND
CBG	3.00	< LOQ	< LOQ	< LOQ
CBD	3.00	< LOQ	< LOQ	< LOQ
THCV	3.00	ND	ND	ND
CBN	3.00	< LOQ	< LOQ	< LOQ
D9-THC	3.00	0.00	0.03	10.48
D8-THC	3.00	ND	ND	ND
(6aR,9S)-d10-THC	3.00	ND	ND	ND
(6aR,9R)-d10-THC	3.00	ND	ND	ND
CBC	3.00	0.00	0.03	11.02
THCa	3.00	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		0.00	0.03	10.48
Total Cannabinoids		0.01	0.06	21.50

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
 Date/Time Tested: 07/18/2025
 19:33

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Date/Time Tested: 07/19/2025
 17:13

Pass

Analyte	Result
Homogeneity	Pass



Angus Alfieri

Angus Alfieri
 Technical Director

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé
 Ingestible, Beverage



Terpenes

SOP 620-NY
 Date/Time Tested: 07/19/2025 17:09

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
a-Pinene	156	ND	DL-Menthol	156	ND
Camphene	156	ND	Borneol	156	ND
Sabinene	156	ND	Terpineol	156	ND
b-Pinene	156	ND	Nerol	156	ND
b-Myrcene	156	ND	Pulegone	156	ND
a-Phellandrene	156	ND	Geraniol	156	ND
d-3-Carene	156	ND	Geranyl Acetate	156	ND
a-Terpinene	156	ND	a-Cedrene	156	ND
Limonene	156	ND	b-Caryophyllene	156	ND
p-Cymene	156	ND	a-Humulene	156	ND
Eucalyptol	156	ND	Valencene	156	ND
g-Terpinene	156	ND	cis-Nerolidol	156	ND
Terpinolene	156	ND	trans-Nerolidol	156	ND
Fenchol	156	ND	Guaiol	156	ND
Sabinene Hydrate	156	ND	Caryophyllene Oxide	156	ND
Linalool	156	ND	Cedrol	156	ND
Fenchone	156	ND	a-Bisabolol	156	ND
Isopulegol	156	ND	trans-b-Ocimene	156	ND
Camphor	156	ND	trans-b-Farnesene	156	ND
Isoborneol	156	ND	Total Terpenes		ND

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri

**Angus Alfieri
 Technical Director**

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé

Ingestible, Beverage



Residual Solvents

SOP 612-NY
 Date/Time Tested: 07/19/2025 19:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	39	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	39	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	195	5,000	941.0	Passed
Ethyl Acetate	195	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	98	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	195	5,000	ND	Passed
Methanol	117	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	59	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	4,883	1,500	ND	Passed
Xylenes	258	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY
 Date/Time Tested: 07/19/2025 19:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé

Ingestible, Beverage



Heavy Metals

SOP 250-NY
 Date/Time Tested: 07/21/2025 10:50

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	120.000	ND	Passed
Arsenic	0.182	1.500	ND	Passed
Cadmium	0.182	0.500	ND	Passed
Chromium	0.182	1,100.000	ND	Passed
Copper	0.219	300.000	ND	Passed
Mercury	0.044	3.000	ND	Passed
Nickel	0.219	20.000	ND	Passed
Lead	0.182	0.500	ND	Passed

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé
 Ingestible, Beverage



Pesticides

SOP 814-NY
 Date/Time Tested: 07/19/2025 18:20

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	< LOQ	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Angus Alfieri

Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0717-0007718
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0717-IBEV-0017021

Strain: Rosé
 Batch#: 071727-BEV0339, Batch Size: 35000
 Sample Received: 07/17/2025 18:33
 Report Created: 07/23/2025 21:11
 Sampling SOP 204-NY

Ayrloom 10mg Rosé
 Ingestible, Beverage



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.