

Stiiizy
 Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485
 Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape




Results

79.32 % D9-THC	0 % CBD
793.18 mg/unit D9-THC	0 mg/unit CBD
899.12 mg/unit Total Cannabinoids	6.378% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY
Instrument: Shimadzu HPLC 1614 - 1614 / Agilent Infinity II - 2779
Date/Time Tested: 10/29/2025 14:18

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	8,485.17	ND	ND	ND
CBDa	8,485.17	ND	ND	ND
CBGa	8,485.17	ND	ND	ND
CBG	8,485.17	2.06	20.59	20.59
CBD	8,485.17	ND	ND	ND
THCV	8,485.17	< LOQ	< LOQ	< LOQ
CBN	8,485.17	< LOQ	< LOQ	< LOQ
D9-THC	8,485.17	79.32	793.18	793.18
D8-THC	8,485.17	ND	ND	ND
(6aR,9S)-d10-THC	8,485.17	ND	ND	ND
(6aR,9R)-d10-THC	8,485.17	ND	ND	ND
CBC	8,485.17	< LOQ	< LOQ	< LOQ
THCa	8,485.17	8.54	85.36	85.36
Total CBD		0.00	0.00	0.00
Total THC		86.80	868.04	868.04
Total Cannabinoids		89.91	899.12	899.12

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX qPCR - 3195
Date/Time Tested: 10/29/2025 15:49

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 10/29/2025 17:01

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	6.3778	Passed	Caryophyllene Oxide	158		0.0247	Tested
Terpinolene	158		2.9987	Tested	Eucalyptol	158		0.0244	Tested
b-Myrcene	158		0.7775	Tested	trans-Nerolidol	158		0.0235	Tested
Limonene	158		0.4251	Tested	cis-Nerolidol	158		0.0161	Tested
b-Caryophyllene	158		0.3355	Tested	Sabinene	158		ND	Tested
a-Pinene	158		0.2948	Tested	Sabinene Hydrate	158		ND	Tested
trans-b-Ocimene	158		0.2814	Tested	Fenchone	158		ND	Tested
b-Pinene	158		0.2191	Tested	Isopulegol	158		ND	Tested
a-Phellandrene	158		0.1460	Tested	Camphor	158		ND	Tested
d-3-Carene	158		0.1312	Tested	Isoborneol	158		ND	Tested
a-Terpinene	158		0.1218	Tested	DL-Menthol	158		ND	Tested
g-Terpinene	158		0.0934	Tested	Borneol	158		ND	Tested
a-Humulene	158		0.0930	Tested	Nerol	158		ND	Tested
trans-b-Farnesene	158		0.0883	Tested	Pulegone	158		ND	Tested
p-Cymene	158		0.0831	Tested	Geraniol	158		ND	Tested
a-Bisabolol	158		0.0593	Tested	Geranyl Acetate	158		ND	Tested
Linalool	158		0.0510	Tested	a-Cedrene	158		ND	Tested
Camphene	158		0.0316	Tested	Valencene	158		ND	Tested
Fenchol	158		0.0304	Tested	Guaiol	158		< LOQ	Tested
Terpineol	158		0.0278	Tested	Cedrol	158		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 10/29/2025 10:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	43	5,000	49.7	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	43	5,000	181.7	Passed
Chloroform	2	60	ND	Passed
Ethanol	216	5,000	< LOQ	Passed
Ethyl Acetate	216	5,000	< LOQ	Passed
Ethyl Ether	22	5,000	ND	Passed
DMSO	108	5,000	ND	Passed
Heptane	22	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	216	5,000	< LOQ	Passed
Methanol	129	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	65	5,000	ND	Passed
Propane	22	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	54	1,500	ND	Passed
Xylenes	285	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	22	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 10/29/2025 17:43

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 10/29/2025 12:06

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.183	2.000	ND	Passed
Arsenic	0.183	0.200	ND	Passed
Cadmium	0.183	0.200	ND	Passed
Chromium	0.183	110.000	ND	Passed
Copper	0.219	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.219	2.000	ND	Passed
Lead	0.183	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 10/29/2025 10:56

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Stiiizy

Order No.: ONYSTNY1027-0009923
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1027-CVAP-0020485

Strain: Purple Haze, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-PUH-M2125, Batch Size: 465 Units
 Date Sampled: 10/28/2025 15:43
 Sample Received: 10/28/2025 14:43
 Report Created: 10/31/2025 21:15
 Sampling SOP 204

Purple Haze LQD AIO
 Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.