

1 Off

265 52nd St, Brooklyn NY  
info@1off.nyc

Certificate of Analysis

Final

License #: OCM-PROC-24-000062



Date Released: 11/3/2025 10:45:45AM

Report #: 95618

HEAD BAND 3.5G

Sample #: 21136, Weight: 45.50g, Unit Count:  
Order #: X251029-0001

Category/Type: Plant, Flower - Cured

Date Collected: 10/28/2025 7:00:00PM

Date Received: 10/29/2025 12:09:31PM

Date Sampled: 10/28/2025 11:59:00AM

Regulator Sample ID: 1O-8F-SG25-HDBD

Regulator Source Package ID: 1O-8F-SG25-HDBD

Regulator Batch ID: 1O-8F-SG25-HDBD

Size: 3190Units, Unit Count:



Total Cannabinoids  
37.37 %  
373.7 mg/g



Total THC  
32.50 %  
325.0 mg/g



Total CBD  
0.08671 %  
0.8671 mg/g



Total Terpenes  
2.388 %



Moisture  
13.5 %



Heavy Metals  
PASS



Microbials  
PASS



Pesticides  
PASS



Mycotoxins  
PASS



Foreign Matter  
PASS



Water Activity  
PASS

Cannabinoids Avg

Total Cannabinoids: 37.37 % - 373.7 mg/g  
Total THC: 32.50 % - 325.0 mg/g  
Total CBD: 0.08671 % - 0.8671 mg/g

Date Completed: 10/30/2025 10:09AM

| Compound | CAS#       | LOQ (%)  | %        | mg/g    | Relative Concentration                |
|----------|------------|----------|----------|---------|---------------------------------------|
| THCa     | 23978-85-0 | 0.001000 | 34.29    | 342.9   | <div style="width: 34.29%;"></div>    |
| d9-THC   | 1972-08-3  | 0.001000 | 2.385    | 23.85   | <div style="width: 2.385%;"></div>    |
| CBGa     | 25555-57-1 | 0.001000 | 0.3958   | 3.958   | <div style="width: 0.3958%;"></div>   |
| CBG      | 25654-31-3 | 0.001000 | 0.1517   | 1.517   | <div style="width: 0.1517%;"></div>   |
| CBDa     | 1244-58-2  | 0.001000 | 0.09887  | 0.9887  | <div style="width: 0.09887%;"></div>  |
| d8-THC   | 5957-75-5  | 0.001000 | 0.03806  | 0.3806  | <div style="width: 0.03806%;"></div>  |
| CBDV     | 24274-48-4 | 0.001000 | 0.005523 | 0.05523 | <div style="width: 0.005523%;"></div> |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136


HEAD BAND 3.5G

| Compound   | CAS#       | LOQ (%)  | %  | mg/g | Relative Concentration |
|------------|------------|----------|----|------|------------------------|
| THCV       | 31262-37-0 | 0.001000 | ND | ND   |                        |
| CBD        | 13956-29-1 | 0.001000 | ND | ND   |                        |
| CBN        | 521-35-7   | 0.001000 | ND | ND   |                        |
| d10/R9-THC | 95543-62-7 | 0.001000 | ND | ND   |                        |
| d10/S9-THC | 95588-87-7 | 0.001000 | ND | ND   |                        |
| CBC        | 20675-51-8 | 0.001000 | ND | ND   |                        |

**Test Comment:** Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 10/30/2025 1:50PM



| Compound           | CAS#       | LOQ (%) | %      | Relative Concentration |
|--------------------|------------|---------|--------|------------------------|
| Limonene           | 5989-27-5  | 0.1000  | 0.7166 |                        |
| Linalool           | 78-70-6    | 0.1000  | 0.5101 |                        |
| Beta-myrcene       | 123-35-3   | 0.1000  | 0.3645 |                        |
| Beta-caryophyllene | 87-44-5    | 0.1000  | 0.3283 |                        |
| Farnesene          | 502-61-4   | 0.1000  | 0.1373 |                        |
| Terpineol          | 8006-39-1  | 0.1000  | 0.1172 |                        |
| Fenchol            | 14575-74-7 | 0.1000  | 0.1095 |                        |
| Beta-pinene        | 127-91-3   | 0.1000  | 0.1046 |                        |

Results based on dry weight

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

| Compound            | CAS#       | LOQ (%) | %  | Relative Concentration |
|---------------------|------------|---------|----|------------------------|
| Alpha-pinene        | 80-56-8    | 0.1000  | ND |                        |
| Alpha-humulene      | 6753-98-6  | 0.1000  | ND |                        |
| Terpinolene         | 586-62-9   | 0.1000  | ND |                        |
| Ocimene             | 13877-91-3 | 0.1000  | ND |                        |
| Alpha-bisabolol     | 515-69-5   | 0.1000  | ND |                        |
| Caryophyllene-oxide | 1139-30-6  | 0.1000  | ND |                        |
| Geraniol            | 106-24-1   | 0.1000  | ND |                        |
| Camphene            | 79-92-5    | 0.1000  | ND |                        |
| Guaiol              | 489-86-1   | 0.1000  | ND |                        |
| Alpha-terpinene     | 99-86-5    | 0.1000  | ND |                        |
| Valencene           | 4630-07-3  | 0.1000  | ND |                        |
| Alpha-phellandrene  | 99-83-2    | 0.1000  | ND |                        |

**Test Comment:** Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 10/30/2025 6:44 pm

| Compound            | LOQ (%) | Limits (%) | Result (%) | Status |
|---------------------|---------|------------|------------|--------|
| % Filth             | 0.00100 | 2.0        | ND         | Pass   |
| % Mammalian Excreta | 0.00100 | 5.0        | ND         | Pass   |
| % Stems             | 0.00100 | 0.03       | ND         | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Analysis Date: 10/30/2025 6:48 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2     | 0 - 15     | 13.5       | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

Water Activity by Meter

Pass

Analysis Date: 10/30/2025 6:48 pm

| Compound       | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05     | 0.65        | 0.47        | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 10/31/2025 2:09 pm

| Compound              | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin             | 0.0100     | 0.500         | ND            | Pass   |
| Acephate              | 0.0100     | 0.400         | ND            | Pass   |
| Acequinocyl           | 0.0100     | 2.00          | ND            | Pass   |
| Acetamiprid           | 0.0100     | 0.200         | ND            | Pass   |
| Aldicarb              | 0.0100     | 0.400         | ND            | Pass   |
| Azadirachtin          | 0.0100     | 1.00          | ND            | Pass   |
| Azoxystrobin          | 0.0100     | 0.200         | ND            | Pass   |
| Bifenazate            | 0.0100     | 0.200         | ND            | Pass   |
| Bifenthrin            | 0.0100     | 0.200         | ND            | Pass   |
| Boscalid              | 0.0100     | 0.400         | ND            | Pass   |
| Captan                | 0.0100     | 1.00          | ND            | Pass   |
| Carbaryl              | 0.0100     | 0.200         | ND            | Pass   |
| Carbofuran            | 0.0100     | 0.200         | ND            | Pass   |
| Chlorantraniliprole   | 0.0100     | 0.200         | ND            | Pass   |
| Chlordane-alpha       | 0.0100     | 1.00          | ND            | Pass   |
| Chlorfenapyr          | 0.0100     | 1.00          | ND            | Pass   |
| Chloromequat Chloride | 0.0100     | 1.00          | ND            | Pass   |
| Chlorpyrifos          | 0.0100     | 0.200         | ND            | Pass   |
| Clofentezine          | 0.0100     | 0.200         | ND            | Pass   |
| Coumaphos             | 0.0100     | 1.00          | ND            | Pass   |
| Cyfluthrin            | 0.0100     | 1.00          | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

Pesticides by LCMSMS

Pass

Analysis Date: 10/31/2025 2:09 pm

| Compound           | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Cypermethrin       | 0.0100     | 1.00          | ND            | Pass   |
| Daminozide         | 0.0100     | 1.00          | ND            | Pass   |
| Diazinon           | 0.0100     | 0.200         | ND            | Pass   |
| Dichlorvos         | 0.0100     | 1.00          | ND            | Pass   |
| Dimethoate         | 0.0100     | 0.200         | ND            | Pass   |
| Dimethomorph       | 0.0100     | 1.00          | ND            | Pass   |
| Ethoprophos        | 0.0100     | 0.200         | ND            | Pass   |
| Etofenprox         | 0.0100     | 0.400         | ND            | Pass   |
| Etoxazole          | 0.0100     | 0.200         | ND            | Pass   |
| Fenhexamid         | 0.0100     | 1.00          | ND            | Pass   |
| Fenoxycarb         | 0.0100     | 0.200         | ND            | Pass   |
| Fenpyroximate      | 0.0100     | 0.400         | ND            | Pass   |
| Fipronil           | 0.0100     | 0.400         | ND            | Pass   |
| Fonicamid          | 0.0100     | 1.00          | ND            | Pass   |
| Fludioxonil        | 0.0100     | 0.400         | ND            | Pass   |
| Hexythiazox        | 0.0100     | 1.00          | ND            | Pass   |
| Imazalil           | 0.0100     | 0.200         | ND            | Pass   |
| Imidacloprid       | 0.0100     | 0.400         | ND            | Pass   |
| Indolebutyric Acid | 0.0100     | 1.00          | ND            | Pass   |
| Kresoxim-methyl    | 0.0100     | 0.400         | ND            | Pass   |
| Malathion          | 0.0100     | 0.200         | ND            | Pass   |
| Metalaxyl          | 0.0100     | 0.200         | ND            | Pass   |
| Methiocarb         | 0.0100     | 0.200         | ND            | Pass   |
| Methomyl           | 0.0100     | 0.400         | ND            | Pass   |
| Methyl Parathion   | 0.0100     | 0.200         | ND            | Pass   |
| Mevinphos          | 0.0100     | 1.00          | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

Pesticides by LCMSMS

Pass

Analysis Date: 10/31/2025 2:09 pm

| Compound                | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| MGK-264                 | 0.0100     | 0.200         | ND            | Pass   |
| Myclobutanil            | 0.0100     | 0.200         | ND            | Pass   |
| Naled                   | 0.0100     | 0.500         | ND            | Pass   |
| Oxamyl                  | 0.0100     | 1.00          | ND            | Pass   |
| Paclobutrazol           | 0.0100     | 0.400         | ND            | Pass   |
| Pentachloronitrobenzene | 0.0100     | 1.00          | ND            | Pass   |
| Permethrins, Total      | 0.0100     | 0.200         | ND            | Pass   |
| Phosmet                 | 0.0100     | 0.200         | ND            | Pass   |
| Piperonyl Butoxide      | 0.0100     | 2.00          | ND            | Pass   |
| Prallethrin             | 0.0100     | 0.200         | ND            | Pass   |
| Propiconazole           | 0.0100     | 0.400         | ND            | Pass   |
| Propoxur                | 0.0100     | 0.200         | ND            | Pass   |
| Pyrethrins Total        | 0.0100     | 1.00          | ND            | Pass   |
| Pyridaben               | 0.0100     | 0.200         | ND            | Pass   |
| Spinetoram Total        | 0.0100     | 1.00          | ND            | Pass   |
| Spinosad Total          | 0.0100     | 0.200         | ND            | Pass   |
| Spiromesifen            | 0.0100     | 0.200         | ND            | Pass   |
| Spirotetramat           | 0.0100     | 0.200         | ND            | Pass   |
| Spiroxamine             | 0.0100     | 0.200         | ND            | Pass   |
| Tebuconazole            | 0.0100     | 0.400         | ND            | Pass   |
| Thiacloprid             | 0.0100     | 0.200         | ND            | Pass   |
| Thiamethoxam            | 0.0100     | 0.200         | ND            | Pass   |
| Trifloxystrobin         | 0.0100     | 0.200         | ND            | Pass   |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.  
Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

Mycotoxins by LCMSMS

Pass

Analysis Date: 10/31/2025 2:06 pm

| Compound        | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin B2    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G1    | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G2    | 0.0050     | 0.020         | ND            | Pass   |
| Ochratoxin A    | 0.0050     | 0.020         | ND            | Pass   |
| Total Aflatoxin | 0.0050     | 0.020         | ND            | Pass   |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 10/30/2025 6:03 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100     | 2.00          | ND            | Pass   |
| Arsenic  | 0.00100    | 0.200         | ND            | Pass   |
| Cadmium  | 0.00150    | 0.200         | ND            | Pass   |
| Chromium | 0.280      | 110           | ND            | Pass   |
| Copper   | 0.0750     | 30.0          | 1.37          | Pass   |
| Lead     | 0.00250    | 0.500         | ND            | Pass   |
| Mercury  | 0.000500   | 0.100         | ND            | Pass   |
| Nickel   | 0.0100     | 5.00          | ND            | Pass   |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 10/31/2025 12:13 pm

| Compound                          | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative    | 1           | 0              | Not Detected   | Pass   |
| Aspergillus fumigatus Qualitative | 1           | 0              | Not Detected   | Pass   |
| Aspergillus niger Qualitative     | 1           | 0              | Not Detected   | Pass   |
| Aspergillus terreus Qualitative   | 1           | 0              | Not Detected   | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director



License #: OCM-PROC-24-000062



Sample #: 21136

HEAD BAND 3.5G

Micro by Petri & qPCR

Pass

Analysis Date: 10/31/2025 12:13 pm

| Compound                                  | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Salmonella Qualitative                    | 1           | 0              | Not Detected   | Pass   |
| Shiga Toxin-Producing E. coli Qualitative | 1           | 0              | Not Detected   | Pass   |
| Total Aerobic Bacteria                    | 10          |                | <LOQ           | Pass   |
| Total Yeast & Mold                        | 10          |                | 5833           | Pass   |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.  
**Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
 1809 Vestal Pkwy E

Vestal, NY 13850  
 (607)301-0884  
 InfoNY@KeystoneStateTesting.com  
 www.KeystoneStateTesting.com  
 Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

