

GTI

Order No.: ONYGTINY1103-0010073
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
 Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
 Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
 Date Sampled: 11/03/2025 09:00
 Sample Received: 11/03/2025 14:32
 Report Created: 11/07/2025 17:18
 Sampling SOP 204




Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Results

3.85 mg/dose D9-THC	0.14 mg/dose CBG
0 mg/dose Total CBD	3.85 mg/dose Total THC
4.06 mg/dose Total Cannabinoids	7.658% Total Terpenes

Dominant Terpenes



GTI

Order No.: ONYGTINY1103-0010073
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
 Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
 Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
 Date Sampled: 11/03/2025 09:00
 Sample Received: 11/03/2025 14:32
 Report Created: 11/07/2025 17:18
 Sampling SOP 204



Cannabinoids

Tested
SOP: SOP 801-NY

Instrument: Shimadzu HPLC 1614 - 1614 / Agilent Infinity II - 2779

Date/Time Tested: 11/04/2025 16:18

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	8,662.47	ND	ND	ND	ND
CBDa	8,662.47	ND	ND	ND	ND
CBGa	8,662.47	1.47	14.67	0.07	29.35
CBG	8,662.47	2.84	28.43	0.14	56.86
CBD	8,662.47	ND	ND	ND	ND
THCV	8,662.47	< LOQ	< LOQ	< LOQ	< LOQ
CBN	8,662.47	ND	ND	ND	ND
D9-THC	8,662.47	76.94	769.42	3.85	1,538.84
D8-THC	8,662.47	ND	ND	ND	ND
(6aR,9S)-d10-THC	8,662.47	ND	ND	ND	ND
(6aR,9R)-d10-THC	8,662.47	ND	ND	ND	ND
CBC	8,662.47	< LOQ	< LOQ	< LOQ	< LOQ
THCa	8,662.47	< LOQ	< LOQ	< LOQ	< LOQ
Total CBD	0.00	0.00	0.00	0.00	0.00
Total THC	76.94	769.42	3.85	1,538.84	
Total Cannabinoids	81.25	812.52	4.06	1,625.05	

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass
SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX

qPCR - 3195

Date/Time Tested: 11/04/2025 17:05

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	Passed	
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	Passed	
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	Passed	
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	Passed	

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



GTI

Order No.: ONYGTINY1103-0010073
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
 Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
 Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
 Date Sampled: 11/03/2025 09:00
 Sample Received: 11/03/2025 14:32
 Report Created: 11/07/2025 17:18
 Sampling SOP 204


Pass

Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 11/04/2025 16:58

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	7.6577	Passed	a-Terpinene		155		ND Tested
Limonene	155		2.1884	Tested	p-Cymene		155		ND Tested
b-Caryophyllene	155		1.9376	Tested	Eucalyptol		155		ND Tested
Linalool	155		0.8604	Tested	g-Terpinene		155	< LOQ	Tested
b-Myrcene	155		0.5786	Tested	Sabinene Hydrate		155		ND Tested
a-Humulene	155		0.5659	Tested	Fenchone		155		ND Tested
a-Bisabolol	155		0.3135	Tested	Isopulegol		155		ND Tested
cis-Nerolidol	155		0.2606	Tested	Camphor		155		ND Tested
a-Pinene	155		0.2474	Tested	Isoborneol		155		ND Tested
Fenchol	155		0.2171	Tested	DL-Menthol		155		ND Tested
Terpineol	155		0.1820	Tested	Nerol		155		ND Tested
b-Pinene	155		0.0741	Tested	Pulegone		155		ND Tested
Borneol	155		0.0539	Tested	Geranyl Acetate		155		ND Tested
trans-b-Farnesene	155		0.0535	Tested	a-Cedrene		155		ND Tested
Terpinolene	155		0.0434	Tested	Valencene		155		ND Tested
Camphene	155		0.0424	Tested	trans-Nerolidol		155	< LOQ	Tested
Geraniol	155		0.0390	Tested	Guaiol		155		ND Tested
Sabinene	155		ND	Tested	Caryophyllene Oxide		155	< LOQ	Tested
a-Phellandrene	155		ND	Tested	Cedrol		155		ND Tested
d-3-Carene	155		ND	Tested	trans-b-Ocimene		155		ND Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



GTI

Order No.: ONYGTINY1103-0010073
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
 Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
 Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
 Date Sampled: 11/03/2025 09:00
 Sample Received: 11/03/2025 14:32
 Report Created: 11/07/2025 17:18
 Sampling SOP 204


Pass

Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 11/03/2025 17:15

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.



Certificate of Analysis

Compliance

Medical Use

OCM-CPL-24-00001-L1, OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

GTI

Order No.: ONYGTINY1103-0010073
85 John Hicks Drive
New York, 10990
mike.gilkenson@gtigrows.com
6147380382
MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
Date Sampled: 11/03/2025 09:00
Sample Received: 11/03/2025 14:32
Report Created: 11/07/2025 17:18
Sampling SOP 204



Mycotoxins

SOP: SOP 808-NY

Date/Time Tested: 11/05/2025 17:55

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Date/Time Tested: 11/05/2025 10:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.185	2.000	< LOQ	Passed
Arsenic	0.185	0.200	ND	Passed
Cadmium	0.185	0.200	ND	Passed
Chromium	0.185	110.000	ND	Passed
Copper	0.222	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.222	2.000	ND	Passed
Lead	0.185	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Angus Alfieri
Technical Director

Certificate of Analysis

Compliance

Medical Use

OCM-CPL-24-00001-L1, OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

GTI

Order No.: ONYGTINY1103-0010073
85 John Hicks Drive
New York, 10990
mike.gilkenson@gtigrows.com
6147380382
MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
Date Sampled: 11/03/2025 09:00
Sample Received: 11/03/2025 14:32
Report Created: 11/07/2025 17:18
Sampling SOP 204



Pass

Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 11/04/2025 16:22

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxy carb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalexyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance

Medical Use

OCM-CPL-24-00001-L1, OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

GTI

Order No.: ONYGTINY1103-0010073
85 John Hicks Drive
New York, 10990
mike.gilkenson@gtigrows.com
6147380382
MM0706M

Afternoon Delight #4 Pen (Live Resin) 2000mg - Rythm (Hybrid)
Concentrates & Extracts, Vape

Sample: SNYGTINY1103-CVAP-0020737

Strain: Afternoon Delight #4, Unit Weight: 2.0000g
Batch#: 20251027AD4-LLR-2.0, Batch Size: 1600 Units
Date Sampled: 11/03/2025 09:00
Sample Received: 11/03/2025 14:32
Report Created: 11/07/2025 17:18
Sampling SOP 204



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

