

Stiiizy
 Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712
 Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP
 Plant, Enhanced/Infused Preroll





Results

21.76 % D9-THC	0 % CBD
108.78 mg/unit D9-THC	0 mg/unit CBD
148.58 mg/unit Total Cannabinoids	2.102% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 09/04/2025 16:18

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	3,747.24	ND	ND	ND
CBDa	3,747.24	ND	ND	ND
CBGa	3,747.24	< LOQ	< LOQ	< LOQ
CBG	4,597.08	0.68	6.79	3.39
CBD	4,597.08	< LOQ	< LOQ	< LOQ
THCV	4,597.08	< LOQ	< LOQ	< LOQ
CBN	4,670.33	< LOQ	< LOQ	< LOQ
D9-THC	4,597.08	21.76	217.57	108.78
D8-THC	4,670.33	ND	ND	ND
(6aR,9S)-d10-THC	4,597.08	ND	ND	ND
(6aR,9R)-d10-THC	3,747.24	ND	ND	ND
CBC	3,747.24	< LOQ	< LOQ	< LOQ
THCa	4,597.08	7.28	72.81	36.41
Total CBD		ND	ND	ND
Total THC		28.14	281.42	140.71
Total Cannabinoids		29.72	297.17	148.58

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
 Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Date/Time Tested: 09/08/2025 13:08

Pass

Analyte	Limit (%)	%	Status
Moisture	15	7.0	Passed

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034

Date/Time Tested: 09/06/2025 11:46

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		34,368	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		5,442	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 09/08/2025 12:38

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.55	Passed

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 09/08/2025 14:51

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	2.1018	Passed	d-3-Carene	88		ND	Tested
b-Caryophyllene	88		0.8094	Tested	a-Terpinene	88		ND	Tested
Linalool	88		0.3502	Tested	p-Cymene	88		ND	Tested
Limonene	88		0.2494	Tested	Eucalyptol	88		ND	Tested
a-Humulene	88		0.1994	Tested	g-Terpinene	88		< LOQ	Tested
a-Bisabolol	88		0.0929	Tested	Sabinene Hydrate	88		ND	Tested
b-Myrcene	88		0.0917	Tested	Fenchone	88		ND	Tested
trans-Nerolidol	88		0.0615	Tested	Isopulegol	88		ND	Tested
Caryophyllene Oxide	88		0.0490	Tested	Camphor	88		ND	Tested
Terpineol	88		0.0411	Tested	Isoborneol	88		ND	Tested
b-Pinene	88		0.0353	Tested	DL-Menthol	88		ND	Tested
Valencene	88		0.0320	Tested	Borneol	88		ND	Tested
trans-b-Farnesene	88		0.0254	Tested	Nerol	88		ND	Tested
Fenchol	88		0.0204	Tested	Pulegone	88		ND	Tested
a-Pinene	88		0.0199	Tested	Geraniol	88		ND	Tested
Terpinolene	88		0.0137	Tested	Geranyl Acetate	88		ND	Tested
cis-Nerolidol	88		0.0104	Tested	a-Cedrene	88		< LOQ	Tested
Camphene	88		ND	Tested	Guaiol	88		< LOQ	Tested
Sabinene	88		ND	Tested	Cedrol	88		ND	Tested
a-Phellandrene	88		ND	Tested	trans-b-Ocimene	88		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 09/07/2025 13:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	< LOQ	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	187	5,000	< LOQ	Passed
Ethyl Acetate	187	5,000	ND	Passed
Ethyl Ether	19	5,000	ND	Passed
DMSO	94	5,000	ND	Passed
Heptane	19	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	187	5,000	ND	Passed
Methanol	112	3,000	317.4	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	56	5,000	ND	Passed
Propane	19	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane	47	1,500	ND	Passed
Xylenes	247	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	19	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 09/08/2025 19:14

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Date/Time Tested: 09/09/2025 10:09

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.168	2.000	< LOQ	Passed
Arsenic	0.168	0.200	ND	Passed
Cadmium	0.168	0.200	ND	Passed
Chromium	0.168	110.000	0.207	Passed
Copper	0.202	30.000	3.557	Passed
Mercury	0.040	0.100	ND	Passed
Nickel	0.202	5.000	< LOQ	Passed
Lead	0.168	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 09/08/2025 13:16

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed

Stiiizy

Order No.: ONYSTNY0905-0008755
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0905-PEIP-0018712

Unit Weight: .5000g
 Batch#: NYS-MP-KLO-H2725, Batch Size: 1251 Units
 Date Sampled: 09/05/2025 16:40
 Sample Received: 09/05/2025 17:40
 Report Created: 09/10/2025 14:50
 Sampling SOP 204

Stiiizy 40s King Louis MP

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.