Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage



Results

10.02 mg/unit D9-THC	**5.05 mg/unit** CBD
5.05 mg/unit Total CBD	**10.02 mg/unit** Total THC
15.07 mg/unit Total Cannabinoids	**0%** Total Terpenes

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Water Activity Not Tested	**Foreign Matter** Not Tested	**Homogeneity** Not Tested
Terpenes Tested	**Residual Solvents** Pass	**Mycotoxins** Pass
Heavy Metals Pass	**Pesticides** Pass	

Dominant Terpenes

No terpenes detected

ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Cannabinoids

Tested

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 11/12/2025 13:53

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	2.77	ND	ND	ND
CBDa	2.77	ND	ND	ND
CBGa	2.77	ND	ND	ND
CBG	2.77	< LOQ	< LOQ	< LOQ
CBD	2.77	0.00	**0.01**	**5.05**
THCV	2.77	ND	ND	ND
CBN	2.77	ND	ND	ND
D9-THC	2.77	0.00	**0.03**	**10.02**
D8-THC	2.77	ND	ND	ND
(6aR,9S)-d10-THC	2.77	ND	ND	ND
(6aR,9R)-d10-THC	2.77	ND	ND	ND
CBC	2.77	ND	ND	ND
THCa	2.77	ND	ND	ND
Total CBD		0.00	**0.01**	**5.05**
Total THC		0.00	**0.03**	**10.02**
Total Cannabinoids		0.00	**0.04**	**15.07**

Report notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

Pass

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 11/13/2025 19:22

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Report notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED
CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Terpenes

Tested

SOP: SOP 620-NY
Instrument: Agilent GC-FID 1950 - 1950
Date/Time Tested: 11/13/2025 18:09

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
a-Pinene	156	ND	DL-Menthol	156	ND
Camphene	156	ND	Borneol	156	ND
Sabinene	156	ND	Terpineol	156	ND
b-Pinene	156	ND	Nerol	156	ND
b-Myrcene	156	ND	Pulegone	156	ND
a-Phellandrene	156	ND	Geraniol	156	ND
d-3-Carene	156	ND	Geranyl Acetate	156	ND
a-Terpinene	156	ND	a-Cedrene	156	ND
Limonene	156	ND	b-Caryophyllene	156	ND
p-Cymene	156	ND	a-Humulene	156	ND
Eucalyptol	156	ND	Valencene	156	ND
g-Terpinene	156	ND	cis-Nerolidol	156	ND
Terpinolene	156	ND	trans-Nerolidol	156	ND
Fenchol	156	ND	Guaiol	156	ND
Sabinene Hydrate	156	ND	Caryophyllene Oxide	156	ND
Linalool	156	ND	Cedrol	156	ND
Fenchone	156	ND	a-Bisabolol	156	ND
Isopulegol	156	ND	trans-b-Ocimene	156	ND
Camphor	156	ND	trans-b-Farnesene	156	ND
Isoborneol	156	ND	Total Terpenes		ND

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

ACCREDITED CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Residual Solvents

Pass

SOP: SOP 612-NY
Date/Time Tested: 11/13/2025 11:27

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	2,273	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Mycotoxins

Pass

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 11/16/2025 16:11

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

Pass

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 11/13/2025 09:49

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.183	120.000	ND	Passed
Arsenic	0.183	1.500	ND	Passed
Cadmium	0.183	0.500	ND	Passed
Chromium	0.183	1,100.000	ND	Passed
Copper	0.219	300.000	ND	Passed
Mercury	0.044	3.000	ND	Passed
Nickel	0.219	20.000	ND	Passed
Lead	0.183	0.500	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Pesticides

Pass

SOP: SOP 814-NY
Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546
Date/Time Tested: 11/12/2025 13:38

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

Compliance | Adult Use

OCM-CPL-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Gen V
Order No.: ONYGVL1112-0010286
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760
OCM-PROC-24-000068

Sample: SNYGVL1112-IBEV-0021069
Unit Weight: 355.0000g
Batch#: 111127-BEV0398, Batch Size: 36000 Units
Date Sampled: 11/12/2025 11:23
Sample Received: 11/12/2025 17:03
Report Created: 11/17/2025 15:22
Sampling SOP 204

Ayrloom 10mg Black Cherry
Ingestible, Beverage

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

ACCREDITED
CERT #7425.01

Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.