

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:



Safety

Complete

Pesticides

Pass

Microbials

Complete

Mycotoxins

Complete

Solvents

Complete

Metals

Not Tested

Foreign Matter

Cannabinoids

10.38 mg/unit

Total THC

ND

Total CBD

NT

Moisture

Analyte	LOQ	Result	Result
	mg/g	mg/unit	%
CBDVa	0.00	ND	ND
CBDV	0.00	ND	ND
CBDa	0.00	ND	ND
CBGa	0.00	ND	ND
CBG	0.00	ND	ND
CBD	0.00	ND	ND
THCV	0.00	ND	ND
THCVa	0.00	ND	ND
CBN	0.00	<LOQ	<LOQ
Δ9-THC	0.00	10.38	0.003
Δ8-THC	0.00	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND
(6aR,9S)-d10-THC	0.00	ND	ND
CBC	0.00	ND	ND
THCa	0.00	ND	ND
CBCa	0.00	ND	ND
Total Cannabinoids		10.38	0.00

Entered By: VJ, Instrument ID: AL2-004
Method: MTHD-001, Date Tested: 05/09/2025 22:07
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane	3.9	5.0	NR	NT
2,2-Dimethyl-Butane	31.3		NR	NT
2,3-Dimethyl-Butane	31.3		NR	NT
2-Methyl-Pentane	31.3		NR	NT
3-Methyl-Pentane	31.3		NR	NT
Acetone	156.3	5000.0	NR	NT
Acetonitrile	156.3	410.0	NR	NT
Benzene	1.6	2.0	NR	NT
Chloroform	1.6	6.0	NR	NT
Dichloromethane	156.3	600.0	NR	NT
Dimethyl Sulfoxide	156.3	5000.0	NR	NT
Ethanol	156.3	5000.0	NR	NT
Ethyl-Acetate	156.3	5000.0	NR	NT
Ethyl-Ether	156.3	5000.0	NR	NT
Heptane	156.3	5000.0	NR	NT
Isobutane	78.1		NR	NT
2-Methyl-Butane	52.1		NR	NT
Isopropanol	156.3	5000.0	NR	NT
m+p Xylene	78.1	2170.0	NR	NT
Methanol	156.3	3000.0	NR	NT
n-Butane	78.1		NR	NT
Neopentane	52.1		NR	NT
n-Hexane	31.3		NR	NT
n-Pentane	52.1		NR	NT
o-Xylene	39.1		NR	NT
Propane	156.3	5000.0	NR	NT
Toluene	156.3	890.0	NR	NT
Trichloroethane	78.1	1500.0	NR	NT
1,1,1,2-Tetrafluoro-Ethane	156.3	1000.0	NR	NT
Butanes		5000.0	NR	NT
Hexanes		290.0	NR	NT
Pentanes		5000.0	NR	NT
Xylenes		2170.0	NR	NT

Entered By: CB, Instrument ID: AL1-001

Method: MTHD-007, Date Tested: 05/03/2025 7:22

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

Analyte	LOQ	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Aspergillus flavus	1	Absent	Absence	Pass
Aspergillus fumigatus	1	Absent	Absence	Pass
Aspergillus niger	1	Absent	Absence	Pass
Aspergillus terreus	1	Absent	Absence	Pass
Salmonella	1	Absent	Absence	Pass
Shiga Toxin E. Coli	1	Absent	Absence	Pass
Aerobic Bacteria	10	10000	ND	Pass
Yeast & Mold	10	1000	ND	Pass

Entered By: AT, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 05/03/2025 1755

YM Date Tested: 05/04/2025 1330 Sal/STEC/Asp Date Tested: 05/02/2025 1800

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Chromium	1.0000	110.0000	NR	NT
Nickel	0.5000	20.0000	NR	NT
Copper	1.0000	300.0000	NR	NT
Arsenic	0.1000	1.5000	NR	NT
Cadmium	0.1000	0.5000	NR	NT
Antimony	0.5000	120.0000	NR	NT
Mercury	0.0500	3.0000	NR	NT
Lead	0.2500	0.5000	NR	NT

Entered By: AT, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 05/08/2025 17:48

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Complete

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Aflatoxin B1	0.005	0.020	NR	NT
Aflatoxin B2	0.005	0.020	NR	NT
Aflatoxin G1	0.005	0.020	NR	NT
Aflatoxin G2	0.005	0.020	NR	NT
Ochratoxin A	0.005	0.020	NR	NT
Total Aflatoxins		0.020	NR	NT

Entered By: AT, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 05/08/2025 19:55

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

Analyte	LOQ	Result	Result
	%	%	mg/g
α -Bisabolol	0.0065	NT	NT
α -Humulene	0.0065	NT	NT
α -Phellandrene	0.0052	NT	NT
α -Pinene	0.0065	NT	NT
α -Terpinene	0.0065	NT	NT
β -Caryophyllene	0.0065	NT	NT
β -Myrcene	0.0065	NT	NT
β -Pinene	0.0065	NT	NT
Camphene	0.0065	NT	NT
Caryophyllene Oxide	0.0065	NT	NT
Farnesene	0.0021	NT	NT
Fenchol	0.0104	NT	NT
Geraniol	0.0065	NT	NT
Guaiol	0.0065	NT	NT
Limonene	0.0065	NT	NT
Linalool	0.0065	NT	NT
Ocimene	0.0065	NT	NT
Terpineol	0.0052	NT	NT
Terpinolene	0.0065	NT	NT
Valencene	0.0021	NT	NT

0.0000%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 05/09/2025 20:33

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.05	0.50	NR	NT
Acephate	0.05	0.40	NR	NT
Acequinocyl	0.05	2.00	NR	NT
Acetamiprid	0.05	0.20	NR	NT
Aldicarb	0.05	0.40	NR	NT
Avermectin-B1a			NR	NT
Avermectin-B1b			NR	NT
Azadirachtin	0.25	1.00	NR	NT
Azoxystrobin	0.05	0.20	NR	NT
Bifenazate	0.05	0.20	NR	NT
Bifenthrin	0.05	0.20	NR	NT
Boscalid	0.05	0.40	NR	NT
Captan	0.50	1.00	NR	NT
Carbaryl	0.05	0.20	NR	NT
Carbofuran	0.05	0.20	NR	NT
Chlorantraniliprole	0.05	0.20	NR	NT
Chlordane	0.50	1.00	NR	NT
Chlorfenapyr	0.50	1.00	NR	NT
Chlormequat chloride	0.05	1.00	NR	NT
Chlorpyrifos	0.05	0.20	NR	NT
Cinerin 1			NR	NT
Clofentezine	0.05	0.20	NR	NT
Coumaphos	0.05	1.00	NR	NT
Cyfluthrin	0.05	1.00	NR	NT
Cypermethrin	0.05	1.00	NR	NT

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 05/07/2025 20:12

LC Method: MTHD-009 LC Date Tested: 05/08/2025 19:55

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Daminozide	0.05	1.00	NR	NT
Diazinon	0.05	0.20	NR	NT
Dichlorvos	0.05	1.00	NR	NT
Dimethoate	0.05	0.20	NR	NT
Dimethomorph	0.05	1.00	NR	NT
Ethoprophos	0.05	0.20	NR	NT
Etofenprox	0.05	0.40	NR	NT
Etoxazole	0.05	0.20	NR	NT
Fenhexamid	0.05	1.00	NR	NT
Fenoxycarb	0.05	0.20	NR	NT
Fenpyroximate	0.05	0.40	NR	NT
Fipronil	0.05	0.40	NR	NT
Flonicamid	0.05	1.00	NR	NT
Fludioxonil	0.05	0.40	NR	NT
Hexythiazox	0.05	1.00	NR	NT
Imazalil	0.05	0.20	NR	NT
Imidacloprid	0.05	0.40	NR	NT
Indolebutyric Acid	0.05	1.00	NR	NT
Jasmolin 1			NR	NT
Kresoxim Methyl	0.05	0.40	NR	NT
Malathion	0.05	0.20	NR	NT
Metalaxyl	0.05	0.20	NR	NT
Methiocarb	0.05	0.20	NR	NT
Methomyl	0.05	0.40	NR	NT
Methyl Parathion	0.10	0.20	NR	NT

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 05/07/2025 20:12

LC Method: MTHD-009 LC Date Tested: 05/08/2025 19:55

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Mevinphos	0.05	1.00	NR	NT
MGK-264	0.05	0.20	NR	NT
Myclobutanil	0.05	0.20	NR	NT
Naled	0.05	0.50	NR	NT
Oxamyl	0.05	1.00	NR	NT
Paclobutrazol	0.05	0.40	NR	NT
Pentachloronitrobenzene	0.50	1.00	NR	NT
Permethrins	0.05	0.20	NR	NT
Phosmet	0.05	0.20	NR	NT
Piperonyl Butoxide	0.05	2.00	NR	NT
Prallethrin	0.05	0.20	NR	NT
Propiconazole	0.05	0.40	NR	NT
Propoxur	0.05	0.20	NR	NT
Pyrethrin 1			NR	NT
Pyrethrin 2			NR	NT
Pyrethrins	0.05	1.00	NR	NT
Pyridaben	0.05	0.20	NR	NT
Spinetoram	0.05	1.00	NR	NT
Spinetoram J			NR	NT
Spinetoram L			NR	NT
Spinosad	0.05	0.20	NR	NT
Spinosyn A			NR	NT
Spinosyn D			NR	NT
Spiromesifen	0.05	0.20	NR	NT
Spirotetramat	0.05	0.20	NR	NT

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 05/07/2025 20:12

LC Method: MTHD-009 LC Date Tested: 05/08/2025 19:55

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011




Amanda Thorning
Laboratory Director


Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Cirona Labs - NYS

 Contact Person: Gregory Thomas
 Rochester, NY 14624
 gregory.thomas@cironalabs.com
 (585) 506-6827
 Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units

Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

 Ingestible, Beverage
 Parent Lot:

Sampling

 Sample Collection Date/Time: 04/30/25 12:53
 Sample Collection Site: Cirona labs
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Complete

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Spiroxamine	0.05	0.20	NR	NT
Tebuconazole	0.05	0.40	NR	NT
Thiacloprid	0.05	0.20	NR	NT
Thiamethoxam	0.05	0.20	NR	NT
Trifloxystrobin	0.05	0.20	NR	NT

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 05/07/2025 20:12

LC Method: MTHD-009 LC Date Tested: 05/08/2025 19:55

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

 DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011


 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Cirona Labs - NYS

Contact Person: Gregory Thomas
Rochester, NY 14624
gregory.thomas@cironalabs.com
(585) 506-6827
Lic. #OCM-PROC-24-000051

Sample: 2504RLI0342-1256

Strain: Lemonade

Batch#: L250424-LEM21B-THC; Batch Size: 6900 units
Sample Received: 04/30/2025; Report Created: 06/13/2025;

Lemonade

Ingestible, Beverage
Parent Lot:

Sampling

Sample Collection Date/Time: 04/30/25 12:53
Sample Collection Site: Cirona labs
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Homogeneity

9%

Limit: 25%

Pass

Δ 9-THC

0%

Limit: 25%

Pass

CBD

Date Tested: 05/09/2025

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.