

Stiiizy
 Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879
 Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO
 Concentrates & Extracts, Vape





Results

78.56 % D9-THC	0 % CBD
785.58 mg/unit D9-THC	0 mg/unit CBD
897.88 mg/unit Total Cannabinoids	1.002% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO
 Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY
 Instrument: Agilent Infinity II - 2779 / Agilent HPLC 2518 - 2518
 Date/Time Tested: 11/07/2025 15:21

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,190.16	ND	ND	ND
CBDa	4,190.16	ND	ND	ND
CBGa	4,190.16	ND	ND	ND
CBG	4,190.16	1.83	18.34	18.34
CBD	4,190.16	< LOQ	< LOQ	< LOQ
THCV	4,190.16	0.50	4.98	4.98
CBN	4,190.16	0.50	5.00	5.00
D9-THC	4,190.16	78.56	785.58	785.58
D8-THC	4,190.16	ND	ND	ND
(6aR,9S)-d10-THC	4,190.16	ND	ND	ND
(6aR,9R)-d10-THC	4,190.16	ND	ND	ND
CBC	4,190.16	ND	ND	ND
THCa	4,190.16	8.40	83.98	83.98
Total CBD		0.00	0.00	0.00
Total THC		85.92	859.23	859.23
Total Cannabinoids		89.79	897.88	897.88

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
 Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX
 qPCR - 3195
 Date/Time Tested: 11/07/2025 16:56

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO

Concentrates & Extracts, Vape



Pass

Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 11/08/2025 17:16

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	1.0019	Passed	g-Terpinene	155		ND	Tested
Limonene	155		0.3538	Tested	Terpinolene	155		< LOQ	Tested
b-Caryophyllene	155		0.2212	Tested	Sabinene Hydrate	155		ND	Tested
Linalool	155		0.0794	Tested	Fenchone	155		ND	Tested
a-Bisabolol	155		0.0653	Tested	Isopulegol	155		ND	Tested
b-Myrcene	155		0.0632	Tested	Camphor	155		ND	Tested
b-Pinene	155		0.0601	Tested	Isoborneol	155		ND	Tested
Fenchol	155		0.0349	Tested	DL-Menthol	155		ND	Tested
Terpineol	155		0.0339	Tested	Borneol	155		ND	Tested
a-Pinene	155		0.0307	Tested	Nerol	155		ND	Tested
trans-Nerolidol	155		0.0238	Tested	Pulegone	155		ND	Tested
Caryophyllene Oxide	155		0.0183	Tested	Geraniol	155		ND	Tested
a-Humulene	155		0.0172	Tested	Geranyl Acetate	155		ND	Tested
Camphene	155		< LOQ	Tested	a-Cedrene	155		ND	Tested
Sabinene	155		ND	Tested	Valencene	155		ND	Tested
a-Phellandrene	155		ND	Tested	cis-Nerolidol	155		ND	Tested
d-3-Carene	155		< LOQ	Tested	Guaiol	155		ND	Tested
a-Terpinene	155		ND	Tested	Cedrol	155		ND	Tested
p-Cymene	155		ND	Tested	trans-b-Ocimene	155		ND	Tested
Eucalyptol	155		ND	Tested	trans-b-Farnesene	155		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO

Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 1333 - 1333

Date/Time Tested: 11/10/2025 11:41

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	ND	Passed
Acetonitrile	2,133	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	< LOQ	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO
 Concentrates & Extracts, Vape



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 11/07/2025 17:52

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 11/07/2025 11:42

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.190	2.000	ND	Passed
Arsenic	0.190	0.200	ND	Passed
Cadmium	0.190	0.200	ND	Passed
Chromium	0.190	110.000	< LOQ	Passed
Copper	0.227	30.000	0.270	Passed
Mercury	0.045	0.100	ND	Passed
Nickel	0.227	2.000	< LOQ	Passed
Lead	0.190	0.500	< LOQ	Passed

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO

Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 11/07/2025 17:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY1105-0010153
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY1105-CVAP-0020879

Strain: Strawberry Milkshake, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-SMS-N0425, Batch Size: 658 Units
 Date Sampled: 11/06/2025 15:27
 Sample Received: 11/06/2025 16:39
 Report Created: 11/11/2025 17:17
 Sampling SOP 204

Strawberry Milkshake AIO

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Angus Alfieri
Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.