



Certificate of Analysis

FOR COMPLIANCE

PASSED



Batch #: GGAS60125
Production Method: Cured
Total Amount: 1267 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Metrc Package #:
1A412030000045A000000182
Metrc Source Package #:
1A412030000045A000000012

Lab ID: AL60106012-001
Sampled Date: 01/06/26
Sample Collection Time: 12:10 PM
Sampling End: 01:15 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 13 units
Completed: 01/10/26
Manifest #: 0000045962

Donna's Buds & Edibles Farm LLC

122 Grape Hollow Road
Holmes, NY, 12531, US

License # : OCM-MICR-25-000225

SAFETY RESULTS

MISC.



Pesticide
NOT TESTED



Heavy Metals
NOT TESTED



Microbial
PASSED



Mycotoxins
NOT TESTED



Solvents
NOT TESTED



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Microbial

PASSED

ANALYTES

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AEROBIC BACTERIA	CFU/g	100		TESTED	<100	
TOTAL YEAST AND MOLD	CFU/g	100		TESTED	<100	
ESCHERICHIA COLI/SHIGELLA SPP.			Not Present	PASS	Not Present	
SALMONELLA SPECIES			Not Present	PASS	Not Present	
ASPERGILLUS TERREUS			Not Present	PASS	Not Present	
ASPERGILLUS NIGER			Not Present	PASS	Not Present	
ASPERGILLUS FLAVUS			Not Present	PASS	Not Present	
ASPERGILLUS FUMIGATUS			Not Present	PASS	Not Present	

Weight:
0.801g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 01/10/26 15:59:44

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
01/10/26
Laboratory License #: OCM-
CPL-24-00006-L1