

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
 Batch#: WS-2.5-AOM; Batch Size: 1430 units
 Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
 Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
 Sample Collection Site: Adonis Distribution
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | | |
|--------------------|--------------------|------------------------------|------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins | Pass Water Activity |
| Pass Solvents | Pass Metals | Not Tested Foreign Matter | Pass Moisture |

Cannabinoids

| | | |
|---------------------|--------------------|------------------|
| 44.23% Total THC | 0.04% Total CBD | 6.8% Moisture |
|---------------------|--------------------|------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | 0.04 | 0.4 |
| CBGa | 0.2 | 1.25 | 12.5 |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | 0.65 | 6.5 |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 3.58 | 35.8 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 46.35 | 463.5 |
| CBCa | 0.2 | 0.60 | 6.0 |
| Total Cannabinoids | | 52.47 | 524.70 |

Entered By: GTG, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 11/24/2025 1646
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
 Batch#: WS-2.5-AOM; Batch Size: 1430 units
 Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
 Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
 Sample Collection Site: Adonis Distribution
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------------|------|--------|--------|--------|
| | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 1.0 | 5.0 | ND | Pass |
| 2,2-Dimethyl-Butane | 10.0 | | ND | Tested |
| 2,3-Dimethyl-Butane | 10.0 | | ND | Tested |
| 2-Methyl-Pentane | 10.0 | | ND | Tested |
| 3-Methyl-Pentane | 10.0 | | ND | Tested |
| Acetone | 10.0 | 5000.0 | ND | Pass |
| Acetonitrile | 10.0 | 410.0 | ND | Pass |
| Benzene | 1.0 | 2.0 | ND | Pass |
| Chloroform | 1.0 | 60.0 | ND | Pass |
| Dichloromethane | 10.0 | 600.0 | ND | Pass |
| Dimethyl Sulfoxide | 10.0 | 5000.0 | ND | Pass |
| Ethanol | 10.0 | 5000.0 | ND | Pass |
| Ethyl-Acetate | 10.0 | 5000.0 | ND | Pass |
| Ethyl-Ether | 10.0 | 5000.0 | ND | Pass |
| Heptane | 10.0 | 5000.0 | ND | Pass |
| Isobutane | 10.0 | | ND | Tested |
| 2-Methyl-Butane | 10.0 | | ND | Tested |
| Isopropanol | 10.0 | 5000.0 | ND | Pass |
| m+p Xylene | 10.0 | 2170.0 | ND | Pass |
| Methanol | 10.0 | 3000.0 | ND | Pass |
| n-Butane | 10.0 | | ND | Tested |
| Neopentane | 10.0 | | ND | Tested |
| n-Hexane | 10.0 | | ND | Tested |
| n-Pentane | 10.0 | | ND | Tested |
| o-Xylene | | | ND | Tested |
| Propane | 10.0 | 5000.0 | ND | Pass |
| Toluene | 10.0 | 890.0 | ND | Pass |
| Trichloroethane | 10.0 | 1500.0 | ND | Pass |
| 1,1,1,2-Tetrafluoro-Ethane | 2.0 | 1000.0 | ND | Pass |
| Butanes | | 5000.0 | ND | Pass |
| Hexanes | | 290.0 | ND | Pass |
| Pentanes | | 5000.0 | ND | Pass |
| Xylenes | | 2170.0 | ND | Pass |

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-007, Date Tested: 11/22/2025 4:31
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported
 Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 1500 | Tested |
| Yeast & Mold | 10 | N/A | 32000 | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 11/22/2025 15:00
 YM Date Tested: 11/23/2025 11:18 Sal/STEC/Asp Date Tested: 11/24/2025 14:17
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|----------|---------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 110.0000 | ND | Pass |
| Nickel | 0.5000 | 5.0000 | 0.9736 | Pass |
| Copper | 1.0000 | 30.0000 | 12.8501 | Pass |
| Arsenic | 0.1000 | 0.2000 | ND | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | <LOQ | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: BW, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 11/21/2025 18:38
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: AT, Instrument ID: AL1-003
 Method: MTHD-009 Date Tested: 11/30/2025 17:31

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
 Batch#: WS-2.5-AOM; Batch Size: 1430 units
 Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
 Parent Lot:

Sampling




Sample Collection Date/Time: 11/20/25 11:03
 Sample Collection Site: Adonis Distribution
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|------------------------|--------|--------|--------|
| | % | % | mg/g |
| β -Caryophyllene | 0.0125 | 0.77 | 7.66 |
| α -Humulene | 0.0125 | 0.22 | 2.18 |
| β -Myrcene | 0.0125 | 0.05 | 0.49 |
| Linalool | 0.0125 | 0.05 | 0.47 |
| Limonene | 0.0125 | 0.03 | 0.28 |
| α -Bisabolol | 0.0125 | ND | ND |
| α -Phellandrene | 0.0125 | ND | ND |
| α -Pinene | 0.0125 | <LOQ | <LOQ |
| α -Terpinene | 0.0125 | ND | ND |
| β -Pinene | 0.0125 | <LOQ | <LOQ |
| Camphene | 0.0125 | <LOQ | <LOQ |
| Caryophyllene Oxide | 0.0125 | ND | ND |
| Farnesene | 0.0125 | ND | ND |
| Fenchol | 0.0125 | ND | ND |
| Geraniol | 0.0125 | ND | ND |
| Guaiol | 0.0125 | ND | ND |
| Ocimene | 0.0125 | <LOQ | <LOQ |
| Terpineol | 0.0125 | ND | ND |
| Terpinolene | 0.0125 | ND | ND |
| Valencene | 0.0125 | ND | ND |



1.1093%
 Total Terpenes

Entered By: VJ, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 11/24/2025 11:14

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

Certificate of Analysis

Adonis Distribution

Contact Person: Andrew Dugan
 Gloversville, NY 12078
 adugan@adonisny.com
 (443) 286-7108
 Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
 Batch#: WS-2.5-AOM; Batch Size: 1430 units
 Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
 Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
 Sample Collection Site: Adonis Distribution
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 11/29/2025 19:31
 LC Method: MTHD-009 LC Date Tested: 11/30/2025 17:31
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011




 Amanda Thorning
 Laboratory Director


 Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
Batch#: WS-2.5-AOM; Batch Size: 1430 units
Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 11/29/2025 19:31
LC Method: MTHD-009 LC Date Tested: 11/30/2025 17:31
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
Batch#: WS-2.5-AOM; Batch Size: 1430 units
Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.05 | 1.00 | ND | Pass |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 11/29/2025 19:31
LC Method: MTHD-009 LC Date Tested: 11/30/2025 17:31
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
Batch#: WS-2.5-AOM; Batch Size: 1430 units
Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 11/29/2025 19:31
LC Method: MTHD-009 LC Date Tested: 11/30/2025 17:31
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Adonis Distribution

Contact Person: Andrew Dugan
Gloversville, NY 12078
adugan@adonisny.com
(443) 286-7108
Lic. #OCM-PROC-24-000063

Sample: 2511RLI1160-4459

Strain: Alien OG x Motorbreath
Batch#: WS-2.5-AOM; Batch Size: 1430 units
Sample Received: 11/20/2025; Report Created: 12/02/2025;

Woodstock - Alien OG x Motorbreath - Infused Prerolls - 5x0

Plant, Enhanced/Infused Preroll
Parent Lot:

Sampling

Sample Collection Date/Time: 11/20/25 11:03
Sample Collection Site: Adonis Distribution
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 11/21/2025; 1524
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 11/21/2025; 12:35
Water Activity Method: MTHD-002

0.30 aw
Limit: 0.65 aw
Pass
Water Activity

6.8%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method:
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
| | % | | |
| | % | | |
| | % | | |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.