

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116





## Results

<b>578.14 mg/unit</b> D9-THC	<b>244.76 mg/unit</b> THCa
<b>0.00 mg/unit</b> Total CBD	<b>792.79 mg/unit</b> Total THC
<b>840.07 mg/unit</b> Total Cannabinoids	<b>9.849%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116



## Cannabinoids

SOP: SOP 801-NY  
 Instrument: Agilent Infinity II - 2779 / Agilent HPLC 2518 - 2518  
 Date/Time Tested: 01/17/2026 13:10

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,448.18	ND	ND	ND
CBDa	4,448.18	ND	ND	ND
CBGa	4,448.18	1.24	12.44	12.44
CBG	4,448.18	0.47	4.73	4.73
CBD	4,448.18	ND	ND	ND
THCV	4,448.18	< LOQ	< LOQ	< LOQ
CBN	4,448.18	ND	ND	ND
D9-THC	4,448.18	57.81	578.14	578.14
D8-THC	4,448.18	ND	ND	ND
(6aR,9S)-d10-THC	4,448.18	< LOQ	< LOQ	< LOQ
(6aR,9R)-d10-THC	4,448.18	ND	ND	ND
CBC	4,448.18	< LOQ	< LOQ	< LOQ
THCa	4,448.18	24.48	244.76	244.76
Total CBD		0.00	0.00	0.00
Total THC		79.28	792.79	792.79
Total Cannabinoids		84.01	840.07	840.07

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP: SOP 401-NY SOP 418-NY  
 Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX  
 qPCR - 3195  
 Date/Time Tested: 01/15/2026 17:53

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/19/2026 10:37

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>9.8490</b>	Passed	a-Phellandrene	160		ND	Tested
b-Caryophyllene	160		<b>4.4369</b>	Tested	d-3-Carene	160		ND	Tested
a-Humulene	160		<b>1.2858</b>	Tested	a-Terpinene	160		< LOQ	Tested
Limonene	160		<b>1.0956</b>	Tested	Eucalyptol	160		< LOQ	Tested
a-Bisabolol	160		<b>0.8831</b>	Tested	g-Terpinene	160		< LOQ	Tested
b-Myrcene	160		<b>0.7344</b>	Tested	Sabinene Hydrate	160		ND	Tested
cis-Nerolidol	160		<b>0.6598</b>	Tested	Fenchone	160		ND	Tested
Linalool	160		<b>0.1183</b>	Tested	Isopulegol	160		ND	Tested
trans-b-Farnesene	160		<b>0.1077</b>	Tested	Camphor	160		ND	Tested
b-Pinene	160		<b>0.1018</b>	Tested	Isoborneol	160		ND	Tested
Fenchol	160		<b>0.0919</b>	Tested	DL-Menthol	160		ND	Tested
a-Pinene	160		<b>0.0901</b>	Tested	Nerol	160		ND	Tested
Terpineol	160		<b>0.0665</b>	Tested	Pulegone	160		ND	Tested
Terpinolene	160		<b>0.0437</b>	Tested	Geraniol	160		ND	Tested
trans-Nerolidol	160		<b>0.0418</b>	Tested	Geranyl Acetate	160		ND	Tested
Camphene	160		<b>0.0263</b>	Tested	a-Cedrene	160		ND	Tested
Caryophyllene Oxide	160		<b>0.0247</b>	Tested	Valencene	160		ND	Tested
p-Cymene	160		<b>0.0209</b>	Tested	Guaiol	160		ND	Tested
Borneol	160		<b>0.0197</b>	Tested	Cedrol	160		ND	Tested
Sabinene	160		ND	Tested	trans-b-Ocimene	160		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/17/2026 12:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	< LOQ	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116



## Mycotoxins

**SOP:** SOP 808-NY  
**Instrument:** Agilent LCMS 2546 - 2546  
**Date/Time Tested:** 01/15/2026 16:49

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

**SOP:** SOP 250-NY  
**Instrument:** Agilent 7800 ICP-MS - 2594  
**Date/Time Tested:** 01/16/2026 11:00

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.168	2.000	ND	Passed
Arsenic	0.168	0.200	ND	Passed
Cadmium	0.168	0.200	ND	Passed
Chromium	0.168	110.000	ND	Passed
Copper	0.201	30.000	ND	Passed
Mercury	0.040	0.100	ND	Passed
Nickel	0.201	2.000	< LOQ	Passed
Lead	0.168	0.500	ND	Passed

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A41203000029100001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000029100001046, Metrc Sample: 1A41203000029100001047, Metrc Manifest: 0000058116



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/15/2026 11:04

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Jaunty

Order No.: ONYJTY0114-0011524  
 4883 State Route 67  
 New York, 12090  
 dennis.t@naturae.com  
 5189377247  
 OCM-PROC-24-000091-P1

## Sample: SNYJTY0114-CVAP-0022740

Unit Weight: 1.0000g  
 Batch#: JBVC-GG4-2601-2, Batch Size: 5200 Units, LOT ID:  
 1A4120300000291000001047  
 Date Sampled: 01/14/2026 16:01  
 Sample Received: 01/14/2026 16:11  
 Report Created: 01/21/2026 22:36  
 Sampling SOP 204

## Vape Cartridge - Live Resin - GG4 - 1.0g

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000291000001046, Metrc Sample: 1A4120300000291000001047, Metrc Manifest: 0000058116



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Kimberly Krisolofsky**  
 Lead Technical Director