

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

|                    |                    |                              |                              |
|--------------------|--------------------|------------------------------|------------------------------|
| Pass<br>Pesticides | Pass<br>Microbials | Pass<br>Mycotoxins           | Not Tested<br>Water Activity |
| Pass<br>Solvents   | Pass<br>Metals     | Not Tested<br>Foreign Matter | Not Tested<br>Moisture       |

## Cannabinoids

|                     |                 |                |
|---------------------|-----------------|----------------|
| 91.42%<br>Total THC | ND<br>Total CBD | NT<br>Moisture |
|---------------------|-----------------|----------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | ND           | ND            |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 91.42        | 914.2         |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | ND           | ND            |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>91.42</b> | <b>914.23</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 08/22/2025 22:34  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

Pass

| Analyte                    | LOQ   | Limit  | Result | Status |
|----------------------------|-------|--------|--------|--------|
|                            | PPM   | PPM    | PPM    |        |
| 1,2-Dichloro-Ethane        | 3.9   | 5.0    | ND     | Pass   |
| 2,2-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2,3-Dimethyl-Butane        | 31.3  |        | ND     | Tested |
| 2-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| 3-Methyl-Pentane           | 31.3  |        | ND     | Tested |
| Acetone                    | 156.3 | 5000.0 | ND     | Pass   |
| Acetonitrile               | 156.3 | 410.0  | ND     | Pass   |
| Benzene                    | 1.6   | 2.0    | ND     | Pass   |
| Chloroform                 | 1.6   | 60.0   | ND     | Pass   |
| Dichloromethane            | 156.3 | 600.0  | ND     | Pass   |
| Dimethyl Sulfoxide         | 156.3 | 5000.0 | ND     | Pass   |
| Ethanol                    | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Acetate              | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Ether                | 156.3 | 5000.0 | ND     | Pass   |
| Heptane                    | 156.3 | 5000.0 | ND     | Pass   |
| Isobutane                  | 78.1  |        | ND     | Tested |
| 2-Methyl-Butane            | 52.1  |        | ND     | Tested |
| Isopropanol                | 156.3 | 5000.0 | <LOQ   | Pass   |
| m+p Xylene                 | 78.1  | 2170.0 | ND     | Pass   |
| Methanol                   | 156.3 | 3000.0 | ND     | Pass   |
| n-Butane                   | 78.1  |        | ND     | Tested |
| Neopentane                 | 52.1  |        | ND     | Tested |
| n-Hexane                   | 31.3  |        | ND     | Tested |
| n-Pentane                  | 52.1  |        | ND     | Tested |
| o-Xylene                   | 39.1  |        | ND     | Tested |
| Propane                    | 156.3 | 5000.0 | ND     | Pass   |
| Toluene                    | 156.3 | 890.0  | ND     | Pass   |
| Trichloroethane            | 78.1  | 1500.0 | ND     | Pass   |
| 1,1,1,2-Tetrafluoro-Ethane | 156.3 | 1000.0 | ND     | Pass   |
| Butanes                    |       | 5000.0 | ND     | Pass   |
| Hexanes                    |       | 290.0  | ND     | Pass   |
| Pentanes                   |       | 5000.0 | ND     | Pass   |
| Xylenes                    |       | 2170.0 | ND     | Pass   |

Entered By: CB, Instrument ID: AL1-001

Method: MTHD-007, Date Tested: 08/21/2025 4:16

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

## Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | 10000  | ND      | Pass   |
| Yeast & Mold          | 10    | 1000   | ND      | Pass   |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 08/21/2025 11:25

YM Date Tested: 08/22/2025 14:45 Sal/STEC/Asp Date Tested: 08/20/2025 16:16

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit    | Result | Status |
|----------|--------|----------|--------|--------|
|          | PPM    | PPM      | PPM    |        |
| Chromium | 1.0000 | 110.0000 | ND     | Pass   |
| Nickel   | 0.5000 | 2.0000   | <LOQ   | Pass   |
| Copper   | 1.0000 | 30.0000  | ND     | Pass   |
| Arsenic  | 0.1000 | 0.2000   | ND     | Pass   |
| Cadmium  | 0.1000 | 0.2000   | ND     | Pass   |
| Antimony | 0.5000 | 2.0000   | <LOQ   | Pass   |
| Mercury  | 0.0500 | 0.1000   | ND     | Pass   |
| Lead     | 0.2500 | 0.5000   | <LOQ   | Pass   |

Entered By: AT, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 08/25/2025 11:39:07

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: CB, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 08/20/2025 17:59

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
3 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

Pass

## Primary Aromas

| Analyte                | LOQ    | Result | Result |
|------------------------|--------|--------|--------|
|                        | %      | %      | mg/g   |
| $\beta$ -Caryophyllene | 0.0065 | 1.0    | 10.2   |
| $\alpha$ -Bisabolol    | 0.0065 | 0.28   | 2.83   |
| $\alpha$ -Humulene     | 0.0065 | 0.28   | 2.76   |
| $\beta$ -Pinene        | 0.0065 | 0.22   | 2.25   |
| $\alpha$ -Pinene       | 0.0065 | 0.15   | 1.55   |
| Limonene               | 0.0065 | 0.14   | 1.38   |
| $\beta$ -Myrcene       | 0.0065 | 0.10   | 1.00   |
| Linalool               | 0.0065 | 0.04   | 0.36   |
| Farnesene              | 0.0021 | 0.00   | 0.04   |
| $\alpha$ -Phellandrene | 0.0052 | ND     | ND     |
| $\alpha$ -Terpinene    | 0.0065 | ND     | ND     |
| Camphene               | 0.0065 | ND     | ND     |
| Caryophyllene Oxide    | 0.0065 | ND     | ND     |
| Fenchol                | 0.0104 | ND     | ND     |
| Geraniol               | 0.0065 | ND     | ND     |
| Guaiol                 | 0.0065 | ND     | ND     |
| Ocimene                | 0.0065 | ND     | ND     |
| Terpineol              | 0.0052 | ND     | ND     |
| Terpinolene            | 0.0065 | ND     | ND     |
| Valencene              | 0.0021 | ND     | ND     |



Cinnamon



Chamomile



Hops



Pine



Orange

2.2341%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 08/22/2025 0:41

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011





Amanda Thorning  
Laboratory Director



Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 08/19/2025 20:26

LC Method: MTHD-009 LC Date Tested: 08/20/2025 17:59

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 7

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolesi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 08/19/2025 20:26

LC Method: MTHD-009 LC Date Tested: 08/20/2025 17:59

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Moby & Zeke, LLC

Contact Person: Nicholas Pistolessi  
Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

Concentrates & Extracts, Vape  
Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

Sample Collection Date/Time: 08/19/25 10:15  
Sample Collection Site: Moby & Zeke  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.05 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 08/19/2025 20:26

LC Method: MTHD-009 LC Date Tested: 08/20/2025 17:59

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Moby & Zeke, LLC

 Contact Person: Nicholas Pistolessi  
 Newfield, NY 14867

(860) 614-1271

Lic. #OCM-PROC-24-000031

## Tiger's Blood

 Concentrates & Extracts, Vape  
 Parent Lot:

Sample: 2508RLI0731-2764

Strain: Tiger's Blood

Batch#: TIBL-001-AIO2; Batch Size: 5004 units

Sample Received: 08/19/2025; Report Created: 08/25/2025;

## Sampling

 Sample Collection Date/Time: 08/19/25 10:15  
 Sample Collection Site: Moby & Zeke  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 08/19/2025 20:26

LC Method: MTHD-009 LC Date Tested: 08/20/2025 17:59

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

 DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-00011

  
 Amanda Thorning  
 Laboratory Director

  
 Violet Josik  
 Quality Assurance Officer

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.