

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907





Results

724.62 mg/unit D9-THC	68.70 mg/unit THCa
ND Total CBD	784.87 mg/unit Total THC
846.89 mg/unit Total Cannabinoids	5.237% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Cannabinoids

SOP: SOP 801-NY
 Instrument: Agilent HPLC 2518 - 2518 / Agilent Infinity II - 2779
 Date/Time Tested: 01/19/2026 18:51

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	8,362.97	ND	ND	ND
CBDa	4,222.93	ND	ND	ND
CBGa	8,362.97	ND	ND	ND
CBG	4,222.93	2.28	22.79	22.79
CBD	4,222.93	< LOQ	< LOQ	< LOQ
THCV	4,222.93	0.64	6.44	6.44
CBN	4,222.93	1.32	13.18	13.18
D9-THC	4,222.93	72.46	724.62	724.62
D8-THC	4,222.93	ND	ND	ND
(6aR,9S)-d10-THC	4,222.93	ND	ND	ND
(6aR,9R)-d10-THC	4,222.93	ND	ND	ND
CBC	4,222.93	1.12	11.16	11.16
THCa	8,362.97	6.87	68.70	68.70
Total CBD		ND	ND	ND
Total THC		78.49	784.87	784.87
Total Cannabinoids		84.69	846.89	846.89

Report notes:
 Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
 Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
 Date/Time Tested: 01/20/2026 17:44

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:
 Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/19/2026 17:46

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.2370	Passed	a-Phellandrene	156		ND	Tested
b-Myrcene	156		1.9037	Tested	a-Terpinene	156		< LOQ	Tested
Limonene	156		1.5436	Tested	Eucalyptol	156		ND	Tested
Terpinolene	156		0.4043	Tested	g-Terpinene	156		< LOQ	Tested
a-Pinene	156		0.3376	Tested	Sabinene Hydrate	156		ND	Tested
b-Pinene	156		0.3035	Tested	Fenchone	156		ND	Tested
b-Caryophyllene	156		0.1279	Tested	Isopulegol	156		ND	Tested
trans-b-Ocimene	156		0.1251	Tested	Camphor	156		ND	Tested
a-Bisabolol	156		0.1185	Tested	Isoborneol	156		ND	Tested
Linalool	156		0.0889	Tested	DL-Menthol	156		ND	Tested
Camphene	156		0.0852	Tested	Borneol	156		ND	Tested
Caryophyllene Oxide	156		0.0357	Tested	Nerol	156		ND	Tested
trans-b-Farnesene	156		0.0317	Tested	Pulegone	156		ND	Tested
Fenchol	156		0.0284	Tested	Geraniol	156		ND	Tested
a-Humulene	156		0.0272	Tested	Geranyl Acetate	156		ND	Tested
d-3-Carene	156		0.0224	Tested	a-Cedrene	156		ND	Tested
p-Cymene	156		0.0186	Tested	Valencene	156		ND	Tested
Terpineol	156		0.0177	Tested	cis-Nerolidol	156		< LOQ	Tested
Guaiol	156		0.0173	Tested	trans-Nerolidol	156		< LOQ	Tested
Sabinene	156		ND	Tested	Cedrol	156		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/21/2026 16:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	< LOQ	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.




Kimberly Krisolofsky
 Lead Technical Director

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LCMS 2546 - 2546
Date/Time Tested: 01/20/2026 19:54

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.9		ND	Tested
B2	4.9		ND	Tested
G1	4.9		ND	Tested
G2	4.9		ND	Tested
Ochratoxin A	4.9	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 01/19/2026 11:46

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.173	2.000	ND	Passed
Arsenic	0.173	0.200	ND	Passed
Cadmium	0.173	0.200	ND	Passed
Chromium	0.173	110.000	ND	Passed
Copper	0.208	30.000	0.347	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.208	2.000	< LOQ	Passed
Lead	0.173	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/20/2026 10:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	< LOQ	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.49	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	< LOQ	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

Stiiizy

Order No.: ONYSTNY0116-0011564
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0116-CVAP-0022975

Strain: White Widow, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-WTW-A0826, Batch Size: 877 Units, LOT ID:
 1A41203000004DC000000963
 Date Sampled: 01/16/2026 15:28
 Sample Received: 01/16/2026 17:45
 Report Created: 01/26/2026 21:10
 Sampling SOP 204

STIIIZY - LQD AIO - WHITE WIDOW - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000000841, Metrc Sample: 1A41203000004DC000000963, Metrc Manifest: 0000060907



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	< LOQ	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director