

Stiiizy
 Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180
 Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP
 Plant, Enhanced/Infused Preroll





Results

25.43 % D9-THC	0 % CBD
127.15 mg/unit D9-THC	0 mg/unit CBD
167.98 mg/unit Total Cannabinoids	0.572% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Pass	Microbials Pass
Water Activity Pass	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 09/20/2025 17:45

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	3,734.62	ND	ND	ND
CBDa	3,734.62	ND	ND	ND
CBGa	3,734.62	0.57	5.66	2.83
CBG	3,795.21	0.81	8.12	4.06
CBD	3,795.21	< LOQ	< LOQ	< LOQ
THCV	3,795.21	< LOQ	< LOQ	< LOQ
CBN	4,207.92	< LOQ	< LOQ	< LOQ
D9-THC	3,795.21	25.43	254.30	127.15
D8-THC	4,207.92	ND	ND	ND
(6aR,9S)-d10-THC	3,795.21	ND	ND	ND
(6aR,9R)-d10-THC	3,734.62	ND	ND	ND
CBC	3,734.62	< LOQ	< LOQ	< LOQ
THCa	3,795.21	6.79	67.87	33.94
Total CBD		ND	ND	ND
Total THC		31.38	313.83	156.91
Total Cannabinoids		33.60	335.95	167.98

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
 Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture Meter - 2560

Date/Time Tested: 09/22/2025 12:20

Pass

Analyte	Limit (%)	%	Status
Moisture	15	6.3	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX
 qPCR - 3195

Date/Time Tested: 09/19/2025 16:57

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		122,166	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		18,569	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

SOP: SOP 206-NY

Date/Time Tested: 09/23/2025 13:01

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	0.47	Passed

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 09/21/2025 09:31

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	0.5718	Passed	d-3-Carene	78		ND	Tested
b-Caryophyllene	78		0.1031	Tested	a-Terpinene	78		< LOQ	Tested
trans-Nerolidol	78		0.0988	Tested	p-Cymene	78		ND	Tested
trans-b-Farnesene	78		0.0758	Tested	Eucalyptol	78		< LOQ	Tested
a-Bisabolol	78		0.0536	Tested	g-Terpinene	78		< LOQ	Tested
Limonene	78		0.0476	Tested	Sabinene Hydrate	78		ND	Tested
Terpinolene	78		0.0428	Tested	Fenchone	78		ND	Tested
a-Humulene	78		0.0278	Tested	Isopulegol	78		ND	Tested
Linalool	78		0.0264	Tested	Camphor	78		ND	Tested
Terpineol	78		0.0254	Tested	Isoborneol	78		ND	Tested
Geraniol	78		0.0198	Tested	DL-Menthol	78		ND	Tested
Caryophyllene Oxide	78		0.0163	Tested	Borneol	78		< LOQ	Tested
cis-Nerolidol	78		0.0124	Tested	Nerol	78		ND	Tested
Fenchol	78		0.0117	Tested	Pulegone	78		ND	Tested
b-Pinene	78		0.0104	Tested	Geranyl Acetate	78		ND	Tested
a-Pinene	78		< LOQ	Tested	a-Cedrene	78		ND	Tested
Camphene	78		ND	Tested	Valencene	78		ND	Tested
Sabinene	78		ND	Tested	Guaiol	78		ND	Tested
b-Myrcene	78		< LOQ	Tested	Cedrol	78		ND	Tested
a-Phellandrene	78		ND	Tested	trans-b-Ocimene	78		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 09/20/2025 18:40

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	42.1	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	184	5,000	< LOQ	Passed
Ethyl Acetate	184	5,000	ND	Passed
Ethyl Ether	18	5,000	ND	Passed
DMSO	92	5,000	ND	Passed
Heptane	18	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	184	5,000	ND	Passed
Methanol	110	3,000	404.7	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	ND	Passed
Propane	18	5,000	< LOQ	Passed
Toluene	3	890	ND	Passed
Trichloroethane	46	1,500	ND	Passed
Xylenes	243	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	18	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 09/21/2025 17:33

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 09/22/2025 10:55

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.183	2.000	ND	Passed
Arsenic	0.183	0.200	ND	Passed
Cadmium	0.183	0.200	ND	Passed
Chromium	0.183	110.000	0.189	Passed
Copper	0.220	30.000	4.329	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.220	5.000	< LOQ	Passed
Lead	0.183	0.500	< LOQ	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Pesticides

SOP: SOP 814-NY

Date/Time Tested: 09/21/2025 18:00

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.11	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0918-0009002
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0918-PEIP-0019180

Strain: Watermelon Z, Unit Weight: .5000g
 Batch#: NYS-MP-WMZ-K0425, Batch Size: 1229 Units
 Date Sampled: 09/18/2025 00:00
 Sample Received: 09/18/2025 15:56
 Report Created: 09/23/2025 23:00
 Sampling SOP 204

Stiiizy 40s Watermelon Z MP

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.11	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.