

Stiiizy

Order No.: ONYSTNY0617-0007110
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
 Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
 Sample Received: 06/17/2025 16:53
 Report Created: 06/27/2025 12:32
 Sampling SOP 204-NY

Strawberry Cough 1g
 Concentrates & Extracts, Vape





Results

763.84 mg/unit D9-THC	22.12 mg/unit CBG
5.33 mg/unit Total CBD	763.84 mg/unit Total THC
836.62 mg/unit Total Cannabinoids	6.792% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes





Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
Date/Time Tested: 06/20/2025
13:43

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,694.51	ND	ND	ND
CBDa	4,694.51	ND	ND	ND
CBGa	4,694.51	ND	ND	ND
CBG	4,694.51	2.21	22.12	22.12
CBD	4,694.51	0.53	5.33	5.33
THCV	4,694.51	0.95	9.50	9.50
CBN	4,694.51	1.67	16.66	16.66
D9-THC	4,694.51	76.38	763.84	763.84
D8-THC	4,694.51	ND	ND	ND
(6aR,9S)-d10-THC	4,694.51	ND	ND	ND
(6aR,9R)-d10-THC	4,694.51	ND	ND	ND
CBC	4,694.51	1.92	19.16	19.16
THCa	4,694.51	ND	ND	ND
Total CBD		0.53	5.33	5.33
Total THC		76.38	763.84	763.84
Total Cannabinoids		83.66	836.62	836.62

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
Date/Time Tested: 06/20/2025
18:32

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Date/Time Tested: 06/20/2025
13:43

Pass

Analyte	Result
Homogeneity	Pass



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g
Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
Date/Time Tested: 06/21/2025 15:25

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	6.7918	Passed	Isoborneol	156	< LOQ		Tested
b-Myrcene	156		2.3783	Tested	DL-Menthol	156	ND		Tested
Limonene	156		1.0206	Tested	Terpineol	156	ND		Tested
a-Pinene	156		0.8700	Tested	Nerol	156	ND		Tested
a-Bisabolol	156		0.6523	Tested	Pulegone	156	ND		Tested
b-Caryophyllene	156		0.5894	Tested	Geraniol	156	ND		Tested
b-Pinene	156		0.4352	Tested	Geranyl Acetate	156	ND		Tested
trans-Nerolidol	156		0.4220	Tested	a-Cedrene	156	ND		Tested
a-Humulene	156		0.1671	Tested	Eucalyptol	156	ND		Tested
Linalool	156		0.1113	Tested	p-Cymene	156	ND		Tested
Caryophyllene Oxide	156		0.0909	Tested	Valencene	156	< LOQ		Tested
Terpinolene	156		0.0313	Tested	cis-Nerolidol	156	< LOQ		Tested
Fenchol	156		0.0233	Tested	Sabinene	156	ND		Tested
Camphene	156	< LOQ		Tested	Guaiol	156	< LOQ		Tested
a-Phellandrene	156	ND		Tested	a-Terpinene	156	ND		Tested
Sabinene Hydrate	156	ND		Tested	Cedrol	156	ND		Tested
g-Terpinene	156	ND		Tested	d-3-Carene	156	ND		Tested
Fenchone	156	ND		Tested	trans-b-Ocimene	156	ND		Tested
Isopulegol	156	ND		Tested	trans-b-Farnesene	156	ND		Tested
Camphor	156	ND		Tested	Borneol	156	ND		Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY
Date/Time Tested: 06/16/2025 18:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	201	5,000	< LOQ	Passed
Ethyl Acetate	201	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	101	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	201	5,000	ND	Passed
Methanol	121	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	50	1,500	ND	Passed
Xylenes	266	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY
Date/Time Tested: 06/19/2025 16:50

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 06/20/2025 14:01

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.190	2.000	ND	Passed
Arsenic	0.190	0.200	ND	Passed
Cadmium	0.190	0.200	ND	Passed
Chromium	0.190	110.000	ND	Passed
Copper	0.228	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.228	2.000	ND	Passed
Lead	0.190	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 06/19/2025 13:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	< LOQ	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Amended

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0617-0007110
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0617-CVAP-0016199

Unit Weight: 1.0000g
Batch#: NYS-ORGF-SBC-F0925 , Batch Size: 497
Sample Received: 06/17/2025 16:53
Report Created: 06/27/2025 12:32
Sampling SOP 204-NY

Strawberry Cough 1g

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	< LOQ	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

Amended Note: REV01: Corrected Error in Batch ID

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.