

Stiiizy

Order No.: ONYSTNY0717-0007708
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
 Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
 Report Received: 07/17/2025 16:49
 Report Created: 07/24/2025 17:43
 Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape




Results

870.76 mg/unit D9-THC	22.58 mg/unit CBG
0.00 mg/unit Total CBD	870.76 mg/unit Total THC
911.40 mg/unit Total Cannabinoids	0.858% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Pass
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0717-0007708
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
 Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
 Sample Received: 07/17/2025 16:49
 Report Created: 07/24/2025 17:43
 Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
 Date/Time Tested: 07/22/2025
 10:31

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,481.21	ND	ND	ND
CBDa	4,481.21	ND	ND	ND
CBGa	4,481.21	ND	ND	ND
CBG	4,481.21	2.26	22.58	22.58
CBD	4,481.21	< LOQ	< LOQ	< LOQ
THCV	4,481.21	0.62	6.22	6.22
CBN	4,481.21	0.57	5.69	5.69
D9-THC	4,481.21	87.08	870.76	870.76
D8-THC	4,481.21	ND	ND	ND
(6aR,9S)-d10-THC	4,481.21	ND	ND	ND
(6aR,9R)-d10-THC	4,481.21	ND	ND	ND
CBC	4,481.21	0.61	6.15	6.15
THCa	4,481.21	ND	ND	ND
Total CBD		0.00	0.00	0.00
Total THC		87.08	870.76	870.76
Total Cannabinoids		91.14	911.40	911.40

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 418-NY
 Date/Time Tested: 07/18/2025
 19:33

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Date/Time Tested: 07/22/2025
 10:31

Pass

Analyte	Result
Homogeneity	Pass

Stiiizy

Order No.: ONYSTNY0717-0007708
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
 Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
 Report Received: 07/17/2025 16:49
 Report Created: 07/24/2025 17:43
 Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY
 Date/Time Tested: 07/22/2025 15:05

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	0.8581	Passed	Linalool	160	< LOQ		Tested
Limonene	160		0.4789	Tested	Fenchone	160		ND	Tested
trans-Nerolidol	160		0.0911	Tested	Isopulegol	160		ND	Tested
b-Pinene	160		0.0876	Tested	Camphor	160		ND	Tested
a-Bisabolol	160		0.0570	Tested	Isoborneol	160		ND	Tested
b-Myrcene	160		0.0435	Tested	DL-Menthol	160		ND	Tested
g-Terpinene	160		0.0331	Tested	Borneol	160		ND	Tested
b-Caryophyllene	160		0.0286	Tested	Terpineol	160	< LOQ		Tested
Caryophyllene Oxide	160		0.0219	Tested	Nerol	160		ND	Tested
a-Pinene	160		0.0164	Tested	Pulegone	160		ND	Tested
Camphene	160		ND	Tested	Geraniol	160		ND	Tested
Sabinene	160		< LOQ	Tested	Geranyl Acetate	160		ND	Tested
a-Phellandrene	160		ND	Tested	a-Cedrene	160		ND	Tested
d-3-Carene	160		ND	Tested	a-Humulene	160	< LOQ		Tested
a-Terpinene	160		ND	Tested	Valencene	160		ND	Tested
p-Cymene	160		< LOQ	Tested	cis-Nerolidol	160		ND	Tested
Eucalyptol	160		ND	Tested	Guaiol	160	< LOQ		Tested
Terpinolene	160		ND	Tested	Cedrol	160		ND	Tested
Fenchol	160		ND	Tested	trans-b-Ocimene	160		ND	Tested
Sabinene Hydrate	160		ND	Tested	trans-b-Farnesene	160	< LOQ		Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0717-0007708
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
 Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
 Report Received: 07/17/2025 16:49
 Report Created: 07/24/2025 17:43
 Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 07/19/2025 19:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	203	5,000	427.0	Passed
Ethyl Acetate	203	5,000	< LOQ	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	102	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	203	5,000	ND	Passed
Methanol	122	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	61	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	5,076	1,500	ND	Passed
Xylenes	268	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 07/19/2025 19:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested	Ochratoxin A	4.8	20.0	ND	Passed
B2	4.8		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.8		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.8		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Stiiizy

Order No.: ONYSTNY0717-0007708
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
Sample Received: 07/17/2025 16:49
Report Created: 07/24/2025 17:43
Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/21/2025 10:50

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.181	2.000	ND	Passed
Arsenic	0.181	0.200	ND	Passed
Cadmium	0.181	0.200	ND	Passed
Chromium	0.181	110.000	ND	Passed
Copper	0.217	30.000	ND	Passed
Mercury	0.043	0.100	ND	Passed
Nickel	0.217	2.000	ND	Passed
Lead	0.181	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0717-0007708
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
Sample Received: 07/17/2025 16:49
Report Created: 07/24/2025 17:43
Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY
Date/Time Tested: 07/19/2025 18:20

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Stiiizy

Order No.: ONYSTNY0717-0007708
101 O'neil Rd
New York, 13838
info@stiiizy.com
2134561232

Sample: SNYSTNY0717-CVAP-0016982

Strain: Watermelon Z, Unit Weight: 1.0000g
Batch#: NYS-ORGF-WMZ-G1025, Batch Size: 508
Report Received: 07/17/2025 16:49
Report Created: 07/24/2025 17:43
Sampling SOP 204-NY

Watermelon Z 1G

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.