

Gen V

Order No.: ONYGVL1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGVL1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704




Results

4.30 mg/dose D9-THC	0.12 mg/dose CBG
0 mg/dose Total CBD	4.3 mg/dose Total THC
4.44 mg/dose Total Cannabinoids	4.12% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Gen V

Order No.: ONYGV1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGV1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent Infinity II - 2779
Date/Time Tested: 12/31/2025 13:28

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,544.75	ND	ND	ND	ND
CBDa	4,544.75	ND	ND	ND	ND
CBGa	4,544.75	ND	ND	ND	ND
CBG	4,544.75	2.39	23.91	0.12	47.81
CBD	4,544.75	ND	ND	ND	ND
THCV	4,544.75	0.52	5.22	0.03	10.43
CBN	4,544.75	< LOQ	< LOQ	< LOQ	< LOQ
D9-THC	4,544.75	85.91	859.15	4.30	1,718.30
D8-THC	4,544.75	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,544.75	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,544.75	ND	ND	ND	ND
CBC	4,544.75	ND	ND	ND	ND
THCa	4,544.75	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		85.91	859.15	4.30	1,718.30
Total Cannabinoids		88.83	888.27	4.44	1,776.54

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX
 qPCR - 3195
Date/Time Tested: 01/02/2026 15:04

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Gen V

Order No.: ONYGV1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGV1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/03/2026 16:39

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	4.1198	Passed	Fenchol	164		ND	Tested
Linalool	164		2.6475	Tested	Sabinene Hydrate	164		ND	Tested
a-Pinene	164		0.5803	Tested	Fenchone	164		ND	Tested
b-Myrcene	164		0.3310	Tested	Isopulegol	164		ND	Tested
Limonene	164		0.2157	Tested	Camphor	164		ND	Tested
b-Caryophyllene	164		0.1086	Tested	Isoborneol	164		ND	Tested
Terpinolene	164		0.1011	Tested	DL-Menthol	164		ND	Tested
a-Bisabolol	164		0.0488	Tested	Borneol	164		ND	Tested
a-Humulene	164		0.0354	Tested	Terpineol	164		ND	Tested
Guaiol	164		0.0312	Tested	Nerol	164		ND	Tested
Caryophyllene Oxide	164		0.0203	Tested	Pulegone	164		ND	Tested
Camphene	164		< LOQ	Tested	Geraniol	164		ND	Tested
Sabinene	164		ND	Tested	Geranyl Acetate	164		ND	Tested
b-Pinene	164		< LOQ	Tested	a-Cedrene	164		ND	Tested
a-Phellandrene	164		ND	Tested	Valencene	164		ND	Tested
d-3-Carene	164		ND	Tested	cis-Nerolidol	164		ND	Tested
a-Terpinene	164		ND	Tested	trans-Nerolidol	164		ND	Tested
p-Cymene	164		ND	Tested	Cedrol	164		ND	Tested
Eucalyptol	164		ND	Tested	trans-b-Ocimene	164		ND	Tested
g-Terpinene	164		ND	Tested	trans-b-Farnesene	164		ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Gen V

Order No.: ONYGV1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGV1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 12/31/2025 13:16

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	ND	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	< LOQ	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Gen V

Order No.: ONYGVL1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGVL1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Mycotoxins

SOP: SOP 808-NY
Instrument: Agilent LC-MS-MS 2755 - 2755
Date/Time Tested: 12/31/2025 17:49

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY
Date/Time Tested: 12/31/2025 12:04

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.173	2.000	ND	Passed
Arsenic	0.173	0.200	ND	Passed
Cadmium	0.173	0.200	ND	Passed
Chromium	0.173	110.000	< LOQ	Passed
Copper	0.208	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.208	2.000	ND	Passed
Lead	0.173	0.500	ND	Passed

Report notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGV1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGV1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape
 Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LCMS 2546 - 2546

Date/Time Tested: 12/30/2025 11:09

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.38	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Gen V

Order No.: ONYGVL1229-0011220
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068-P1

Sample: SNYGVL1229-CVAP-0022269

Strain: Alaskan Thunder Fuck, Unit Weight: 2.0000g
 Batch#: 122326-V0602-2.0, Batch Size: 1000 Units, LOT ID:
 1A412030000020B000000419
 Date Sampled: 12/29/2025 13:34
 Sample Received: 12/29/2025 16:39
 Report Created: 01/06/2026 16:41
 Sampling SOP 204

Ayrloom AU - Vape 2.0g AIO (1800THC) - ATF

Concentrates & Extracts, Vape

Metrc Batch: 1A412030000020B000000367, Metrc Sample: 1A412030000020B000000419, Metrc Manifest: 0000035704



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.