

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape





Results

3.40 mg/dose D9-THC	0.87 mg/dose CBC
0 mg/dose Total CBD	3.4 mg/dose Total THC
4.53 mg/dose Total Cannabinoids	4.096% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 07/30/2025 11:26

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,265.07	ND	ND	ND	ND
CBDa	4,265.07	ND	ND	ND	ND
CBGa	4,265.07	ND	ND	ND	ND
CBG	4,265.07	4.33	43.26	0.22	43.26
CBD	4,265.07	ND	ND	ND	ND
THCV	4,265.07	ND	ND	ND	ND
CBN	4,265.07	0.82	8.21	0.04	8.21
D9-THC	4,265.07	68.07	680.69	3.40	680.69
D8-THC	4,265.07	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,265.07	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,265.07	ND	ND	ND	ND
CBC	4,265.07	17.44	174.42	0.87	174.42
THCa	4,265.07	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		68.07	680.69	3.40	680.69
Total Cannabinoids		90.66	906.58	4.53	906.58

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: 35C Incubator - 1032 / 28C Incubator - 1034/ BioRad CFX
 qPCR - 3195

Date/Time Tested: 07/29/2025 15:00

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus		0	ND	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus		0	ND	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger		0	ND	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 07/29/2025 14:36

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	4.0957	Passed	d-3-Carene	163		ND	Tested
Limonene	163		0.9725	Tested	g-Terpinene	163		ND	Tested
a-Phellandrene	163		0.7193	Tested	Terpinolene	163		< LOQ	Tested
b-Caryophyllene	163		0.6006	Tested	Sabinene Hydrate	163		ND	Tested
a-Pinene	163		0.3964	Tested	Fenchone	163		ND	Tested
Linalool	163		0.3016	Tested	Isopulegol	163		ND	Tested
Nerol	163		0.2489	Tested	Camphor	163		ND	Tested
Terpineol	163		0.2340	Tested	Isoborneol	163		ND	Tested
b-Myrcene	163		0.1963	Tested	DL-Menthol	163		ND	Tested
p-Cymene	163		0.0920	Tested	Borneol	163		ND	Tested
Camphene	163		0.0869	Tested	Pulegone	163		ND	Tested
b-Pinene	163		0.0498	Tested	Geraniol	163		ND	Tested
a-Humulene	163		0.0489	Tested	Geranyl Acetate	163		ND	Tested
a-Bisabolol	163		0.0418	Tested	a-Cedrene	163		ND	Tested
Fenchol	163		0.0274	Tested	Valencene	163		ND	Tested
a-Terpinene	163		0.0228	Tested	cis-Nerolidol	163		ND	Tested
trans-Nerolidol	163		0.0225	Tested	Guaiol	163		ND	Tested
Caryophyllene Oxide	163		0.0171	Tested	Cedrol	163		ND	Tested
Eucalyptol	163		0.0168	Tested	trans-b-Ocimene	163		ND	Tested
Sabinene	163		ND	Tested	trans-b-Farnesene	163		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542

Date/Time Tested: 07/29/2025 14:13

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	43	5,000	ND	Passed
Acetonitrile	17	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	43	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	213	5,000	ND	Passed
Ethyl Acetate	213	5,000	ND	Passed
Ethyl Ether	21	5,000	ND	Passed
DMSO	106	5,000	ND	Passed
Heptane	21	5,000	ND	Passed
Hexanes	6	290	< LOQ	Passed
Isopropyl Alcohol	213	5,000	ND	Passed
Methanol	128	3,000	ND	Passed
Methylene Chloride	3	600	ND	Passed
Pentanes	64	5,000	ND	Passed
Propane	21	5,000	ND	Passed
Toluene	4	890	6.3	Passed
Trichloroethane	5,314	1,500	ND	Passed
Xylenes	281	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	21	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 07/29/2025 17:06

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 07/30/2025 09:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.182	2.000	ND	Passed
Arsenic	0.182	0.200	ND	Passed
Cadmium	0.182	0.200	ND	Passed
Chromium	0.182	110.000	ND	Passed
Copper	0.219	30.000	ND	Passed
Mercury	0.044	0.100	ND	Passed
Nickel	0.219	2.000	ND	Passed
Lead	0.182	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 07/27/2025 17:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



Angus Alfieri

Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Gen V

Order No.: ONYGVL0728-0007903
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760
 OCM-PROC-24-000068

Sample: SNYGVL0728-CVAP-0017318

Strain: Bliss, Unit Weight: 1.0000g
 Batch#: 072526-V0535-1.0, Batch Size: 5000
 Date Sampled: 07/28/2025 10:37
 Sample Received: 07/28/2025 15:13
 Report Created: 07/31/2025 19:14
 Sampling SOP 204-NY

Ayrloom Bliss 1.0g

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Angus Alfieri
 Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.