

DF New York One, Inc. - Jeeter  
 Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

Infused Jeeter 1G Preroll Gelato  
 Plant, Enhanced/Infused Preroll





## Results

<b>203.82 mg/unit</b> D9-THC	<b>199.30 mg/unit</b> THCa
<b>ND</b> Total CBD	<b>378.60 mg/unit</b> Total THC
<b>414.32 mg/unit</b> Total Cannabinoids	<b>4.167%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Pass	<b>Microbials</b> Pass
<b>Water Activity</b> Pass	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



### Cannabinoids

SOP: SOP 801-NY

Date/Time Tested: 10/01/2025  
 14:33

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	2,219.32	ND	ND	ND
CBDa	2,219.32	ND	ND	ND
CBGa	2,219.32	<b>0.69</b>	<b>6.94</b>	<b>6.94</b>
CBG	2,219.32	<b>0.43</b>	<b>4.27</b>	<b>4.27</b>
CBD	2,093.60	< LOQ	< LOQ	< LOQ
THCV	2,093.60	< LOQ	< LOQ	< LOQ
CBN	2,141.42	< LOQ	< LOQ	< LOQ
D9-THC	2,141.42	<b>20.38</b>	<b>203.82</b>	<b>203.82</b>
D8-THC	2,219.32	ND	ND	ND
(6aR,9S)-d10-THC	2,141.42	< LOQ	< LOQ	< LOQ
(6aR,9R)-d10-THC	2,093.60	ND	ND	ND
CBC	2,093.60	< LOQ	< LOQ	< LOQ
THCa	2,141.42	<b>19.93</b>	<b>199.30</b>	<b>199.30</b>
Total CBD		ND	ND	ND
Total THC		<b>37.86</b>	<b>378.60</b>	<b>378.60</b>
Total Cannabinoids		<b>41.43</b>	<b>414.32</b>	<b>414.32</b>

**Report notes:**

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

**Amend Note:**

Amended Rev01: Added Photo

### Moisture

SOP: SOP 205-NY

Instrument: Shimadzu Moisture  
 Meter - 2560

Date/Time Tested: 10/01/2025  
 12:39

Pass

Analyte	Limit (%)	%	Status
Moisture	15	<b>12.7</b>	Passed

### Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR -  
 3195 / 35C Incubator - 1032 / 28C  
 Incubator - 1034

Date/Time Tested: 09/30/2025  
 10:26

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100		<b>1,012</b>	Tested
E. Coli		0	ND	Passed
Yeast & Mold	100		ND	Tested
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

**Report notes:**

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

### Water Activity

SOP: SOP 206-NY

Date/Time Tested: 10/01/2025  
 18:30

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.65	<b>0.62</b>	Passed



*Angus Alfieri*  
**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 10/01/2025 18:57

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>4.1669</b>	Passed	trans-b-Farnesene	83		<b>0.0114</b>	Tested
b-Caryophyllene	83		<b>1.2194</b>	Tested	Camphene	83		<b>0.0101</b>	Tested
Limonene	83		<b>0.8071</b>	Tested	Sabinene	83		ND	Tested
Linalool	83		<b>0.5000</b>	Tested	a-Phellandrene	83		ND	Tested
b-Myrcene	83		<b>0.3420</b>	Tested	a-Terpinene	83		ND	Tested
a-Bisabolol	83		<b>0.2648</b>	Tested	p-Cymene	83		ND	Tested
Fenchol	83		<b>0.2328</b>	Tested	Eucalyptol	83		ND	Tested
Terpineol	83		<b>0.1716</b>	Tested	g-Terpinene	83		ND	Tested
a-Humulene	83		<b>0.1306</b>	Tested	Sabinene Hydrate	83		ND	Tested
b-Pinene	83		<b>0.1130</b>	Tested	Fenchone	83		ND	Tested
Terpinolene	83		<b>0.1105</b>	Tested	Isopulegol	83		ND	Tested
Caryophyllene Oxide	83		<b>0.0542</b>	Tested	Isoborneol	83		ND	Tested
cis-Nerolidol	83		<b>0.0529</b>	Tested	DL-Menthol	83		ND	Tested
a-Pinene	83		<b>0.0388</b>	Tested	Pulegone	83		ND	Tested
trans-Nerolidol	83		<b>0.0258</b>	Tested	Geraniol	83		ND	Tested
Guaiol	83		<b>0.0242</b>	Tested	Geranyl Acetate	83		ND	Tested
Nerol	83		<b>0.0206</b>	Tested	a-Cedrene	83		< LOQ	Tested
Camphor	83		<b>0.0129</b>	Tested	Valencene	83		ND	Tested
d-3-Carene	83		<b>0.0121</b>	Tested	Cedrol	83		ND	Tested
Borneol	83		<b>0.0119</b>	Tested	trans-b-Ocimene	83		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



## Residual Solvents

SOP: SOP 612-NY

Instrument: MS - 2544 / HS - 2542 / Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 10/01/2025 15:22

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	199	5,000	ND	Passed
Ethyl Acetate	199	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	100	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	199	5,000	< LOQ	Passed
Methanol	120	3,000	<b>237.1</b>	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	50	1,500	ND	Passed
Xylenes	263	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



## Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LCMS 2546 - 2546

Date/Time Tested: 09/30/2025 12:36

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested
B2	4.7		ND	Tested
G1	4.7		ND	Tested
G2	4.7		ND	Tested
Ochratoxin A	4.7	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 10/02/2025 13:42

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.190	2.000	ND	Passed
Arsenic	0.190	0.200	ND	Passed
Cadmium	0.190	0.200	ND	Passed
Chromium	0.190	110.000	<b>0.410</b>	Passed
Copper	0.228	30.000	<b>4.593</b>	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.228	5.000	< LOQ	Passed
Lead	0.190	0.500	< LOQ	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541

Date/Time Tested: 09/30/2025 10:44

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed



*Angus Alfieri*  
**Angus Alfieri**  
 Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## DF New York One, Inc. - Jeeter

Order No.: ONYJTR0929-0009254  
 1050 Lower South St  
 New York, 10567  
 lpalazzo@jeeter.com  
 4424037621  
 OCM-PROC-24-000153

## Sample: SNYJTR0929-PEIP-0019532

Strain: Gelato, Unit Weight: 1.0000g  
 Batch#: DFNY-GELATO-092425, Batch Size: 4329 Units, LOT ID:  
 111000000000259  
 Date Sampled: 09/29/2025 11:38  
 Sample Received: 09/29/2025 17:40  
 Report Created: 10/07/2025 12:01  
 Sampling SOP 204

## Infused Jeeter 1G Preroll Gelato

Plant, Enhanced/Infused Preroll



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chloromequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

