

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

|                           |                             |                          |  |
|---------------------------|-----------------------------|--------------------------|--|
| <b>Date Reported:</b>     | 2/10/2026                   | <b>Sample ID:</b>        | 20260203-CRLNMed-005                             |
| <b>Client Name:</b>       | CuraLeaf NY                 | <b>Sample Name:</b>      | Select Flavor Series Briq 2 2g:Sativa:Misty Mint |
| <b>Sampling Location:</b> | Ravena, New York            | <b>Sample Matrix:</b>    | Concentrate                                      |
| <b>Contact Name:</b>      | Phil Donohue                | <b>Sample Sub Type:</b>  | Vape Cartridge                                   |
| <b>Contact Email:</b>     | Philip.Donohue@curaleaf.com | <b>Package ID:</b>       | 1A412030000026D000004493                         |
| <b>License Number:</b>    | MM1001M/OCM-XROD-23-000001  | <b>Batch Lot ID:</b>     | P-2BQ2FL902026-140A                              |
| <b>Medical/Adult Use:</b> | Medical & Adult Use         | <b>Batch Size:</b>       | 2009   |
| <b>Sampling Date:</b>     | 02/03/2026 01:02:00 PM      | <b>Serving Size (g):</b> | 0.00278  |
| <b>METRC Test Tag ID:</b> | 1A412030000026D000004493    | <b>METRC Source ID:</b>  | 1A412030000026D000004491                         |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>-</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>-</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.288       |
| CBDA      | < MRL  | < MRL      | 0.288       |
| CBGA      | < MRL  | < MRL      | 0.288       |
| CBG       | 2.740  | 0.076      | 0.288       |
| CBD       | 0.480  | 0.013      | 0.288       |
| THCV      | 0.723  | 0.020      | 0.288       |
| CBN       | < MRL  | < MRL      | 0.288       |
| D9-THC    | 83.534 | 2.322      | 0.288       |
| D8-THC    | < MRL  | < MRL      | 0.288       |
| D10-THC-S | < MRL  | < MRL      | 0.288       |
| D10-THC-R | < MRL  | < MRL      | 0.288       |
| CBC       | 0.969  | 0.027      | 0.288       |
| THCA      | < MRL  | < MRL      | 0.288       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #194604 | Date Tested: 02/05/2026 11:28 AM

| Potency Summary   | % w/w  | mg/serving |
|---|--------|------------|
| <b>Total THC</b> [ Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877) ] | 83.534 | 2.322      |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                       | 0.480  | 0.013      |
| <b>Total Cannabinoids</b>                                       | 88.446 | 2.459      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Terpenes: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005)**

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | 0.20           | 0.12        |
| Camphene            | < MRL          | 0.12        |
| Sabinene            | < MRL          | 0.12        |
| beta-Pinene         | 0.18           | 0.12        |
| beta-Myrcene        | 0.20           | 0.12        |
| Alpha-phellandrene  | < MRL          | 0.12        |
| Carene              | < MRL          | 0.12        |
| alpha-terpinene     | < MRL          | 0.12        |
| p-Cymene            | < MRL          | 0.12        |
| Limonene            | 1.32           | 0.12        |
| Eucalyptol          | < MRL          | 0.12        |
| Ocimene             | 0.10           | 0.08        |
| gamma-Terpinene     | < MRL          | 0.12        |
| Sabinene Hydrate    | < MRL          | 0.12        |
| Terpinolene         | < MRL          | 0.12        |
| Linalool            | 0.23           | 0.12        |
| Fenchol             | < MRL          | 0.12        |
| Menthol             | 0.31           | 0.12        |
| Terpineol           | < MRL          | 0.12        |
| Citronellol         | < MRL          | 0.12        |
| Isopulegol          | < MRL          | 0.12        |
| Geraniol            | < MRL          | 0.12        |
| Alpha-cedrene       | < MRL          | 0.09        |
| Beta-Caryophyllene  | 0.66           | 0.12        |
| Farnesene           | < MRL          | 0.12        |
| alpha-Humulene      | 0.22           | 0.12        |
| Valencene           | < MRL          | 0.12        |
| cis-Nerolidol       | < MRL          | 0.05        |
| trans-Nerolidol     | < MRL          | 0.07        |
| Caryophyllene oxide | < MRL          | 0.12        |
| Guaiol              | < MRL          | 0.12        |
| alpha-Bisabolol     | < MRL          | 0.12        |

MRL = Minimum reporting limit/limit of quantification Test ID: #194608 | Date Tested: 02/09/2026 08:35 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 3.42   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
 401 North Middletown Road, Building 60B  
 Pearl River, NY 10965  
 www.greenanalyticsllc.com  
 License #s: OCM-CPL-00013  
 ISO 17025 Certificate No.: 4356.09

**Residual Solvents: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203- CRLNMed-005) PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|---|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #194607 | Date Tested: 02/09/2026 09:06 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
 Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Pesticides: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005)**

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.200        | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Fonicamid               | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.400        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 0.400        | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #194602 | Date Tested: 02/10/2026 11:13 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005)             |           |               |   | PASS       |
|---|-----------|---------------|---|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Ochratoxin  | PASS      | < MRL         | 0.020   | 0.010      |
| Total Aflatoxins  | PASS      | < MRL         | 0.020   | 0.010      |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #194603   Date Tested: 02/10/2026 11:15 AM |            |

| Heavy Metals: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005)                 |           |               |   | PASS       |
|---|-----------|---------------|---|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |   |            |
| Analyte   | Pass/Fail | Result (µg/g) | Limit (µg/g)  | MRL (µg/g) |
| Chromium  | PASS      | < MRL         | 110   | 8.00       |
| Nickel  | PASS      | < MRL         | 2.00  | 1.00       |
| Copper  | PASS      | < MRL         | 30.0  | 8.00       |
| Arsenic   | PASS      | < MRL         | 0.200   | 0.10       |
| Cadmium   | PASS      | < MRL         | 0.200   | 0.10       |
| Antimony  | PASS      | < MRL         | 2.00  | 1.00       |
| Mercury   | PASS      | < MRL         | 0.100   | 0.05       |
| Lead  | PASS      | < MRL         | 0.500   | 0.20       |
| MRL = Minimum reporting limit/limit of quantification   |           |               | Test ID: #194601   Date Tested: 02/05/2026 07:56 AM |            |

| Microbiology - Plating: Select Flavor Series Briq 2 2g:Sativa:Misty Mint (20260203-CRLNMed-005) |           |                 |  | PASS        |
|---|-----------|-----------------|--|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                                 |           |                 |  |             |
| Analyte   | Pass/Fail | Results (CFU/g) | Limit (CFU/g)  | MRL (CFU/g) |
| Total Aerobic Bacteria  | PASS      | < MRL           | 10000  | 100         |
| Total Yeast & Mold  | PASS      | < MRL           | 1000   | 100         |
| Microbiology - qPCR:  |           |                 |  |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)                |           |                 |  |             |
| Analyte   | Pass/Fail | Results (CFU/g) | Limit (CFU/g)  | MRL (CFU/g) |
| Salmonella spp  | PASS      | Absent          | Absent   | 1           |
| Shiga toxin-producing E. coli   | PASS      | Absent          | Absent   | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)   | PASS      | Absent          | Absent   | 1           |
| MRL = Minimum reporting limit/limit of quantification   |           |                 | Test IDs: #194610, #194609, #194612, #194611   Date Tested: 02/05/2026 02:28 PM, 02/06/2026 08:22 PM, 02/05/2026 01:35 PM, 02/05/2026 01:33 PM |             |



Matthew Elmes  
Lab Director  
2/10/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.