

## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907




## Results

<b>712.19 mg/unit</b> D9-THC	<b>67.31 mg/unit</b> THCa
<b>ND</b> Total CBD	<b>771.22 mg/unit</b> Total THC
<b>825.15 mg/unit</b> Total Cannabinoids	<b>5.9%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Pass	<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass
<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass	

## Dominant Terpenes



## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



## Cannabinoids

SOP: SOP 801-NY

Instrument: Agilent HPLC 2518 - 2518 / Agilent Infinity II - 2779

Date/Time Tested: 01/19/2026 18:51

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	8,692.19	ND	ND	ND
CBDa	8,692.19	ND	ND	ND
CBGa	8,692.19	ND	ND	ND
CBG	4,389.17	<b>2.24</b>	<b>22.35</b>	<b>22.35</b>
CBD	4,389.17	< LOQ	< LOQ	< LOQ
THCV	8,692.19	< LOQ	< LOQ	< LOQ
CBN	8,692.19	<b>1.27</b>	<b>12.68</b>	<b>12.68</b>
D9-THC	8,692.19	<b>71.22</b>	<b>712.19</b>	<b>712.19</b>
D8-THC	8,692.19	ND	ND	ND
(6aR,9S)-d10-THC	8,692.19	ND	ND	ND
(6aR,9R)-d10-THC	8,692.19	ND	ND	ND
CBC	4,389.17	<b>1.06</b>	<b>10.62</b>	<b>10.62</b>
THCa	8,692.19	<b>6.73</b>	<b>67.31</b>	<b>67.31</b>
Total CBD		ND	ND	ND
Total THC		<b>77.12</b>	<b>771.22</b>	<b>771.22</b>
Total Cannabinoids		<b>82.51</b>	<b>825.15</b>	<b>825.15</b>

### Report notes:

Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids = Sum of all cannabinoids  
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP: SOP 401-NY SOP 418-NY

Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034

Date/Time Tested: 01/20/2026 17:44

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	100	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	100	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

### Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



## Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 01/19/2026 17:46

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	<b>5.8997</b>	Passed	Sabinene	161		ND	Tested
Terpinolene	161		<b>2.6237</b>	Tested	Eucalyptol	161		< LOQ	Tested
b-Myrcene	161		<b>0.9576</b>	Tested	Sabinene Hydrate	161		ND	Tested
Limonene	161		<b>0.4209</b>	Tested	Fenchone	161		< LOQ	Tested
a-Pinene	161		<b>0.3043</b>	Tested	Isopulegol	161		ND	Tested
trans-b-Ocimene	161		<b>0.2701</b>	Tested	Camphor	161		ND	Tested
b-Pinene	161		<b>0.2020</b>	Tested	Isoborneol	161		ND	Tested
b-Caryophyllene	161		<b>0.2000</b>	Tested	DL-Menthol	161		ND	Tested
a-Phellandrene	161		<b>0.1338</b>	Tested	Borneol	161		ND	Tested
d-3-Carene	161		<b>0.1247</b>	Tested	Terpineol	161		< LOQ	Tested
a-Bisabolol	161		<b>0.1204</b>	Tested	Nerol	161		ND	Tested
a-Terpinene	161		<b>0.1198</b>	Tested	Pulegone	161		ND	Tested
p-Cymene	161		<b>0.1016</b>	Tested	Geraniol	161		ND	Tested
g-Terpinene	161		<b>0.0968</b>	Tested	Geranyl Acetate	161		ND	Tested
Linalool	161		<b>0.0579</b>	Tested	a-Cedrene	161		ND	Tested
a-Humulene	161		<b>0.0509</b>	Tested	Valencene	161		ND	Tested
Camphene	161		<b>0.0320</b>	Tested	cis-Nerolidol	161		ND	Tested
Caryophyllene Oxide	161		<b>0.0314</b>	Tested	trans-Nerolidol	161		< LOQ	Tested
trans-b-Farnesene	161		<b>0.0293</b>	Tested	Guaiol	161		< LOQ	Tested
Fenchol	161		<b>0.0224</b>	Tested	Cedrol	161		ND	Tested

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



## Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 01/21/2026 16:45

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	< LOQ	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



## Mycotoxins

**SOP:** SOP 808-NY  
**Instrument:** Agilent LCMS 2546 - 2546  
**Date/Time Tested:** 01/20/2026 19:54

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested
B2	4.6		ND	Tested
G1	4.6		ND	Tested
G2	4.6		ND	Tested
Ochratoxin A	4.6	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

**SOP:** SOP 250-NY  
**Instrument:** Agilent 7800 ICP-MS - 2594  
**Date/Time Tested:** 01/19/2026 11:46

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.174	2.000	ND	Passed
Arsenic	0.174	0.200	ND	Passed
Cadmium	0.174	0.200	ND	Passed
Chromium	0.174	110.000	< LOQ	Passed
Copper	0.209	30.000	ND	Passed
Mercury	0.042	0.100	ND	Passed
Nickel	0.209	2.000	< LOQ	Passed
Lead	0.174	0.500	ND	Passed

**Report notes:**  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



## Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541 / Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 01/20/2026 10:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	< LOQ	Passed
Methiocarb	0.09	0.20	ND	Passed



## Stiiizy

Order No.: ONYSTNY0116-0011564  
 101 O'neil Rd  
 New York, 13838  
 info@stiiizy.com  
 2134561232  
 OCM-PROC-24-000128-P1

## Sample: SNYSTNY0116-CVAP-0022978

Strain: Green Crack, Unit Weight: 1.0000g  
 Batch#: NYS-LAIO-GRC-A0926, Batch Size: 690 Units, LOT ID:  
 1A41203000004DC000000966  
 Date Sampled: 01/16/2026 15:28  
 Sample Received: 01/16/2026 17:47  
 Report Created: 01/26/2026 21:10  
 Sampling SOP 204

## STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape  
 Metrc Batch: 1A41203000004DC000000847, Metrc Sample: 1A41203000004DC000000966, Metrc Manifest: 0000060907



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.09	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

### Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Kimberly Krisolofsky**  
 Lead Technical Director