

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648




Results

814.25 mg/unit D9-THC	70.13 mg/unit THCa
0.00 mg/unit Total CBD	875.76 mg/unit Total THC
905.61 mg/unit Total Cannabinoids	5.718% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 03/02/2026 17:08

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/unit
CBDV	4,293.64	ND	ND	ND
CBDa	4,293.64	ND	ND	ND
CBGa	4,293.64	ND	ND	ND
CBG	4,293.64	1.22	12.25	12.25
CBD	4,293.64	< LOQ	< LOQ	< LOQ
THCV	4,293.64	< LOQ	< LOQ	< LOQ
CBN	4,293.64	< LOQ	< LOQ	< LOQ
D9-THC	4,293.64	81.43	814.25	814.25
D8-THC	4,293.64	ND	ND	ND
(6aR,9S)-d10-THC	4,293.64	ND	ND	ND
(6aR,9R)-d10-THC	4,293.64	ND	ND	ND
CBC	4,293.64	0.90	8.98	8.98
THCa	4,293.64	7.01	70.13	70.13
Total CBD		0.00	0.00	0.00
Total THC		87.58	875.76	875.76
Total Cannabinoids		90.56	905.61	905.61

Report notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: BioRad CFX qPCR - 3195 / 35C Incubator - 1032 / 28C Incubator - 1034
Date/Time Tested: 02/28/2026 14:16

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status	Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed	Aspergillus Flavus	0	ND	0	Passed
E. Coli		0	ND	Passed	Aspergillus Fumigatus	0	ND	0	Passed
Yeast & Mold	10	1,000	ND	Passed	Aspergillus Niger	0	ND	0	Passed
Salmonella		0	ND	Passed	Aspergillus Terreus	0	ND	0	Passed

Report notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 03/01/2026 15:39

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	5.7182	Passed	Sabinene Hydrate	158		ND	Tested
Terpinolene	158		2.6033	Tested	Fenchone	158		ND	Tested
b-Myrcene	158		0.9350	Tested	Isopulegol	158		ND	Tested
Limonene	158		0.4264	Tested	Camphor	158		ND	Tested
a-Pinene	158		0.3083	Tested	Isoborneol	158		ND	Tested
trans-b-Ocimene	158		0.2620	Tested	DL-Menthol	158		ND	Tested
b-Caryophyllene	158		0.2154	Tested	Borneol	158		ND	Tested
b-Pinene	158		0.2015	Tested	Terpineol	158		ND	Tested
a-Phellandrene	158		0.1305	Tested	Nerol	158		ND	Tested
d-3-Carene	158		0.1210	Tested	Pulegone	158		ND	Tested
a-Terpinene	158		0.1207	Tested	Geraniol	158		ND	Tested
p-Cymene	158		0.0984	Tested	Geranyl Acetate	158		ND	Tested
g-Terpinene	158		0.0832	Tested	a-Cedrene	158		ND	Tested
Linalool	158		0.0649	Tested	Valencene	158		ND	Tested
a-Humulene	158		0.0518	Tested	cis-Nerolidol	158		ND	Tested
trans-b-Farnesene	158		0.0441	Tested	trans-Nerolidol	158		< LOQ	Tested
Camphene	158		0.0319	Tested	Guaiol	158		ND	Tested
Fenchol	158		0.0198	Tested	Caryophyllene Oxide	158		< LOQ	Tested
Sabinene	158		ND	Tested	Cedrol	158		ND	Tested
Eucalyptol	158		< LOQ	Tested	a-Bisabolol	158		< LOQ	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Residual Solvents

SOP: SOP 612-NY

Instrument: Agilent HS-GC-MS 2543 - 2543

Date/Time Tested: 03/01/2026 18:23

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	< LOQ	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	< LOQ	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	< LOQ	Passed
Hexanes	145	290	< LOQ	Passed
Isopropyl Alcohol	2,500	5,000	< LOQ	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	< LOQ	Passed
Pentanes	2,500	5,000	< LOQ	Passed
Propane	2,500	5,000	< LOQ	Passed
Toluene	445	890	< LOQ	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Report notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Mycotoxins

SOP: SOP 808-NY

Instrument: Agilent LC-MS-MS 2755 - 2755

Date/Time Tested: 02/27/2026 17:56

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.8		ND	Tested
B2	4.8		ND	Tested
G1	4.8		ND	Tested
G2	4.8		ND	Tested
Ochratoxin A	4.8	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Heavy Metals

SOP: SOP 250-NY

Instrument: Agilent 7800 ICP-MS - 2594

Date/Time Tested: 03/02/2026 11:02

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.192	2.000	ND	Passed
Arsenic	0.192	0.200	ND	Passed
Cadmium	0.192	0.200	ND	Passed
Chromium	0.192	110.000	ND	Passed
Copper	0.231	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.231	2.000	ND	Passed
Lead	0.192	0.500	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Pesticides

SOP: SOP 814-NY

Instrument: Agilent GCMS 2541 - 2541

Date/Time Tested: 02/27/2026 18:06

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.48	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Stiiizy

Order No.: ONYSTNY0224-0012302
 101 O'neil Rd
 New York, 13838
 info@stiiizy.com
 2134561232
 OCM-PROC-24-000128-P1

Sample: SNYSTNY0224-CVAP-0024192

Strain: Green Crack, Unit Weight: 1.0000g
 Batch#: NYS-LAIO-GRC-B1726, Batch Size: 883 Units, LOT ID:
 1A41203000004DC000001370
 Date Sampled: 02/24/2026 15:41
 Sample Received: 02/24/2026 17:10
 Report Created: 03/04/2026 17:59
 Sampling SOP 204 ♦

STIIIZY - LQD AIO - GREEN CRACK - 1G

Concentrates & Extracts, Vape
 Metrc Batch: 1A41203000004DC000001249, Metrc Sample: 1A41203000004DC000001370, Metrc Manifest: 0000111648



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	0.24	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Report notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director