

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158




Results

3.98 mg/dose D9-THC	0.14 mg/dose CBG
0 mg/dose Total CBD	3.98 mg/dose Total THC
4.17 mg/dose Total Cannabinoids	7.782% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	

Dominant Terpenes



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158



Cannabinoids

SOP: SOP 801-NY
Instrument: Agilent HPLC 2518 - 2518
Date/Time Tested: 02/08/2026 14:04

Tested

Analyte	LOQ (ug/mL)	%	mg/g	mg/dose	mg/unit
CBDV	4,489.06	ND	ND	ND	ND
CBDa	4,489.06	ND	ND	ND	ND
CBGa	4,489.06	< LOQ	< LOQ	< LOQ	< LOQ
CBG	4,489.06	2.84	28.36	0.14	14.18
CBD	4,489.06	< LOQ	< LOQ	< LOQ	< LOQ
THCV	4,489.06	< LOQ	< LOQ	< LOQ	< LOQ
CBN	4,489.06	ND	ND	ND	ND
D9-THC	4,489.06	79.52	795.20	3.98	397.60
D8-THC	4,489.06	ND	ND	ND	ND
(6aR,9S)-d10-THC	4,489.06	ND	ND	ND	ND
(6aR,9R)-d10-THC	4,489.06	ND	ND	ND	ND
CBC	4,489.06	0.99	9.90	0.05	4.95
THCa	4,489.06	ND	ND	ND	ND
Total CBD		0.00	0.00	0.00	0.00
Total THC		79.52	795.20	3.98	397.60
Total Cannabinoids		83.35	833.47	4.17	416.73

Microbials

SOP: SOP 401-NY SOP 418-NY
Instrument: 35C Incubator - 1032 / 28C Incubator - 1034 / BioRad CFX
 qPCR - 3195
Date/Time Tested: 02/07/2026 16:25

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria	10	10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold	10	1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158



Terpenes

SOP: SOP 620-NY

Instrument: Agilent GC-FID 1950 - 1950

Date/Time Tested: 02/08/2026 13:53

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		115,000	7.7825	Passed	d-3-Carene	160		ND	Tested
Limonene	160		2.7796	Tested	a-Terpinene	160		ND	Tested
b-Caryophyllene	160		1.0690	Tested	p-Cymene	160		ND	Tested
Linalool	160		0.7894	Tested	Eucalyptol	160		ND	Tested
b-Myrcene	160		0.6531	Tested	g-Terpinene	160		ND	Tested
a-Humulene	160		0.4948	Tested	Sabinene Hydrate	160		ND	Tested
a-Pinene	160		0.4516	Tested	Isopulegol	160		ND	Tested
Fenchol	160		0.3362	Tested	Camphor	160		ND	Tested
cis-Nerolidol	160		0.2788	Tested	Isoborneol	160		ND	Tested
Terpineol	160		0.2713	Tested	DL-Menthol	160		ND	Tested
a-Bisabolol	160		0.2268	Tested	Nerol	160		ND	Tested
b-Pinene	160		0.1371	Tested	Pulegone	160		ND	Tested
Camphene	160		0.0831	Tested	Geraniol	160		ND	Tested
Borneol	160		0.0822	Tested	Geranyl Acetate	160		ND	Tested
Terpinolene	160		0.0525	Tested	a-Cedrene	160		ND	Tested
trans-b-Farnesene	160		0.0409	Tested	Valencene	160		ND	Tested
trans-Nerolidol	160		0.0193	Tested	Guaiol	160		ND	Tested
Fenchone	160		0.0168	Tested	Caryophyllene Oxide	160		< LOQ	Tested
Sabinene	160		ND	Tested	Cedrol	160		ND	Tested
a-Phellandrene	160		ND	Tested	trans-b-Ocimene	160		ND	Tested

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158



Residual Solvents

SOP: SOP 612-NY
 Instrument: Agilent HS-GC-MS 1333 - 1333
 Date/Time Tested: 02/09/2026 16:43

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	3	5	ND	Passed
Acetone	2,500	5,000	< LOQ	Passed
Acetonitrile	205	410	ND	Passed
Benzene	1	2	ND	Passed
Butane	2,500	5,000	ND	Passed
Chloroform	30	60	ND	Passed
Ethanol	2,500	5,000	< LOQ	Passed
Ethyl Acetate	2,500	5,000	ND	Passed
Ethyl Ether	2,500	5,000	ND	Passed
DMSO	2,500	5,000	ND	Passed
Heptane	2,500	5,000	ND	Passed
Hexanes	145	290	ND	Passed
Isopropyl Alcohol	2,500	5,000	ND	Passed
Methanol	1,500	3,000	ND	Passed
Methylene Chloride	300	600	ND	Passed
Pentanes	2,500	5,000	ND	Passed
Propane	2,500	5,000	ND	Passed
Toluene	445	890	ND	Passed
Trichloroethane	750	1,500	ND	Passed
Xylenes	1,085	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Mycotoxins

SOP: SOP 808-NY
 Instrument: Agilent LC-MS-MS 2755 - 2755
 Date/Time Tested: 02/08/2026 14:12

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158




Heavy Metals

SOP: SOP 250-NY
Instrument: Agilent 7800 ICP-MS - 2594
Date/Time Tested: 02/10/2026 10:51

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.192	2.000	ND	Passed
Arsenic	0.192	0.200	ND	Passed
Cadmium	0.192	0.200	ND	Passed
Chromium	0.192	110.000	ND	Passed
Copper	0.230	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.230	2.000	ND	Passed
Lead	0.192	0.500	ND	Passed

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape
 Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158



Pesticides

SOP: SOP 814-NY
Instrument: Agilent LCMS 2546 - 2546 / Agilent GCMS 2541 - 2541
Date/Time Tested: 02/08/2026 12:46

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Flonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed



Kimberly Krisolofsky
Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

GTI

Order No.: ONYGTINY0206-0011958
 85 John Hicks Drive
 New York, 10990
 mike.gilkenson@gtigrows.com
 6147380382
 OCM-XROD-23-000003_MM0706M-P1

Sample: SNYGTINY0206-CVAP-0023661

Strain: Donut Trip, Unit Weight: .5000g
 Batch#: 20260121DT-HRV-0.5, Batch Size: 1050 Units, LOT ID:
 1A4120300000205000002579
 Date Sampled: 02/06/2026 12:45
 Sample Received: 02/06/2026 16:32
 Report Created: 02/12/2026 20:43
 Sampling SOP 204 ♦

Donut Trip Cartridge (Solventless Live Rosin) 500mg - Rythm (Hybrid)

Concentrates & Extracts, Vape

Metrc Batch: 1A4120300000205000002575, Metrc Sample: 1A4120300000205000002579, Metrc Manifest: 0000089158



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Methomyl	0.10	0.40	ND	Passed
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.